

### Natural Gas Development Plan (NGDP)

- Developed by the **Department of Energy-Oil Industry Management Bureau-Natural Gas Management Division**(DOE-OIMB-NGMD), in partnership with the **Gas Policy Development Project 2** (GPDP 2) of the **UP Statistical Center Research Foundation, Inc.** (UPSCRFI)
- NGDP is a comprehensive report on the Philippine natural gas sector which contains the role of natural gas; legal and regulatory framework of the sector; ongoing projects; potential areas for development; and way forward plans for the sector.



















#### Overview

The NGDP is divided into four (4) main sections.

**Section 1** provides an overview on the role of natural gas in the Philippine energy sector while

**Section 2** provides details on natural gas demand and outlook.

**Section 3** focuses on the existing legal framework on natural gas, highlighting the DOE's Department Circular (DC) No. 2017-11-0012 or the Philippine Downstream Natural Gas Regulation (PDNGR).


**Section 4** discuss the ongoing projects, potential areas for development, and way forward plans for the sector.

- Philippine Energy Sector and the Role of Natural Gas
- Natural Gas Demand and Outlook
- Existing Legal Framework on Natural Gas
- **N** Development Plans and Programs






# ResearchStudiesConductedunderGPDP



**LNG Investors' Guide,** Feb 2020 – This provides information on potential LNG investments in the country as well as the procedures and requirements in the pre-construction and operation of the facilities including permit and clearance requirements from other government agencies.




Market Profiling with Emphasis on the Use of Liquefied Natural Gas to Power Economic Zones, Feb 2020 - The research analyzed the willingness of the company locators within these SEZs to shift from their current energy source to LNG.

Market Profiling on Potential Natural Gas Users in Economic Zones, May 2022 – expanded the results of the GPDP 1 study, gauging the extent of the potential demand for natural gas among firms in the Special Economic Zones (SEZs) covering CALABARZON, Clark, Subic, and Bataan areas

GPDP website: www.gpdp.online



### Research **Studies** Conducted under **GPDP**



Power and Non-Power Applications of Natural Gas, Jun 2022 presents findings on four major areas: inventory of existing power applications and technical discussions on power, industrial, and transport applications of natural gas




#### Proposed Regulatory Process (PRP), Nov 2021

Contains regulatory recommendations to government agencies and local government units involved in the PDNGI with the aim of bringing about a thorough yet efficient and coordinated regulatory system that incorporates globally accepted codes, standards, and best practices.








Feb 2022

#### I. Background

Provides guidance to investors on the policies put in place to facilitate investments and incentives that are made available to them.

#### II. Objective

GPDP 1's output that provides information on the procedures and requirements in the pre-construction and operation of the facilities including permit and clearance requirements from all concerned government agencies




### Mechanism To Guide Investors in LNG Facilities

#### **Table of Contents**

Overview

- Natural Gas Industry: Outlook and Potential Investments
- The Philippine Downstream Natural Gas Industry Regulatory Framework
- Incentives and Policies that Facilitate Investments
- 4. Primer for Application





Feb 2022

### Mechanism To Guide Investors in LNG Facilities

#### **Table of Contents**

#### Overview

 Natural Gas Industry: Outlook and Potential Investments

This section of the Guide provides the Philippine Downstream Natural Gas Industry (PDNGI) outlook for Power as anchor investments for LNG and potential non-power businesses.

#### Natural Gas Industry Outlook in the Philippines

#### A. Anchor Investments for LNG: Power

Notice to Proceed Issued to four (4) companies with 1 PCERM Application

- 1) Tanglawan (expired)
- 2) First Gen
- 3) Excelerate
- 4) Batangas Clean Energy

Luzon 13,635	Visayas 5.330	Mindanao 6,300	Total by type 25,265
13,635	5.330	6.300	25 265
	-,	0,000	25,205
8,300	3,000	3,200	14,500
2,450	850	700	4,000
24,385	9,180	10,200	43,765
2	8,300 2,450 2 <b>4,385</b>	8,300 3,000 2,450 850 24,385 9,180	8,300 3,000 3,200 2,450 850 700

baseload only in rainy season; biomass is baseload only during availability of feedstock; \*\*Wind and solar PV subject to availability Source: DOE 2016

#### Natural Gas Industry Outlook in the Philippines

#### **Potential Non-Power Businesses**

- Small power plants for island provinces and remote areas
- 2) Inter-island shipping
- 3) Trucking
- 4) Industrial and commercial use
- 5) Residential and other restaurants
- 6) Land-based public transport









Feb 2022

Mechanism to guide investors for LNG facilities

#### Table of Contents

#### Overview

- 1. Natural Gas Industry: Outlook and Potential Investments
- 2. The Philippine Downstream Natural Gas Industry Regulatory Framework
- 3. Incentives and Policies that Facilitate Investments
- 4. Primer for Application

The **Primer** contains information on the process and requirements for the application of the following:

- 1. Notice to Process (NTP)
- 2. Permit to Construct, Expand, Rehabilitate, and Modify (PCERM)
- 3. Permit to Operate and Maintain (POM)

1. Applicant to submit request letter for pre-application conference to DNG-REC 2. DNG-REC to send reply letter with schedule of conference to Applicant (NTP) Applicant to present general project concept and inquire clarification during presentation Applicant to submit application eed and documentary requirements Proc DNG-REC to evaluate, resolve, and inform Applicant if submission is complete 6. If submission is complete, DNG-0 REC to conduct legal, technical, and financial evaluation and recommend for approval the issuance/non-O issuance of NTP of DOE Secretary Notice 7. DOE Secretary to review and decide on recommendation for approval/non-approval of NTP DOE Secretary may require further explanation, clarification, or reevaluation of recommendation (1-8)8, Issuance of NTP

00 Rehabilitate, Construct, Expand, R Modify (PCERM) Permit to

Over-all Permitting Process (POM) 9. Applicant to secure permits or clearances from other Government Agencies and Financial Closing

Applicant to submit compliance to NTP conditions for validation of DNG-REC

within validity of NTP

11. Once validated, DNG-REC to recommend for approval of DOE Secretary the issuance of PCERM

12. DOE Secretary to review and decide for approval/non-approval of PCERM

DOE Secretary may require further explanation, clarification, or reevaluation of recommendation

13. Issuance of PCERM

Start of construction.

Maintain 16, DNG-REC and PIA-HSSE IMT to verify completion of construction and compliance 17. Upon verification, DNG-REC od to recommend approval to DOE Secretary the issuance of POM perate

ō

9

ermit

(15-20)

18. DOE Secretary to review and decide for approval/non-approval

Completion of construction

Applicant to submit application

for POM

DOE Secretary may require further explanation, clarification, or reevaluation of recommendation

19, Issuance of POM

20. Commercial operation


Overall Process Application of Permits from setting up to operations of LNG facilities

Taken from Dr. Ramon Clarete PPT\_ Sep 3 2020 Investor's Guide










Feb 2022

#### Mechanism to guide investors for LNG facilities

#### **Table of Contents**

#### Overview

- Natural Gas Industry: Outlook and Potential Investments
- The Philippine Downstream Natural Gas Industry Regulatory Framework
- Incentives and Policies that Facilitate Investments
- 4. Primer for Application
- The Figure outlines the process for the application of **NTP**. The NTP is valid for six (6) months and may be extended once for another six (6) months.
- The issuance of NTP authorizes the applicant to secure permits from other agencies.



#### Required Documentation

LEGAL	TECHNICAL	FINANCIAL
1. Information Sheet 2. SEC Registration 3. Certified true copy of the General Information Sheet (GIS) 4. Secretary's certificate	1. Applicant profile 2. Construction plans and design 3. Health, safety, environment (HSSE) Assessment and Management Plan (Construction and Equipment Installation Phase)	<ol> <li>Economic/Financial Feasibility Report</li> <li>Financial Closing Methodology</li> <li>Supporting Documents         <ul> <li>Certified executed copies of key binding agreements (e.g.EPG agreements, LNG supply agreement, Gas sales agreement</li> <li>Certified true copy of Applicant's tax clearance certificate</li> <li>Specific requirements for corporations existing &gt; 2 years</li> <li>Specific requirements for newly-organized corporation existing &lt; 2 year</li> <li>Requirements for earmarked fund guarantee from chosen member/s of Applicant Group (for applicants with insufficient ability to raise equity share)</li> </ul> </li> </ol>

Notice to Proceed (NTP) Application Process and Requirements







Feb 2022


#### Mechanism to guide investors for LNG facilities

#### Table of Contents

#### Overview

- Natural Gas Industry: Outlook and
   Potential Investments
- The Philippine Downstream Natural Gas Industry Regulatory Framework
- Incentives and Policies that Facilitate Investments
- 4. Primer for Application

The issuance of PCERM signals the construction of the proposed project



#### Required Documentation

PERMITS	FINANCIAL
<ol> <li>DENR - Applicable regulatory permits and requirements to satify the Environmental Compliance Certificate</li> <li>LGU - Endorsement and Permits for Operation</li> <li>NCIP - Certificate of Pre-Condition (if applicable)</li> <li>DOLE - Registration and Permit to Operate</li> <li>BIR, Philhealth, HDMF-Pag-ibig, and SSS registrations</li> <li>Fire Safety Inspection Certificate (Fire Code)</li> <li>Sanitary Permits (Sanitary Code)</li> <li>Other permits as may be required by law and rules</li> </ol>	1. Submission of Proof of Financial Closing

PCERM Application Process and Requirements









Feb 2022

#### Mechanism to guide investors for LNG facilities


#### **Table of Contents**

#### Overview

- Natural Gas Industry: Outlook and Potential Investments
- The Philippine Downstream Natural Gas Industry Regulatory Framework
- Incentives and Policies that Facilitate Investments
- 4. Primer for Application
- Within 30 days of the completion of construction, the LNG investor will need to apply for a POM.

#### Permit to Operate and Maintain (POM)

Within 30 days of the completion of construction, the LNG investor will need to apply for a POM following the process included in **Figure 12** below.



#### Required Documentation

#### PERMITS

- Certificate of Completion
- 2. Summary List of Buildings, Facilities, and Equipment
- 3. Operational Process with Flow Diagram
- 4. Health, Safety, Security and Environment (HSSE) Assessment and Management Plan (Operational Phase)
- 5. Permitting Requirement of Other Government Agencies for the Operation of the Facility

Permit to Operate and Maintain (POM) Application Process and Requirements











May 2022

#### I. Background

Consolidates the findings of GPDP 1 and 2's research on the potential use of natural gas in special economic zones, specifically looking into the likelihood of fuel switching by locator firms and their considerations for switching to natural gas.





The first study determined the profile of power and fuel use among locators in manufacturing and agro-industrial SEZs in Laguna, Batangas, Cavite, Cebu, Pampanga, Benguet, Bulacan, and Metro Manila.

The second research augmented the initial study, widening the scope to all types of SEZs, particularly identifying locators with energy-intensive operations in the Cavite, Laguna, Batangas, Rizal, Quezon (CALABARZON), Clark, Subic, and Bataan areas.








May 2022

#### **II. Objectives**

- Update the profile and activities of existing economic zones, identifying locators with energy-intensive operations in the CALABARZON, Clark, Subic, and Bataan areas
- Determine the interest of locators in SEZs to convert to natural gas
- Identify the economic, technical, and technological requirements for doing the conversion

#### **III. Activities Done**



Presentation of GPDP 2 Researches on Market Profile, Jul 2022









May 2022

#### IV. Findings and Recommendations

#### A. Sampling and Respondents

283 locators in the sample were interviewed, which is above the target of 234 firms. The respondents were a combination of directors, managers or officers in departments responsible for production, finance, human resource, facilities and equipment.

### B. Openness to Switch to Natural Gas by Ecozone

Most of the firms surveyed were not open to switch—which is about 61 percent of the total sample. When we look inside ecozones, we see that this pattern holds in general—that is, most locators reported that they were not willing to switch to natural gas.

#### A. Sampling and Respondents

Priority area	No. of ecozones	No. of operating locators
CALABARZON	56	1,839
Subic, Clark, and rest of Bataan	7	25
Target population	63	1,864
Target sample size, 95% confidence and 6% margin of error		234
Actual sample size, 95% confidence and 5.4% margin of error		283

Note: The number of ecozones is based on latest available data as of July 2021.

#### B. Openness to Switch to Natural Gas by Ecozone

0	Open		Not open		Total	
N	%	N	%	N	%	
19	43.2	25	56.8	44	100.0	
11	26.8	30	73.2	41	100.0	
13	46.4	15	53.6	28	100.0	
12	46.2	14	53.8	26	100.0	
11	50.0	11	50.0	22	100.0	
6	42.9	8	57.1	14	100.0	
5	38.5	8	61.5	13	100.0	
5	45.5	6	54.5	11	100.0	
4	40.0	6	60.0	10	100.0	
<mark>5</mark>	<b>55.6</b>	4	44.4	9	100.0	
3	33.3	6	66.7	9	100.0	
2	22.2	7	77.8	9	100.0	
1	11.1	8	88.9	9	100.0	
2	40.0	3	60.0	5	100.0	
111	39.2	172	60.8	283	100.0	
	N 19 11 13 12 11 6 5 5 4 5 3 2 1	N % 19 43.2 11 26.8 13 46.4 12 46.2 11 50.0 6 42.9 5 38.5 5 45.5 4 40.0 5 55.6 3 33.3 2 22.2 1 11.1 2 40.0	N       %       N         19       43.2       25         11       26.8       30         13       46.4       15         12       46.2       14         11       50.0       11         6       42.9       8         5       38.5       8         5       45.5       6         4       40.0       6         5       55.6       4         3       33.3       6         2       22.2       7         1       11.1       8         2       40.0       3	N       %         19       43.2       25       56.8         11       26.8       30       73.2         13       46.4       15       53.6         12       46.2       14       53.8         11       50.0       11       50.0         6       42.9       8       57.1         5       38.5       8       61.5         5       45.5       6       54.5         4       40.0       6       60.0         5       55.6       4       44.4         3       33.3       6       66.7         2       22.2       7       77.8         1       11.1       8       88.9         2       40.0       3       60.0	N         %         N         %         N           19         43.2         25         56.8         44           11         26.8         30         73.2         41           13         46.4         15         53.6         28           12         46.2         14         53.8         26           11         50.0         11         50.0         22           6         42.9         8         57.1         14           5         38.5         8         61.5         13           5         45.5         6         54.5         11           4         40.0         6         60.0         10           5         55.6         4         44.4         9           3         33.3         6         66.7         9           2         22.2         7         77.8         9           1         11.1         8         88.9         9           1         11.1         8         88.9         9           2         40.0         3         60.0         5	

Note: Ecozones with less than 5 responses were not included in this tab







May 2022

#### IV. Findings and Recommendations


#### C. Fuel Mix Used in Production


Of those who were open to switch, 10 percent of these firms used diesel—which is relatively dirtier and more expensive. Diesel is the likely fuel that will be displaced by natural gas when it becomes available. Those who are predisposed to switch also heavily use electricity in production.

#### **D. Locators' Sources of Electricity**

In our sample, 91 percent of firms reported that their electricity are supplied by Meralco or an electric cooperative. 39 percent of these firms reported that they are open to switching to natural gas.


#### C. Fuel Mix Used in Production





Notes: Bunker, coal, natural gas, and propane were also included as options in the survey. "Other" category includes kerosene and

#### D. Locators' Sources of Electricity









May 2022

#### IV. Findings and Recommendations


#### **E. Production Process by Fuel**

The production activity that heavily uses diesel and electricity are air compression/vacuuming, cooking and chilling, fabrication, transportation, forklift operation and boiler operation. Some of these processes are amenable for using natural gas.

#### F. Openness to Switch to Natural Gas

When looking at the size of the firm, a slightly higher proportion of firms with assets or sales 1 billion and below are more likely to be open to switching—but not overwhelmingly. However, exporters have a higher proportion than average in reporting openness to switching—44 percent of them report that they are open to switch. This reflects different incentives or even competitive pressures to lower costs among exporters compared to firms who purely sell domestically.

#### **E. Production Process by Fuel**



#### F. Openness to Switch to Natural Gas

### By book value size and production sales

Value	By boo	ok value	By production sales		
Value	Open	Not open	Open	Not Open	
1 billion and below	88	134	99	154	
	(92.6)	(91.2)	(89.2)	(89.5)	
Above 1 billion	7	13	12	18	
	(7.4)	(8.8)	(10.8)	(10.5)	
Total	95	147	111	172	
	(100.0) (100.0)		(100.0)	(100.0)	

Notes: The data above exclude the information from 41 respondents who answered the same question in the first survey but with different reference period. Numbers in parentheses are percentages.





#### · By product destination

 Comparing exclusive exporters and exclusive domestic sellers that are open to switching, exporters are relatively more receptive to natural gas adoption. Reflects the characteristics of locators inside the ecozone, i.e., exporters receive more incentives than those whose products are sold only domestically.

Product destination	Open	Not open	Total
Sold domestically	16	30	46
	(34.8)	(65.2)	(100.0)
Exported	45	56	101
	(44.6)	(55.4)	(100.0)
Both	34	61	95
	(35.8)	(64.2)	(100.0)
Total	95	147	242
	(39.3)	(60.7)	(100.0)







May 2022

#### IV. Findings and Recommendations

#### G. Extent of Knowledge of Natural Gas

Most of the respondents tend to report limited knowledge. And those who report limited knowledge are more likely NOT OPEN to switch to natural gas. Hence, there seems to be an intimate correlation between knowledge and the likelihood of switching.


This points out the importance of information dissemination activities on natural gas to evaluate the pros and cons of shifting.

#### H. Safety of Natural Gas


More than half of respondents believe that natural gas is safe to use. In addition, of those who think natural gas is safe, 67 percent are open to switching.

This is in stark contrast when we look at locators who believe natural gas is unsafe: 93 percent of them are not open to switching. Hence, the correlation of switching to natural gas is even stronger to the perception of safety.

#### G. Extent of Knowledge of Natural Gas



#### H. Safety of Natural Gas











May 2022

#### I. Fueling / Regasification Station



Without such facilities, an overwhelming 93 percent said they were not open to switching.

#### J. Fuels Likely to be Replaced by Natural Gas





@DOEgovph



#### IV. Findings and Recommendations

The study covers more locators including manufacturing, information technology, tourism, agro-industrial, medical tourism, and logistics services ecozones.

- > Given the wider coverage, more locators are not open to switch.
- > This confirms the findings in the first study that that the potential is greatest among firms that require intense heat for their production such as boilers, which is generated by burning less environmentally friendly fuels (e.g., diesel or coal, other than natural gas).
- > Hesitancy to switch heavily depends on the intimate knowledge on the properties of natural gas, and how natural gas can be integrated with the locator's present production processes.
- > A substantial portion of surveyed locators who export are more open to switch to natural gas relative to those who cater to domestic markets only.
  - This shows the exporters' willingness to enhance competitiveness by replacing more expensive fuels (e.g., diesel) in their production processes.
- > A major consideration for switching is the presence of needed infrastructure on site (e.g., regasification facilities inside the ecozones). This points out to the critical nature of logistical and infrastructure improvements before natural gas can be widely utilized.





May 2022

#### IV. Findings and Recommendations


There are also gaps in knowledge about high-efficiency equipment that can be retrofitted to optimize natural gas use in firm's specific production processes.

Establishing the market for these types of equipment is necessary for increasing the pace of adoption of natural gas.

- Firms, whether open or not open to switch, are aware about pressing environmental concerns, especially those that are being affected by their production process.
  - It is no surprise, then, that environmental issues are foremost in these locators' openness to switch to a natural gas as a cleaner alternative to more polluting fuels.







### MARKET PROFILING ON NATURAL GAS POTENTIAL USERS IN ECONOMIC ZONES

The Study in a Nutshell

#### PROFILE OF LOCATORS OPEN TO NATURAL GAS USE

- · Locators with boilers and other intensive heating equipment in their production process showed most potential in using to natural gas.
- · Export-oriented locators are more willing to switch to natural gas versus domestic market-oriented locators.
- · Natural gas can most likely replace diesel in the main production processes, self- and back-up power generation.



**TOP CONSIDERATIONS FOR SWITCHING TO NATURAL GAS** 

- Switching to natural gas depends on the existence of needed infrastructure onsite.
- Environmental concerns, price, and safety and security also emerged as top considerations.
- Compatibility of machines and equipment is an important factor among manufacturing and agro-industrial locators.

### KNOWLEDGE AND PERCEPTION OF NATURAL GAS

- · Locators with more advanced knowledge tend to be more receptive to switching.
- · Majority of locators deemed that natural gas is safe to use and is a competitive fuel in terms of cost relative to their existing fuels and energy sources.



**KNOWLEDGE ON** 

- · Locators displayed average knowledge on the relation and impact of carbon emissions to global warming, the Philippines' commitment to the Paris Agreement on climate change, and renewable
- · Locators showed openness to switch to natural gas being a cleaner alternative to more polluting fuels.

#### **TECHNICAL REQUIREMENTS** FOR SWITCHING

- Requirements for switching to natural gas is assessed on a case-to-case basis.
- Majority of the locators are not familiar with the high-efficiency equipment that can be retrofitted to optimize natural gas use in the production processes.
- For direct connection via pipelines: constructing an onsite storage facility may not be necessary
- For delivery via lorry: constructing one or more storage tanks is needed.
- Existing liquefied petroleum gas (LPG) pipelines and tanks must be replaced because their capacities are insufficient to transport or store natural gas






- · Economic benefits may be smaller than total cost of
- · Locators with 24/7 operations may not have enough time to convert their distribution and combustion











#### **Background**


#### **Objectives:**

- 1. Perform technical research on the utilization of natural gas for power applications;
- 2. Develop an inventory on the existing and emerging technologies for power applications of natural gas;
- 3. Assess the technical feasibility of using natural gas over the current fuel sources for non-power applications in the Philippines;
- 4. Identify capital and other economic requirements for the potential adoption of natural gas technologies for non-power applications; and
- 5. Estimate the carbon emission reduction because of the switch to natural gas.

#### Scope:

- 1. Inventory of existing and emerging technologies of power applications
- 2. Technical and economic analysis of natural gas applications:
  - a) Thermodynamic analysis of a gas-fired power plant
  - b) Technical research of the industrial and transport applications of natural gas
- 3. The role of natural gas in the decarbonization of the power, industrial, and transport sector





#### Scope

Inventory of existing and emerging technologies of power applications

#### **Objectives**


- Identify common power applications of natural gas and compare them with local available applications
- Identify equipment units in each power application and list available technologies for each unit

Types of power generation	pes of power generation Key Processes			
Simple Cycle Combined Cycle Reciprocating Engine	Compression Combustion Expansion (gas and steam) Heat Recovery Fluid Transport	Gas turbine Steam turbine HRSG		

#### **Comparison of Power Generation Types**

Power Application	Key Characteristics	Capacity Requirement	Working Fluid	Efficiency	Start-up	Thermodynamic Cycle	Type of Moving Equipment	Operating Conditions	Local Power Plant
Simple Cycle	Pressurized hot gases are used to drive the turbine to produce electricity  Waste heat is not utilized  Robust, easy to operate, and reach efficiencies up to 40% at large power levels		Air + fuel (natural gas)	Reach efficiencies up to 40% at large power levels Limited efficiency	Quick start- up	Brayton cycle (gas turbine)	Gas turbine	Firing temperatures of 2400°F (1315°C) Inlet temp: 1200K to 1700K	Avion
Combined Cycle	Pressurized hot gas is used to drive gas turbine to produce electricity  Hot exhaust gases are captured in a steam generator to raise steam  Steam turbine produces additional electricity  High efficiency and low environmental emission	Mid-merit/ intermediate	Gas turbine: air + fuel (natural gas) Steam turbine: water (waste heat)	Between 50% and 60%	Slower start- up than simple cycle	Brayton cycle (gas turbine) Rankine cycle (steam turbine)	Gas turbine (topping cycle) Steam turbine (bottoming cycle)	Inlet temp: 1200K to 1700K Gas turbine exit conditions: between 900°F (482°C) and 1100°F (593°C)	Ilijan San Lorenzo Santa Rita San Gabriel






Types of
LNG Receiving
Facility

Receiving Terminal	Key Characteristics	Capacity Requirement	Typical Dimensions	Installation	Economic Costs	Import and Export Limits	
	LNG is regasified topside and high-pressure gas is sent directly into the pipeline		Vessel Length Overall (LOA): 345 m				
	Good flexible option if distance from shore is too long, marine environment too hostile, but with good gas pipeline availability	267,335 m³ (typical for large FSRU vessels)	Vessel Fully Loaded / Design Draft: ~12.5 m Beam: 54 m				
FSRU	Moored at shore  Solution for transfer of high-pressure gas, eliminates fixed infrastructure and is a cheaper alternative should FSRU be re-deployed		Berthing pocket & maneuvering area - Length: 500 m	Can be implemented in one to three years		Less flexibility than onshore terminals which can deliver import and export services	
	Regasification modules are installed on the deck and gas is sent out via a riser and a subsea pipeline to the customer	Storage capacity of FSRUs is typically in the 145,000 m <sup>3</sup> to 350,000 m <sup>3</sup> range	Diameter of marine access area for FSRU Vessel / LNGC: 690-700 m				
	Receive LNG via an LNG Carrier that will moor to the seaward side of the FSRU or FSU in a ship-to-ship configuration		Width of marine access channel: 250-260 m				
	LNG is unloaded by means of the ship pumps to the unloading arms on the Jetty and then to	Terminal capacity is commonly defined by the					
	the storage tank through the unloading lines. It is then pumped to high pressure through	storage and regasification capacity					
	various terminal components where it is warmed in a controlled environment.	Actual capacity is often		Typical critical path for an	Typically has higher		
Onshore	Most common terminal configuration	restricted by operational constraints such as restricted berth availability due to			onshore re-gasification terminal is about 40 months of design	CAPEX when compared to offshore marine terminals	Can accommodate large and small-scale LNG import and export
	Comprises berthing facilities, onshore storage tanks, regasification and gas distribution into	arrival slots		construction after approval			
	the domestic network	145,000 m <sup>3</sup> LNG carrier with an average unloading rate of					
	Mooring through LNG carriers	12,000 m³/hr.					





#### Scope


2. Technical Research on Power Applications

Two aspects of the Power Applications of Natural Gas:

- Thermodynamic Analysis of Gas-Fired Power Plants
- Decarbonization in the Power Generation Sector

#### Thermodynamic Analysis

**Main objective:** Use thermodynamics (energy and exergy balances) to identify fundamental changes in design, operation, maintenance, and economic evaluation of a process.



Exergy is associated with the usefulness of energy.

Poor energy quality means that it cannot be transformed to generate useful work.


Mitra and Ghosh (2015)

#### **Key points:**

- 1. Thermodynamic analysis could recommend strategies that can increase efficiency and reduce irreversibilities in gas-fired power plants.
- 2. Combustion chamber exhibited the highest irreversibility in the process. Reducing this irreversibility can result in higher plant efficiencies.
- 3. Optimizing process conditions can minimize cost and emissions and maximize plant efficiency.








#### Scope

- 2. Technical Research on Power Applications
  - Thermodynamic Analysis of Gas-Fired Power Plants


#### Capital Cost of Power Generating Technologies



Gas technologies are also among the lowest in capital costs when compared to renewable energy alternatives.







#### Scope

- 2. Technical Research on Power Applications
  - Thermodynamic Analysis of Gas-Fired Power Plants


#### **Levelized Cost of Electricity (LCOE)**

LCOE: Cost per kilowatt-hour of electricity generation over the course of operation of the project (Fan et al., 2018)

Organization	Report	Year	LCOE for Single Cycle	LCOE for Combined Cycle
Institute for Energy Research	The Levelized Cost of Electricity from Existing Generation Resources	2019	\$89.9-\$192.9	\$35.9-\$50
Lazard	Lazard's Levelized Cost of Energy Analysis – Version 14.0	2020	\$151-198	\$44-73
International Energy Agency and OECD Nuclear Energy Agency	International Energy Agency and OECD of Generating Nuclear Energy Electricity		~\$80-\$115	~\$50-\$85

A 11


The combined cycle gas plant is a more costeffective option and may be even at par with that of conventional coal.



In all cases, the LCOE of a combined cycle plant is lower than that of a single cycle. Combined cycle power generation offers a more cost-effective option, at par or even cheaper than that of conventional coal. Operating existing conventional fuel technologies are also still more economical than building new power plants








#### Scope

- 2. Technical Research on Power Applications
  - Decarbonization in the Power Generation Sector


#### Challenges in Decarbonizing the Power Sector

- High fugitive emissions in upstream processes could outweigh lower carbon emissions during the use phase of natural gas.
- Carbon capture and storage technology remain at the R&D stage.









#### 3. Technical Research on Industrial Applications


#### **Background**

Provide a technical recommendation on a proposed LNG regasification infrastructure within the selected SEZ case.

Sections of the technical research

- Preliminary Market Study
- Industrial Decarbonization
- Process Description and Major Equipment

#### **Energy Consumption of Local Sectors**




#### **Key points:**

- 1. Transport, industry, and household are the top 3 sectors in the Philippines in terms of energy consumption.
- 2. Transport and industry sectors required the most attention in studying the possibility of switching to LNG-based energy sources.







#### 4. Technical Research on Transport Applications

#### **Background**

Case studies in various countries have shown the feasibility of a CNG bus project.

- Argentina, Brazil, Pakistan, Iran and India leads in terms of bus deployment.
- Reduction of GHG emissions is the primary reason for switching to natural gas vehicles (NGV).

#### **Decarbonization of the Transport Sector**

CNG buses fared better than diesel buses in the reduction of GHG emissions.


• Global Warming Potential (GWP) – 24% reduction

CNG bus: 1.67 kg CO2 eq per km Diesel bus: 2.14 kg CO2 eq per km

- Lice Cycle Assessment (LCA) of Passenger Buses
  - Switch from diesel to CNG or electric bus -> 37-41% reduction in resource depletion and overall damage to human health and the environment.








#### Challenges

- > The supply of CNG and abundance of refueling stations are key determinant in the success of the project.
- > The natural gas market for transport application is not developed yet.
  - > initially high capital cost due to installation of necessary CNG transport infrastructures
- > The study utilized secondary data only.
  - > Further studies can be conducted using primary data.





<u>Findings and Recommendations</u>

- ➤ Efforts should be directed towards improving combustion efficiency and heat transfer in gas-fired power plants to increase plant efficiency.
- > Natural gas use should be coupled with additional CO2 mitigation strategies to ensure a streamlined transition to a zero-carbon future.
- For regions that are highly dependent on thermal sources, coalto-gas (C2G) retrofits can be implemented to bring about significant CO2 emission reductions.
- ➤ The adoption of CNG buses as an alternative means of public transport mitigates the effects of road transport pollution caused by diesel-powered vehicles. The market, however, would have to bear the burden of high initial capital costs on necessary transport infrastructures.





Nov 2021

 Highlights GPDP 2's recommendations on the regulatory process per stage of operation, including the five (5) identified business types for each concerned agency as well as the list of current and proposed documentary requirements and checklist of codes and standards recommended for adoption.

#### The PRP is comprised of:


- Itemized technical, administrative, and regulatory recommendations for eleven agencies and two LGUs;
- Process flowcharts that show the recommended regulatory process for securing permits or clearances;
- List of current and proposed documentary requirements, and;
- Checklist of Codes and Standards to be adopted by each agency.





Nov 2021

#### Project Scope: Philippine Downstream Natural Gas Industry (PDNGI)



- Importation: Use of international LNG ships/carriers, delivered to ports connected to an on-shore import terminal or floating storage/regasification units
- Distribution: Use of international and domestic LNG ships/carriers
- Processing: At on-shore terminals connected to a port or at floating processing units








Nov 2021

#### Project Scope: Business Types

- 1. On-Shore Import Terminal Ports (OIT)
- 2. Floating Storage and Regasification Units (FSRU)
- 3. Floating Storage Units (FSU)
- 4. Bunkers
- 5. LNG Ships/Carriers
- 6. LNG Trucks












Nov 2021







Nov 2021

Onshore Import Terminal	FSRU	FSU	LNG Ship	LNG Truck	Bunker
Jetty & Loading/ Unloading Arms & Hoses	Loading/ Unloading Arms or Hoses	Loading/ Unloading Arms or Hoses	Loading/ Unloading Arms or Hoses	Loading / Unloading Berth	Loading & Unloading Facilities
Cryogenic Pipelines	Cryogenic Pipelines	Cryogenic Pipelines	Cryogenic Pipelines	Piping & Controls	Manifolds & Cryogenic Pipelines
LNG Storage Tanks	LNG Storage Tanks	LNG Storage Tanks	LNG Storage Tanks	LNG Storage Tanks	LNG Storage Tanks
High- & Low- Pressure Pumps	High- & Low- Pressure Pumps	High- & Low- Pressure Pumps	High- & Low- Pressure Pumps	Pressure-building coils	High- & Low- Pressure Pumps
Boil-off Gas Recovery & Treatment	Boil-off Gas Recovery & Treatment	Boil-off Gas (BOG) Handling	Boil-off Gas (BOG) Handling		Boil-off Gas (BOG) Handling
LNG Vaporizer (Regasification Unit)	LNG Vaporizer (Regasification Unit)				
Vent & Flare System	Vent & Flare System	Vent & Flare System	Vent & Flare System	Relief Valve	Vent and Flare System
Send-Out & Metering System	Send-Out & Metering System	LNG Metering System	LNG Metering System	LNG Metering System	LNG Metering System

GAS POLICY
DEVELOPMENT PROJE



Source: R3DNGI PubCon Document, August 2020 (expanded)







Nov 2021

Covered eleven (11) regulatory agencies and two (2) local government units:

- (1) Department of Environment and Natural Resources Environment Management Board (DENR-EMB);
- (2) Laguna Lake Development Authority (LLDA),
- (3) Department of Labor and Employment Bureau of Working Conditions (DOLE-BWC),
- (4) Bureau of Customs (BoC),
- (5) Philippine Ports Authority (PPA),
- (6) Philippine Coast Guard (PCG),
- (7) Maritime Industry Authority (MARINA),
- (8) Department of Transportation Civil Aviation Authority of the Philippines (CAAP),
- (9) Department of Transportation Land Transportation Office (LTO) and
- (10) Bureau of Fire Protection (BFP)

#### Two LGUs:

- (1) Batangas City, and (2) Pagbilao, Quezon
- Recommendations per Agency page 12
- > Inter-Agency Issues <u>Identified</u> page 56









#### **Codes and Standards**

These proposed standards are internationally accepted and recognized best practices, methods and procedures and its applicability to a tropical country like the Philippines.

The following standards were considered, and the complete and detailed list is in <u>Annex I: Description of Recommended Codes and Standards for Local Adoption (p.252)</u>, and <u>Annex J: Codes, Standards, and Best Practices for Adoption Based on LNG Checklist (Per Agency) (p.254)</u>:

- 1. American Petroleum Institute (API)
- 2. European Standard (EN)
- 3. European Standard/ International Organization for Standards (EN ISO)
- 4. International Organization for Standards / Technical Specifications (ISO/TS)
- 5. International Code of the Construction and Equipment of Ships Carrying Liquefied Gases in Bulk (IGC Code)
- 6. National Fire Protection Association (NPFA)
- 7. International Standards on Audit (ISA)
- 8. Society of International Gas Tanker and Terminal Operators (SIGTTO)
- 9. LNG Bunkering Guide
- 10. British Standards (BS)
- 11. International Organization for Standards (ISO)



### Development of Products, Facility, and Codes of Safety Practice **Standards**

DOE has entered into a Memorandum of Agreement (MOA) with the Department of Trade and Industry (DTI) through its Bureau of Philippine Standards on 14 May 2021 for closer collaboration in coordination and the development and promulgation of Philippine National Standards (PNS) on natural gas products, facilities, and code of practices of the downstream natural gas industry.







### **Way Forward**

### + LEGAL / REGULATORY FRAMEWORK

- Ol Approval of a Midstream Downstream Natural Gas Law
- Development of Philippine National Standards on Natural Gas Product, Facility, and Code of HSSE Best Practices
- Adoption and promulgation of Natural Gas specific regulation by concerned agencies using the PRP-based recommendations
- (+) RESEARCH
  - Potential Markets of Natural Gas in Visayas and Mindanao
  - Economic feasibility of small-scale LNG carriers for inter-island supply







### THANK YOU!

Email: <u>doe.oimb.ngmd@gmail.com</u>

Direct Line: +632 8 840 0774







(632) 8 479 2900



