

ANNEX 3  
BCQ Nomination \*  
(As Amended on 25 October 2021)

HOUR OF DAY	Trading Interval	kWh
1:00am	00:00 – 01:00	
2:00am	01:00 – 02:00	
3:00am	02:00 – 03:00	
4:00am	03:00 – 04:00	
5:00am	04:00 – 05:00	
6:00am	05:00 – 06:00	20
7:00am	06:00 – 07:00	1,400
8:00am	07:00 – 08:00	4,900
9:00am	08:00 – 09:00	8,200
10:00am	09:00 – 10:00	11,020
11:00am	10:00 – 11:00	13,000
12:00pm	11:00 – 12:00	13,000
1:00pm	12:00 – 13:00	13,000
2:00pm	13:00 – 14:00	11,560
3:00pm	14:00 – 15:00	9,800
4:00pm	15:00 – 16:00	6,600
5:00pm	16:00 – 17:00	4,100
6:00pm	17:00 – 18:00	1,200
7:00pm	18:00 – 19:00	
8:00pm	19:00 – 20:00	
9:00pm	20:00 – 21:00	
10:00pm	21:00 – 22:00	
11:00pm	22:00 – 23:00	
12:00am	23:00 – 00:00	
<b>DAILY TOTAL</b>		<b>97,800</b>

\*Note:

AEC can opt to nominate a BCQ higher than the quantities specified in the above Table; *Provided*, that AEC's nomination is done in accordance with a Nomination Protocol agreed upon by the contracting parties and specified in the PSA; *Provided Further*, that the nomination does not exceed **107%** of the **Total kWh/day, which**

**may be applied to all the intervals, including the 13,000 intervals.** For avoidance of doubt, all BCQ shall be paid at the Purchase Price.