

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
1	TOSOT PHILIPPINES CORPORATION	Tosot	Air Conditioners	TJC06FME	1.82	563	121.61	3.44	2	R32	Window Type	0.2	675
2	TOSOT PHILIPPINES CORPORATION	Tosot	Air Conditioners	TJC07VRZ	2.47	725	97.87	4.82	5	R32	Window Type	0.34	675
3	TOSOT PHILIPPINES CORPORATION	Tosot	Air Conditioners	TJC09VRU	2.89	900	121.5	4.25	5	R32	Window Type	0.34	675
4	TOSOT PHILIPPINES CORPORATION	Tosot	Air Conditioners	TJC12VRU	3.67	1140	153.9	4.37	5	R32	Window Type	0.46	675
5	TOSOT PHILIPPINES CORPORATION	Tosot	Air Conditioners	TJC18VRU	5.3	1506	203.31	4.56	5	R32	Window Type	0.64	675
6	TOSOT PHILIPPINES CORPORATION	Tosot	Air Conditioners	TJC24VRU	6.7	2160	291.6	4.21	5	R32	Window Type	0.61	675
7	DAVAO CITIHARDWARE INC.	BOSTON BAY	ABT1122-0.7HPW	ABT1122-0.7HPW	2	635	137.16	3.34	2	R32	Window Type	0.23	675
8	CYA INDUSTRIES, INC.	FABRIANO	1.0HP Inverter Air Conditioner	FWE09TWI-32	2.5	800	108	4.36	5	R32	Window Type	0.28	675
9	CYA INDUSTRIES, INC.	FABRIANO	1.5 Hp Inverter Air Conditioner	FWE12TWI-32	3.33	1151	155.38	4.04	5	R32	Window Type	0.34	675
10	Haier Electrical Appliances Philippines Inc.	Haier	Air Conditioner	HW-10VCQ32	2.92	765	103.28	4.54	5	R32	Window Type	0.445	675
11	Concepcion Midea Inc.	Midea	Ceiling Cassette Inverter	MCC-36CDN8-MD3 / MO-36CDN8-MD3	10.55	3350	452.25	5	5	R32	Split Type - Ceiling Cassette	1.45	675
12	Concepcion Midea Inc.	Midea	Floor Ceiling Inverter	MUC-36CDN8-MD3 / MO-36CDN8-MD3	10.55	3400	459	4.7	5	R32	Split Type - Ceiling Suspended	1.45	675
13	SHARP (PHILS.) CORPORATION	SHARP	Window Type Air Condition (Manual)	AF-T2017CM	5.25	1900	410.4	3.14	2	R410a	Window Type	0.74	2088
14	Concepcion Midea Inc.	Midea	Floor Standing Inverter	MFS-36CDN8-MD3 / MO-36CDN8-MD3	10.55	3300	445.5	4.5	5	R32	Split Type - Floor Mounted	1.45	675
15	CYA INDUSTRIES, INC.	mabe	Window Type Air Conditioner	MEI12VX	3.67	1140	153.9	4.04	5	R32	Window Type	0.46	675
16	CYA INDUSTRIES, INC.	mabe	Air Conditioner	MEV05VX	1.5	542	117.07	3.18	1	R32	Window Type	0.175	675
17	CYA INDUSTRIES, INC.	mabe	Air Conditioner	MEV09VX	2.6	839	181.22	3.34	2	R32	Window Type	0.28	675
18	CYA INDUSTRIES, INC.	FABRIANO	Air Conditioner	FSE09TWI32	2.68	895	120.82	4.33	5	R32	Split Type - Wall Mounted	0.29	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
19	CYA INDUSTRIES, INC.	FABRIANO	Air Conditioner	FSE12TWI32	3.52	1212	163.62	4.36	5	R32	Split Type - Wall Mounted	0.4	675
20	CYA INDUSTRIES, INC.	FABRIANO	Air Conditioner	FSE18TWI32	5.24	1630	220.05	4.73	5	R32	Split Type - Wall Mounted	0.64	675
21	CYA INDUSTRIES, INC.	FABRIANO	Air Conditioner	FSE24TWI32	7.03	2170	292.95	4.94	5	R32	Split Type - Wall Mounted	0.69	675
22	CYA INDUSTRIES, INC.	mabe	Air Conditioner	MEE05VX	1.5	542	117.07	3.27	1	R32	Window Type	0.175	675
23	CYA INDUSTRIES, INC.	mabe	Air Conditioner	MEE07VX	2	667	144.07	3.27	1	R32	Window Type	0.23	675
24	CYA INDUSTRIES, INC.	mabe	Window Type Air Conditioner	MEI09VX	2.88	900	121.5	4.05	5	R32	Window Type	0.34	675
25	DAVAO CITIHARDWARE INC.	BOSTON BAY	ABT1122-0.5HPW	ABT1122-0.5HPW	1.51	510	110.16	3.08	1	R32	Window Type	0.2	675
26	DAVAO CITIHARDWARE INC.	BOSTON BAY	ABT1122-1HPS	ABT1122-1HPS	2.65	870	117.45	4.02	5	R32	Split Type - Wall Mounted	0.29	675
27	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir Entry Inverter - Floor Standing	FVFC71BXVA/RZ FC71BXVM	7.1	2330	314.55	4.27	5	R32	Split Type - Floor Mounted	1.15	675
28	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir Entry Inverter - Floor Standing	FVFC140BXVA/RZFC140BXVM	14	5450	735.75	4.4	5	R32	Split Type - Floor Mounted	1.9	675
29	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir Entry Inverter - Floor Standing	FVFC140BXVA/RZFC140BXVM	14	5450	735.75	4.4	5	R32	Split Type - Floor Mounted	1.9	675
30	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir Entry Inverter - Ceiling Cassette	FCFC71BXVA/RZ FC71BXVM	7.1	2050	276.75	5.23	5	R32	Split Type - Ceiling Cassette	1.15	675
31	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir Entry Inverter - Ceiling Cassette	FCFC100BXVA/RZFC100BXVM	10	3510	473.85	4.32	5	R32	Split Type - Ceiling Cassette	0.95	675
32	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir Entry Inverter - Ceiling Cassette	FCFC140BXVA/RZFC140BXVM	14	5430	733.05	4.44	5	R32	Split Type - Ceiling Cassette	1.9	675
33	MULSONS TRADING CORPORATION	SUMMIT	0.6 HP WINDOW TYPE AIRCONDITIONER (NON-INVERTER)	SA-60WMT	1.5	510	110.16	3.1	1	R32	Window Type	0.2	675
34	MULSONS TRADING CORPORATION	SUMMIT	1.0 HP WINDOW TYPE AIRCONDITIONER (NON-INVERTER)	SA-101WMT	2.6	831	179.5	3.32	2	R32	Window Type	0.28	675
35	MULSONS TRADING CORPORATION	SUMMIT	1.0 HP WINDOW TYPE AIRCONDITIONER (NON-INVERTER)	SA-101WRT	2.6	831	179.5	3.32	2	R32	Window Type	0.28	675
36	MULSONS TRADING CORPORATION	SUMMIT	1.0 SPLIT TYPE AIRCONDITIONER (INVERTER)	SA-10SPI	2.65	910	122.85	4.02	5	R32	Split Type - Wall Mounted	0.29	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
37	MULSONS TRADING CORPORATION	SUMMIT	1.5 HP SPLIT TYPE AIRCONDITIONER (INVERTER)	SA-15SPI	3.52	1426	192.51	4.36	5	R32	Split Type - Wall Mounted	0.4	675
38	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AR12TYGCGWK NTC/AR12TYGC GWKXTC	3.52	1050	141.75	4.7	5	R32	Split Type - Wall Mounted	0.55	675
39	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AR09TYHYEWK NTC/AR09TYHY EWKXTC	2.75	915	123.52	4.24	5	R32	Split Type - Wall Mounted	0.5	675
40	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AR10BYHAMWK NTC/AR10BYHA MWKXTC	2.94	870	117.45	4.9	5	R32	Split Type - Wall Mounted	0.5	675
41	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AC030BNPDKC/TC/AC030BXPDK C/TC	8.2	2600	351	5	5	R410a	Split Type - Floor Mounted	2	2088
42	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AC036BNPDKC/TC/AC036BXPDK C/TC	10.11	3340	450.9	5	5	R410a	Split Type - Floor Mounted	2.6	2088
43	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AC048BNPDKC/TC/AC048BXPDK C/TC	13.19	4320	583.2	4.8	5	R410a	Split Type - Floor Mounted	2.9	2088
44	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AR13BYHAMWK NTC/AR13BYHA MWKXTC	3.52	1250	168.75	4.7	5	R32	Split Type - Wall Mounted	0.5	675
45	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AR18BYHAMWK NTC/AR18BYHA MWKXTC	5.28	1760	237.6	4.01	5	R32	Split Type - Wall Mounted	0.7	675
46	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AR24BYHAMWK NTC/AR24BYHA MWKXTC	6.5	2040	275.4	4.6	5	R32	Split Type - Wall Mounted	0.8	675
47	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AR10AYKAGWK NTC/AR10AYKA GWKXTC	2.93	740	99.9	6.5	5	R32	Split Type - Wall Mounted	0.65	675
48	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AR13AYKAGWK NTC/AR13AYKA GWKXTC	3.52	960	129.6	6.04	5	R32	Split Type - Wall Mounted	0.65	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
49	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AR12TYHYEWK NTC/AR12TYHY EWKXTC	3.52	1250	168.75	4.7	5	R32	Split Type - Wall Mounted	0.5	675
50	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AR18AYKAGWK NTC/AR18AYKA GWKXTC	5.28	1520	205.2	5.33	5	R32	Split Type - Wall Mounted	0.73	675
51	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AR18TYGCGWK NTC/AR18TYGC GWKXTC	5.28	1520	205.2	5.33	5	R32	Split Type - Wall Mounted	0.73	675
52	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AR18TYHYEWK NTC/AR18TYHY EWKXTC	5.28	1720	232.2	4.01	5	R32	Split Type - Wall Mounted	0.7	675
53	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AR24TYGCGWK NTC/AR24TYGC GWKXTC	6.5	2000	270	4.9	5	R32	Split Type - Wall Mounted	0.8	675
54	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AR24TYHYEWK NTC/AR24TYHY EWKXTC	6.5	2000	270	4.9	5	R32	Split Type - Wall Mounted	0.8	675
55	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AR24AYKAGWK NTC/AR24AYKA GWKXTC	6.5	2000	270	4.9	5	R32	Split Type - Wall Mounted	0.8	675
56	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AC140TN4PKC/T C / AC140TXADKC/T C	13.4	4420	596.7	5.07	5	R410a	Split Type - Ceiling Cassette	3.4	2088
57	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AC120TN4PKC/T C / AC120TXADKC/T C	12.1	3670	495.45	5.07	5	R410a	Split Type - Ceiling Cassette	3.4	2088
58	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AC100TN4PKC/T C / AC100TXADKC/T C	10	3125	421.88	4.81	5	R410a	Split Type - Ceiling Cassette	3	2088
59	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AC071TN4PKC/T C / AC071TXADKC/T C	7.1	2185	294.97	5.25	5	R410a	Split Type - Ceiling Cassette	2	2088
60	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AC140TN4DKC/T C / AC140TXADKC/T C	13.4	4420	596.7	4.84	5	R410a	Split Type - Ceiling Cassette	3.4	2088

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
61	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AC120TN4DKC/T C / AC120TXADKC/T C	12.1	3670	495.45	5.25	5	R410a	Split Type - Ceiling Cassette	3.4	2088
62	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AC100TN4DKC/T C / AC100TXADKC/T C	10	3125	421.88	4.67	5	R410a	Split Type - Ceiling Cassette	3	2088
63	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AC071TN4DKC/T C / AC071TXADKC/T C	7.1	2185	294.97	5.45	5	R410a	Split Type - Ceiling Cassette	2	2088
64	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AC071TN1DKC/T C / AC071TXADKC/T C	6.1	1970	265.95	4.79	5	R410a	Split Type - Ceiling Cassette	2	2088
65	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AC052TN1DKC/T C / AC052TXADKC/T C	5	1470	198.45	5.42	5	R410a	Split Type - Ceiling Cassette	1.3	2088
66	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AC035TN1DKC/T C / AC035TXADKC/T C	3.5	1045	141.07	4.97	5	R410a	Split Type - Ceiling Cassette	1.05	2088
67	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AC140TNCDKC/ TC / AC140TXADKC/T C	13.4	4420	596.7	4.92	5	R410a	Split Type - Ceiling Suspended	3.4	2088
68	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AC120TNCDKC/ TC / AC120TXADKC/T C	12.1	3670	495.45	5.14	5	R410a	Split Type - Ceiling Suspended	3.4	2088
69	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AC100TNCDKC/ TC / AC100TXADKC/T C	10	3125	421.88	4.6	5	R410a	Split Type - Ceiling Suspended	3	2088
70	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AC071TNCDKC/ TC / AC071TXADKC/T C	7.1	2000	270	5.24	5	R410a	Split Type - Ceiling Suspended	2	2088
71	SAMSUNG ELECTRONICS PHILIPPINES CORPORATION	SAMSUNG	AIR CONDITIONER	AR09TYGCGWK NTC/AR09TYGC GWKXTC	2.83	850	114.75	4.7	5	R32	Split Type - Wall Mounted	0.55	675
72	Haier Electrical Appliances Philippines Inc.	Haier	Air Conditioner	HSU- 10TSV13(DC)-SC	2.93	1050	141.75	4.1	5	R410a	Split Type - Wall Mounted	0.5	2088

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
73	Haier Electrical Appliances Philippines Inc.	Haier	Air Conditioner	HSU-12TSV13(DC)-SC	3.51	1200	162	4.1	5	R410a	Split Type - Wall Mounted	0.5	2088
74	GREAT BUYS HOME DEPOT, INC.	AUX	CEILING CASSETTE INVERTER AIRCON	ALCA C36/4DR3HI / AL C36/4DR3HI	10.55	3350	452.25	5.28	5	R32	Split Type - Ceiling Cassette	2	675
75	Kolin Philippines International, Inc.	Kolin	Kolin Ceiling Cassette 3 TR Inverter	KLM-IS40-AA1M32-I / KLM-IX40-AA1M32-O	10.55	3184	429.84	5.24	5	R32	Split Type - Ceiling Cassette	1.45	675
76	Kolin Philippines International, Inc.	Kolin	Kolin Ceiling Suspended 3 TR Inverter	KLM-IC40-AA1M32-I / KLM-IX40-AA1M32-O	10.55	3184	429.84	4.92	5	R32	Split Type - Ceiling Suspended	1.45	675
77	PANASONIC MANUFACTURING PHILIPPINES	Panasonic	Inverter Floor Standing Air Conditioner	S-24PB3Q6/U-24PRB1Q6	7.25	2550	344.25	4.05	5	R32	Split Type - Floor Mounted	1.32	675
78	PANASONIC MANUFACTURING PHILIPPINES	Panasonic	Inverter Floor Standing Air Conditioner	S-34PB3Q6/U-34PSB3Q6	10	3450	465.75	4.06	5	R410a	Split Type - Floor Mounted	1.85	2088
79	PANASONIC MANUFACTURING PHILIPPINES	Panasonic	Inverter Floor Standing Air Conditioner	S-43PB3Q6/U-43PSB3Q6	12.53	4470	603.45	4.06	5	R410a	Split Type - Floor Mounted	2.85	2088
80	PANASONIC MANUFACTURING PHILIPPINES	Panasonic	Inverter Floor Standing Air Conditioner	S-48PB3Q6/U-48PSB3Q6	14	5600	756	4.06	5	R410a	Split Type - Floor Mounted	2.85	2088
81	PANASONIC MANUFACTURING PHILIPPINES	Panasonic	Inverter Window Air Conditioner	CW-U923JPH-W	2.64	792	106.92	4.36	5	R32	Window Type	0.41	675
82	PANASONIC MANUFACTURING PHILIPPINES	Panasonic	Inverter Window Air Conditioner	CW-U923JPH-H	2.64	792	106.92	4.36	5	R32	Window Type	0.41	675
83	MULSONS TRADING CORPORATION	SUMMIT	1.5 HP SPLIT TYPE AIRCONDITIONER (INVERTER)	SA-15SPI	3.52	1426	192.51	4.36	5	R32	Split Type - Wall Mounted	0.4	675
84	Koppel, Inc.	KOPPEL	3TR Floor Mounted Inverter R32	KV36FM-ARF31/KV36ODU-ARF31	10.84	3360	453.6	4.26	5	R32	Split Type - Floor Mounted	1.45	675
85	International Elevator & Equipment Inc.	Mitsubishi Electric	Mitsubishi Electric "Mr. Slim" Ceiling Cassette Inverter	PLY-SP18EA.TH/SUY-SA18VA2.TH	5.3	1690	228.15	5.64	5	R410a	Split Type - Ceiling Cassette	1.2	2088
86	International Elevator & Equipment Inc.	Mitsubishi Electric	Mitsubishi Electric "Mr. Slim" Ceiling Cassette Inverter	PLY-SP24EA.TH/SUY-SA24VA2.TH	7.1	2150	290.25	5.74	5	R410a	Split Type - Ceiling Cassette	2	2088
87	International Elevator & Equipment Inc.	Mitsubishi Electric	Mitsubishi Electric "Mr. Slim" Ceiling Suspended Inverter	PCY-SP36KA2.TH/PUY-SP36VKA2.TH	10.6	3590	484.65	5.58	5	R410a	Split Type - Ceiling Suspended	2.1	2088
88	International Elevator & Equipment Inc.	Mitsubishi Electric	Mitsubishi Electric "Mr. Slim" Ceiling Suspended Inverter	PCY-SP24KA2.TH/SUY-SA24VA2.TH	7.1	2190	295.65	5.25	5	R410a	Split Type - Ceiling Suspended	2	2088

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
89	International Elevator & Equipment Inc.	Mitsubishi Electric	Mitsubishi Electric "Mr. Slim" Ceiling Suspended Inverter	PCY-SP18KA2.TH/SUY-SA18VA2.TH	5.3	1580	213.3	5.42	5	R410a	Split Type - Ceiling Suspended	1.2	2088
90	International Elevator & Equipment Inc.	Mitsubishi Electric	Mitsubishi Electric "Mr. Slim" Ceiling Suspended Inverter	PCY-SP30KA2.TH/SUY-SA30VA2.TH	8.8	2950	398.25	5.48	5	R410a	Split Type - Ceiling Suspended	2.1	2088
91	International Elevator & Equipment Inc.	Mitsubishi Electric	Mitsubishi Electric "Mr. Slim" Ceiling Suspended Inverter-R32	PCY-M18KAL-PA.TH/SUY-M18VA-PA.TH	5.3	1250	168.75	7.2	5	R32	Split Type - Ceiling Suspended	0.85	675
92	International Elevator & Equipment Inc.	Mitsubishi Electric	Mitsubishi Electric "Mr. Slim" Ceiling Suspended Inverter-R32	PCY-M24KAL-PA.TH/SUY-M24VA-PA.TH	7.4	1980	267.3	6.78	5	R32	Split Type - Ceiling Suspended	0.95	675
93	International Elevator & Equipment Inc.	Mitsubishi Electric	Mitsubishi Electric "Mr. Slim" Ceiling Suspended Inverter-R32	PCY-M30KAL-PA.TH/SUY-M30VA-PA.TH	8.8	2230	301.05	6.4	5	R32	Split Type - Ceiling Suspended	1.06	675
94	International Elevator & Equipment Inc.	Mitsubishi Electric	Mitsubishi Electric "Mr. Slim" Ceiling Suspended Inverter-R32	PCY-M36KAL-PA.TH/PUY-M36VKA-PA.TH	10.6	2830	382.05	6.33	5	R32	Split Type - Ceiling Suspended	1.2	675
95	GREAT BUYS HOME DEPOT, INC.	AUX	CEILING SUSPENDE INVERTER AIRCON	ALCFC24/NDR3HP/ALC24/4DR3HI	7.2	2250	303.75	5.57	5	R32	Split Type - Ceiling Suspended	1.2	675
96	SHARP (PHILS.) CORPORATION	SHARP	Window Type Air Condition	AF-T822CR	2	665	143.64	3.33	2	R32	Window Type	0.23	675
97	SHARP (PHILS.) CORPORATION	SHARP	SPLIT TYPE AIR CONDITION (Inverter)	AH-XP10YMF AU-X10YMF	2.64	780	105.3	4.61	5	R32	Split Type - Wall Mounted	0.4	675
98	SHARP (PHILS.) CORPORATION	SHARP	SPLIT TYPE AIR CONDITION (Inverter)	AH-XP10YHF AU-X10YHF	2.64	780	105.3	4.62	5	R32	Split Type - Wall Mounted	0.4	675
99	SHARP (PHILS.) CORPORATION	SHARP	SPLIT TYPE AIR CONDITION (Inverter)	AH-XP15YMF AU-X15YMF	3.53	1100	148.5	4.63	5	R32	Split Type - Wall Mounted	0.41	675
100	DAVAO CITIHARDWARE INC.	BOSTON BAY	MSAB-12CR	MSAB-12CR	3.52	1035	139.72	4.73	5	R32	Split Type - Wall Mounted	0.44	675
101	SHARP (PHILS.) CORPORATION	SHARP	Window Type Air Condition (Inverter)	AF-XG10ZCF	2.88	900	121.5	4.14	5	R32	Window Type	0.34	675
102	SHARP (PHILS.) CORPORATION	SHARP	Window Type Air Condition (Inverter)	AF-XG15ZCF	3.67	1140	153.9	4.29	5	R32	Window Type	0.46	675
103	SHARP (PHILS.) CORPORATION	SHARP	Window Type Air Condition (Inverter)	AF-XG20ZCF	5.3	1606	216.81	4.31	5	R32	Window Type	0.64	675
104	FORTUNE BUDDIES CORPORATION	HANABISHI	1.5 HP SPLIT TYPE NON INVERTER AIR CONDITIONER	HMST-15ZEN	3.52	1250	270	3.39	2	R410a	Split Type - Wall Mounted	0.55	2088
105	FORTUNE BUDDIES CORPORATION	HANABISHI	2 HP SPLIT TYPE NON INVERTER AIR CONDITIONER	HMST-20ZEN	5.28	1880	406.08	3.33	2	R410a	Split Type - Wall Mounted	0.84	2088

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
106	FORTUNE BUDDIES CORPORATION	HANABISHI	2.5 HP SPLIT TYPE NON INVERTER AIR CONDITIONER	HMST-25ZEN	7.03	2510	542.16	3.2	2	R410a	Split Type - Wall Mounted	1.24	2088
107	FORTUNE BUDDIES CORPORATION	HANABISHI	.6 HP WINDOW TYPE NON INVERTER AIR CONDITIONER	HWTAC-06U	1.47	523	112.97	3.18	1	R32	Window Type	0.18	675
108	FORTUNE BUDDIES CORPORATION	HANABISHI	1 HP WINDOW TYPE NON INVERTER AIR CONDITIONER	HWTAC-10S	2.64	879	189.86	3.18	1	R32	Window Type	0.275	675
109	FORTUNE BUDDIES CORPORATION	HANABISHI	2 HP WINDOW TYPE NON INVERTER AIR CONDITIONER	HWTAC-20S	5	1718	371.09	3.1	1	R22	Window Type	0.66	1810
110	FORTUNE BUDDIES CORPORATION	HANABISHI	1 HP SPLIT TYPE NON INVERTER AIR CONDITIONER	HMST-10ZEN	2.6	810	174.96	3.12	1	R32	Split Type - Wall Mounted	0.36	675
111	FORTUNE BUDDIES CORPORATION	HANABISHI	1.5 HP WINDOW TYPE NON INVERTER AIR CONDITIONER	HWTAC-15S	3.52	1212	261.79	3.11	1	R32	Window Type	0.4	675
112	FORTUNE BUDDIES CORPORATION	HANABISHI	1 HP SPLIT TYPE INVERTER AIR CONDITIONER	HMSTINV-10ZEN	2.64	811	109.48	4.31	5	R410a	Split Type - Wall Mounted	0.55	2088
113	FORTUNE BUDDIES CORPORATION	HANABISHI	1.5 HP SPLIT TYPE INVERTER AIR CONDITIONER	HMSTINV-15ZEN	3.52	1035	139.72	4.45	5	R410a	Split Type - Wall Mounted	0.7	2088
114	FORTUNE BUDDIES CORPORATION	HANABISHI	2 HP SPLIT TYPE INVERTER AIR CONDITIONER	HMSTINV-20ZEN	5.28	1552	209.52	4.38	5	R410a	Split Type - Wall Mounted	0.95	2088
115	FORTUNE BUDDIES CORPORATION	HANABISHI	2.5 HP SPLIT TYPE INVERTER AIR CONDITIONER	HMSTINV-25ZEN	6.45	1953	263.66	4.53	5	R410a	Split Type - Wall Mounted	1.5	2088
116	FORTUNE BUDDIES CORPORATION	HANABISHI	1 HP WINDOW TYPE INVERTER AIR CONDITIONER	HWTINVAC-10HP	2.64	733	98.96	3.93	4	R32	Window Type	0.44	675
117	FORTUNE BUDDIES CORPORATION	HANABISHI	1.5 HP WINDOW TYPE INVERTER AIR CONDITIONER	HWTINVAC-15HP	3.52	1005	135.67	3.97	4	R32	Window Type	0.48	675
118	CYA INDUSTRIES, INC.	FABRIANO	Window Type Air Conditioner	FWM06TW32	1.54	506	109.3	3.18	1	R32	Window Type	0.175	675
119	CYA INDUSTRIES, INC.	FABRIANO	Window Type Air Conditioner	FWE09TW32	2.61	830	179.28	3.19	1	R32	Window Type	0.28	675
120	CYA INDUSTRIES, INC.	FABRIANO	Window Type Air Conditioner	FWE12TW32	3.5	1150	248.4	3.13	2	R32	Window Type	0.32	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
121	CYA INDUSTRIES, INC.	mabe	Air Conditioner	MEE09VX	2.6	839	181.22	3.34	2	R32	Window Type	0.28	675
122	CYA INDUSTRIES, INC.	mabe	Air Conditioner	MEE12VX	3.5	1167	252.07	3.15	2	R32	Window Type	0.32	675
123	GREAT BUYS HOME DEPOT, INC.	AUX	CEILING CASSETTE INVERTER AIRCON	ALCA C36NDR3HP/ALC36NDR3HP	10.55	3350	452.25	5.3	5	R32	Split Type - Ceiling Cassette	2	675
124	GREAT BUYS HOME DEPOT, INC.	AUX	FLOOR MOUNTED INVERTED AIRCON	ASF36A2APADI/AS36A2APADI	10	3400	459	4.47	5	R410a	Split Type - Floor Mounted	2.15	2088
125	GREAT BUYS HOME DEPOT, INC.	AUX	CEILING SUSPENDED INVERTER AIRCON	ALCFC24NDR3HP/ALC24NDR3HP	7.2	2250	303.75	5.41	5	R32	Split Type - Ceiling Suspended	1.2	675
126	GREAT BUYS HOME DEPOT, INC.	AUX	CEILING SUSPENDED INVERTER AIRCON	ALCFC36NDR3HP/ALC36NDR3HP	10.55	3400	459	5.36	5	R32	Split Type - Ceiling Suspended	2	675
127	TCL SUN, INC.	TCL	WINDOW TYPE ECO+	TAC-07CWI/UB	2.06	600	81	4.8	5	R32	Window Type	0.25	675
128	TCL SUN, INC.	TCL	TCL IOT INVERTER WINDOW TYPE AC	TAC-18CWI/UJE	5.28	1900	256.5	4.3	5	R32	Window Type	0.52	675
129	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	INDOOR / OUTDOOR CONVENTIONAL	GW12-6NR-I / O	3.45	1180	254.88	3.13	2	R32	Split Type - Wall Mounted	0.49	675
130	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	INDOOR / OUTDOOR CONVENTIONAL	GW18-6NR-I / O	5.3	1760	380.16	3.15	2	R32	Split Type - Wall Mounted	0.8	675
131	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	INDOOR / OUTDOOR CONVENTIONAL	GW24-6NR-I / O	7.2	2142	462.67	3.6	3	R32	Split Type - Wall Mounted	0.9	675
132	SHARP (PHILS.) CORPORATION	SHARP	Window Type A/C (Inverter)	AF-X20SCF	5.2	1576	212.76	4.05	5	R32	Window Type	0.61	675
133	SHARP (PHILS.) CORPORATION	SHARP	Window Type A/C (Inverter)	AF-X10SCF	2.68	810	109.35	4.08	5	R32	Window Type	0.55	675
134	SHARP (PHILS.) CORPORATION	SHARP	Inverter Split type RAC	AH-X20ZF / AU-X20ZF	5.28	1640	221.4	4.8	5	R32	Split Type - Wall Mounted	0.46	675
135	SHARP (PHILS.) CORPORATION	SHARP	Inverter Split type RAC w/ PCI	AH-XP20YMF/AU-X20YMF	5.28	1590	214.65	5.15	5	R32	Split Type - Wall Mounted	0.54	675
136	SHARP (PHILS.) CORPORATION	SHARP	Inverter Split type Aircon	AH-X25ZF / AU-X25ZF	6.25	1980	267.3	5.51	5	R32	Split Type - Wall Mounted	0.67	675
137	SHARP (PHILS.) CORPORATION	SHARP	SPLIT TYPE AIR CONDITION (Inverter)	AH-X10ZF / AU-X10ZF	2.64	720	97.2	5.06	5	R32	Split Type - Wall Mounted	0.31	675
138	SHARP (PHILS.) CORPORATION	SHARP	SPLIT TYPE AIR CONDITION (Inverter)	AH-XP15YHF / AU-X15YHF	3.53	1100	148.5	4.6	5	R32	Split Type - Wall Mounted	0.41	675
139	SHARP (PHILS.) CORPORATION	SHARP	SPLIT TYPE AIR CONDITION (Inverter)	AH-XP20YHF / AU-X20YHF	5.28	1590	214.65	5.04	5	R32	Split Type - Wall Mounted	0.54	675
140	SHARP (PHILS.) CORPORATION	SHARP	SPLIT TYPE AIR CONDITION (Inverter)	AH-XP25YMF / AU-X25YMF	6.25	1800	243	6.13	5	R32	Split Type - Wall Mounted	0.68	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
141	SHARP (PHILS.) CORPORATION	SHARP	SPLIT TYPE AIR CONDITION (Inverter)	AH-XP25YHF / AU-X25YHF	6.25	1800	243	6.14	5	R32	Split Type - Wall Mounted	0.68	675
142	SHARP (PHILS.) CORPORATION	SHARP	Window Type Air Condition	AF-T522CM	1.53	510	110.16	3.21	1	R32	Window Type	0.175	675
143	SHARP (PHILS.) CORPORATION	SHARP	Window Type Air Condition	AF-T1022CM	2.5	840	181.44	3.32	2	R32	Window Type	0.28	675
144	SHARP (PHILS.) CORPORATION	SHARP	Window Type Air Condition	AF-T1022CR	2.5	840	181.44	3.35	2	R32	Window Type	0.28	675
145	SHARP (PHILS.) CORPORATION	SHARP	Window Type Air Condition	AF-T1522CM	3.39	1130	244.08	3.21	2	R32	Window Type	0.32	675
146	SHARP (PHILS.) CORPORATION	SHARP	Window Type Air Condition	AF-T1522CR	3.39	1130	244.08	3.24	2	R32	Window Type	0.32	675
147	SHARP (PHILS.) CORPORATION	SHARP	Window Type Air Condition	AF-T2022CR	5.14	1530	330.48	3.56	3	R32	Window Type	0.74	675
148	SHARP (PHILS.) CORPORATION	SHARP	SPLIT TYPE AIR CONDITION (Inverter)	AH-X15ZF / AU-X15ZF	3.53	1030	139.05	4.75	5	R32	Split Type - Wall Mounted	0.34	675
149	SHARP (PHILS.) CORPORATION	SHARP	Window Type Air Condition	AF-T822CM	2	665	143.64	3.38	2	R32	Window Type	0.23	675
150	Excellence Appliance Technologies Inc.	FUJIDENZO	WINDOW TYPE AIRCONDITONER	WAR-632IGT	1.6	559	120.74	3.21	1	R32	Window Type	0.18	675
151	Excellence Appliance Technologies Inc.	FUJIDENZO	WINDOW TYPE AIRCONDITONER	WAM-632IGT	1.6	559	120.74	3.21	1	R32	Window Type	0.175	675
152	Excellence Appliance Technologies Inc.	FUJIDENZO	WINDOW TYPE AIRCONDITONER	WAR-750IGT	2.05	667	144.07	3.32	2	R32	Window Type	0.23	675
153	Excellence Appliance Technologies Inc.	FUJIDENZO	WINDOW TYPE AIRCONDITONER	WAR-100IGT	2.52	800	172.8	3.34	2	R32	Window Type	0.28	675
154	Excellence Appliance Technologies Inc.	FUJIDENZO	WINDOW TYPE AIRCONDITONER	WAR-150IGT	3.33	1129	243.86	3.15	2	R32	Window Type	0.32	675
155	RI-AN COMMERCIAL INC.	VISSION	GGE C10 RI WINDOW TYPE INVERTER	C10-RI	2.63	721.6	97.42	5.06	5	R32	Window Type	0.42	675
156	RI-AN COMMERCIAL INC.	VISSION	GGE SMT05 ECO WINDOW TYPE	SMT-05-ECO	1.57	517	111.67	3.22	1	R32	Window Type	0.18	675
157	GREAT BUYS HOME DEPOT, INC.	HK HOME & KITCHEN	WINDOW TYPE INVERTER AIRCON	HK09WR-INV/F9MD	2.64	765	103.28	4.54	5	R32	Window Type	0.42	675
158	GREAT BUYS HOME DEPOT, INC.	HK HOME & KITCHEN	WINDOW TYPE INVERTER AIRCON	HK12WR-INV/F9MD	3.52	1210	163.35	4.37	5	R32	Window Type	0.47	675
159	GREAT BUYS HOME DEPOT, INC.	HK HOME & KITCHEN	WINDOW TYPE INVERTER AIRCON	HK18WR-INV/F9MD	5.27	1400	189	4.67	5	R32	Window Type	0.87	675
160	GREAT BUYS HOME DEPOT, INC.	HK HOME & KITCHEN	WINDOW TYPE INVERTER AIRCON	HK24WR-INV/F9MD	6.15	1800	243	4.1	5	R32	Window Type	0.85	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
161	Kolin Philippines International, Inc.	Kolin	Kolin 0.75 HP Quad Full DC INV	KAG-75WCINV	2.47	725	97.87	4.45	5	R32	Window Type	0.34	675
162	Kolin Philippines International, Inc.	Kolin	Kolin 1.0 HP Quad Full DC INV	KAG-100WCINV	2.83	900	121.5	4.34	5	R32	Window Type	0.34	675
163	Kolin Philippines International, Inc.	Kolin	Kolin 1.5 HP Quad Full DC INV	KAG-145WCINV	3.67	1140	153.9	4.45	5	R32	Window Type	0.46	675
164	Kolin Philippines International, Inc.	Kolin	Kolin 1.5 HP Compact	KAM-150CMC32	3.52	1212	261.79	3.22	2	R32	Window Type	0.4	675
165	Daikin Airconditioning Philippines Inc.	Daikin SkyAir Standard Inverter - Ceiling	Daikin SkyAir Standard Inverter - Ceiling Cassette	FCF71CVM/RZF71CVM	7.1	1930	260.55	6.4	5	R32	Split Type - Ceiling Cassette	1.2	675
166	Daikin Airconditioning Philippines Inc.	Daikin SkyAir Standard Inverter - Ceiling	Daikin SkyAir Standard Inverter - Ceiling Cassette	FCF100CVM/RZF100CVM	10	2970	400.95	6.45	5	R32	Split Type - Ceiling Cassette	1.3	675
167	Daikin Airconditioning Philippines Inc.	Daikin SkyAir Standard Inverter - Ceiling	Daikin SkyAir Standard Inverter - Ceiling Cassette	FCF125CVM/RZF125CVM	12.5	4180	564.3	5.7	5	R32	Split Type - Ceiling Cassette	1.9	675
168	Daikin Airconditioning Philippines Inc.	Daikin SkyAir Standard Inverter - Ceiling	Daikin SkyAir Standard Inverter - Ceiling Cassette	FCF140CVM/RZF140CVM	14	5470	738.45	5.4	5	R32	Split Type - Ceiling Cassette	1.9	675
169	Daikin Airconditioning Philippines Inc.	Daikin Elite Inverter	Daikin Elite Inverter	FTKZ25WVM/RKZ25WVM	2.5	455	61.42	7.24	5	R32	Split Type - Wall Mounted	0.77	675
170	AHAM CORPORATION	AMERICAN HOME	AIR CONDITIONER	AHAC-2409RT	2.64	856	184.9	3.23	1	R32	Window Type	0.22	675
171	Daikin Airconditioning Philippines Inc.	Daikin SkyAir Standard Inverter - Wall	Daikin SkyAir Standard Inverter - Wall Mounted	FAA71BVMA/RZF71CVM	7.1	2220	299.7	5.9	5	R32	Split Type - Wall Mounted	1.9	675
172	Daikin Airconditioning Philippines Inc.	Daikin SkyAir Standard Inverter - Ceiling	Daikin SkyAir Standard Inverter - Ceiling Cassette	FCF50CVM/RZF50CVM	5	1140	153.9	7.3	5	R32	Split Type - Ceiling Cassette	1.2	675
173	Daikin Airconditioning Philippines Inc.	Daikin SkyAir Standard Inverter - Ceiling	Daikin SkyAir Standard Inverter - Ceiling Cassette	FCF60CVM/RZF60CVM	6	1530	206.55	7	5	R32	Split Type - Ceiling Cassette	1.2	675
174	Daikin Airconditioning Philippines Inc.	Daikin Elite Inverter	Daikin Elite Inverter	FTKZ35WVM/RKZ35WVM	3.5	790	106.65	6.68	5	R32	Split Type - Wall Mounted	0.77	675
175	Daikin Airconditioning Philippines Inc.	Daikin Elite Inverter	Daikin Elite Inverter	FTKZ50WVM/RKZ50WVM	5.2	1320	178.2	6.69	5	R32	Split Type - Wall Mounted	0.6	675
176	Daikin Airconditioning Philippines Inc.	Daikin Elite Inverter	Daikin Elite Inverter	FTKZ60WVM/RKZ60WVM	6	1600	216	6.45	5	R32	Split Type - Wall Mounted	0.6	675
177	Daikin Airconditioning Philippines Inc.	Daikin Elite Inverter	Daikin Elite Inverter	FTKZ71WVM/RKZ71WVM	7.1	2140	288.9	5.98	5	R32	Split Type - Wall Mounted	0.6	675
178	Daikin Airconditioning Philippines Inc.	Daikin Premium Inverter	Daikin Premium Inverter	FTKC25AVA/RKC25AVA	2.84	730	98.55	6.4	5	R32	Split Type - Wall Mounted	0.5	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
179	Daikin Airconditioning Philippines Inc.	Daikin Premium Inverter	Daikin Premium Inverter	FTKC35AVA/RK C35AVA	3.55	940	126.9	6.31	5	R32	Split Type - Wall Mounted	0.75	675
180	Daikin Airconditioning Philippines Inc.	Daikin Premium Inverter	Daikin Premium Inverter	FTKC50AVA/RK C50AVA	5.57	1570	211.95	5.6	5	R32	Split Type - Wall Mounted	0.98	675
181	Daikin Airconditioning Philippines Inc.	Daikin Premium Inverter	Daikin Premium Inverter	FTKC60AVA/RK C60AVA	6.59	1835	247.73	6.3	5	R32	Split Type - Wall Mounted	1.05	675
182	Daikin Airconditioning Philippines Inc.	Daikin Premium Inverter	Daikin Premium Inverter	FTKC71AVA/RK C71AVA	7.03	1965	265.28	6	5	R32	Split Type - Wall Mounted	1.05	675
183	Daikin Airconditioning Philippines Inc.	Daikin SkyAir Standard Inverter - Wall	Daikin SkyAir Standard Inverter - Wall Mounted	FAA100BVMA/RZ F100CVM	10	3600	486	5.25	5	R32	Split Type - Wall Mounted	1.3	675
184	Daikin Airconditioning Philippines Inc.	Daikin Cooling King Series Non-Inverter	Daikin Cooling King Series Non-Inverter	FTNE20AXVL9/R NE20AGXVL9	2.05	610	131.76	3.5	2	R410a	Split Type - Wall Mounted	0.53	2088
185	Daikin Airconditioning Philippines Inc.	Daikin Cooling King Series Non-Inverter	Daikin Cooling King Series Non-Inverter	FTN25AXVL9/RN 25AGXVL9	2.78	845	182.52	3.47	2	R410a	Split Type - Wall Mounted	0.7	2088
186	Daikin Airconditioning Philippines Inc.	Daikin Cooling King Series Non-Inverter	Daikin Cooling King Series Non-Inverter	FTN35AXVL9/RN 35AGXVL9	3.52	1155	249.48	3.1	1	R410a	Split Type - Wall Mounted	0.95	2088
187	Daikin Airconditioning Philippines Inc.	Daikin Cooling King Series Non-Inverter	Daikin Cooling King Series Non-Inverter	FTN71AXVL/RN7 1AGXVL	8.06	2300	496.8	3.68	3	R410a	Split Type - Wall Mounted	2.6	2088
188	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir Entry Inverter - Ceiling Suspended	FHFC71AVM/RZ FC71AXVM	7.1	1980	267.3	5.64	5	R32	Split Type - Ceiling Suspended	1.15	675
189	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir Entry Inverter - Ceiling Suspended	FHFC100AVM/R ZFC100AXVM	10	3520	475.2	4.09	5	R32	Split Type - Ceiling Suspended	0.95	675
190	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir Entry Inverter - Ceiling Suspended	FHFC140AVM/R ZFC140AXVM	14	5400	729	4.78	5	R32	Split Type - Ceiling Suspended	1.9	675
191	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir Entry Inverter - Ceiling Cassette	FCFC71AXVA/RZ FC71AXVM	7.1	2050	276.75	5.23	5	R32	Split Type - Ceiling Cassette	1.15	675
192	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir Entry Inverter - Ceiling Cassette	FCFC100AXVA/R ZFC100AXVM	10	3510	473.85	4.32	5	R32	Split Type - Ceiling Cassette	0.95	675
193	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir Entry Inverter - Ceiling Cassette	FCFC140AXVA/R ZFC140AXVM	14	5430	733.05	4.44	5	R32	Split Type - Ceiling Cassette	1.9	675
194	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir Entry Inverter - Floor Standing	FVFC71AXVA/RZ FC71AXVM	7.1	2330	314.55	4.27	5	R32	Split Type - Floor Mounted	1.15	675
195	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir Entry Inverter - Floor Standing	FVFC100AXVA/R ZFC100AXVM	10	3580	483.3	4.12	5	R32	Split Type - Floor Mounted	0.95	675
196	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir Entry Inverter - Floor Standing	FVFC140AXVA/R ZFC140AXVM	14	5450	735.75	4.4	5	R32	Split Type - Floor Mounted	1.9	675
197	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir Entry Inverter - Floor Standing	FVFC140AXVA/R ZFC140AXVM	14	5450	735.75	4.4	5	R32	Split Type - Floor Mounted	1.9	675
198	Daikin Airconditioning Philippines Inc.	Daikin Cooling King Series Non-Inverter	Daikin Cooling King Series Non-Inverter	FTN50AXVL9/RN 50AGXVL9	5.42	1670	360.72	3.41	2	R410a	Split Type - Wall Mounted	1.45	2088

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
199	Daikin Airconditioning Philippines Inc.	Daikin Cooling King Series Non-Inverter	Daikin Cooling King Series Non-Inverter	FTN60AXVL9/RN60AGXVL9	6.45	2150	464.4	3.1	1	R410a	Split Type - Wall Mounted	1.6	2088
200	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir High Efficiency Inverter - Ceiling Suspended	FHA50CVMA/RZF50CVM	5	1200	162	6.55	5	R32	Split Type - Ceiling Suspended	1.2	675
201	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir High Efficiency Inverter - Ceiling Suspended	FHA60CVMA/RZF60CVM	6	1530	206.55	6.05	5	R32	Split Type - Ceiling Suspended	1.2	675
202	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir High Efficiency Inverter - Ceiling Suspended	FHA71CVMA/RZF71CVM	7.1	2300	310.5	6.2	5	R32	Split Type - Ceiling Suspended	1.2	675
203	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir High Efficiency Inverter - Ceiling Suspended	FHA100CVMA/RZF100CVM	10	3240	437.4	6.1	5	R32	Split Type - Ceiling Suspended	1.3	675
204	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir High Efficiency Inverter - Ceiling Suspended	FHA125CVMA/RZF125CVM	12.5	4290	579.15	5.45	5	R32	Split Type - Ceiling Suspended	1.9	675
205	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir High Efficiency Inverter - Ceiling Suspended	FHA140CVMA/RZF140CVM	14	5400	729	5.15	5	R32	Split Type - Ceiling Suspended	1.9	675
206	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir High Efficiency Inverter - Streamer Cassette	FCTF50AVM/RZF50CVM	5	1140	153.9	7.3	5	R32	Split Type - Ceiling Cassette	1.2	675
207	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir High Efficiency Inverter - Streamer Cassette	FCTF60AVM/RZF60CVM	6	1530	206.55	7	5	R32	Split Type - Ceiling Cassette	1.2	675
208	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir High Efficiency Inverter - Streamer Cassette	FCTF100AVM/RZF100CVM	10	2970	400.95	6.45	5	R32	Split Type - Ceiling Cassette	1.9	675
209	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir High Efficiency Inverter - Streamer Cassette	FCTF125AVM/RZF125CVM	12.5	4180	564.3	5.7	5	R32	Split Type - Ceiling Cassette	1.9	675
210	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir High Efficiency Inverter - Streamer Cassette	FCTF140AVM/RZF140CVM	14	5470	738.45	5.4	5	R32	Split Type - Ceiling Cassette	1.9	675
211	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir High Efficiency Inverter - Streamer Cassette	FCTF71AVM/RZF71CVM	7.1	1930	260.55	6.4	5	R32	Split Type - Ceiling Cassette	1.2	675
212	Daikin Airconditioning Philippines Inc.	Daikin	D Smart Prince Inverter	FTKF60CVA/RKF60CVA	6.59	1835	247.73	6.1	5	R32	Split Type - Wall Mounted	1.05	675
213	Daikin Airconditioning Philippines Inc.	Daikin	D Smart Prince Inverter	FTKF71CVA/RKF71CVA	7.03	1965	265.28	5.75	5	R32	Split Type - Wall Mounted	1.05	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
214	Daikin Airconditioning Philippines Inc.	Daikin	D Smart Prince Inverter	FTKF50CVA/RKF50CVA	5.28	1880	253.8	5.02	5	R32	Split Type - Wall Mounted	0.65	675
215	Daikin Airconditioning Philippines Inc.	Daikin	D Smart Prince Inverter	FTKF35CVA/RKF35CVA	3.6	1175	158.63	4.6	5	R32	Split Type - Wall Mounted	0.45	675
216	Daikin Airconditioning Philippines Inc.	Daikin	D Smart Prince Inverter	FTKF25CVA/RKF25CVA	2.64	860	116.1	4.6	5	R32	Split Type - Wall Mounted	0.4	675
217	Daikin Airconditioning Philippines Inc.	Daikin	D Smart Prince Inverter	FTKF20CVA/RKF20CVA	1.99	650	87.75	4.6	5	R32	Split Type - Wall Mounted	0.4	675
218	Daikin Airconditioning Philippines Inc.	Daikin	D Smart	FTKQ60BVA/RKQ60BVA	6.59	1835	247.73	6.1	5	R32	Split Type - Wall Mounted	1.05	675
219	Daikin Airconditioning Philippines Inc.	Daikin	D Smart Lite Inverter	FTKF60DVA/RKF60DVA	6.59	1835	247.73	6.1	5	R32	Split Type - Wall Mounted	1.05	675
220	Daikin Airconditioning Philippines Inc.	Daikin	D Smart Inverter	FTKQ71BVA/RKQ71BVA	7.03	1965	265.28	5.75	5	R32	Split Type - Wall Mounted	1.05	675
221	Daikin Airconditioning Philippines Inc.	Daikin	D Smart Lite Inverter	FTKF71DVA/RKF71DVA	7.03	1965	265.28	5.75	5	R32	Split Type - Wall Mounted	1.05	675
222	Daikin Airconditioning Philippines Inc.	Daikin	D Smart Inverter	FTKQ50BVA/RKQ50BVA	5.28	1880	253.8	5.02	5	R32	Split Type - Wall Mounted	0.65	675
223	Daikin Airconditioning Philippines Inc.	Daikin	D Smart Lite Inverter	FTKF50DVA/RKF50DVA	5.28	1880	253.8	5.02	5	R32	Split Type - Wall Mounted	0.65	675
224	Daikin Airconditioning Philippines Inc.	Daikin	D Smart Inverter	FTKQ35BVA/RKQ35BVA	3.6	1175	158.63	4.6	5	R32	Split Type - Wall Mounted	0.45	675
225	Daikin Airconditioning Philippines Inc.	Daikin	D Smart Lite Inverter	FTKF35DVA/RKF35DVA	3.6	1175	158.63	4.6	5	R32	Split Type - Wall Mounted	0.45	675
226	Daikin Airconditioning Philippines Inc.	Daikin	D Smart Inverter	FTKQ25BVA/RKQ25BVA	2.64	860	116.1	4.6	5	R32	Split Type - Wall Mounted	0.4	675
227	Daikin Airconditioning Philippines Inc.	Daikin	D Smart Lite Inverter	FTKF25DVA/RKF25DVA	2.64	860	116.1	4.6	5	R32	Split Type - Wall Mounted	0.4	675
228	Daikin Airconditioning Philippines Inc.	Daikin	D Smart Inverter	FTKQ20BVA/RKQ20BVA	1.99	650	87.75	4.6	5	R32	Split Type - Wall Mounted	0.4	675
229	Daikin Airconditioning Philippines Inc.	Daikin	D Smart Lite Inverter	FTKF20DVA/RKF20DVA	1.99	650	87.75	4.6	5	R32	Split Type - Wall Mounted	0.4	675
230	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir Ceiling Cassette Non-Inverter	FRCN100AXVL/R100AGXVL	10.55	3700	799.2	3.03	1	R410a	Split Type - Ceiling Cassette	2.6	2088
231	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir Floor Standing Non-Inverter	FVRN100AXVL/R100AGXVL	10.55	3800	820.8	2.95	1	R410a	Split Type - Floor Mounted	2.6	2088
232	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir Ceiling Cassette Non-Inverter	FRCN50AXVL/R50AGXVL	5.42	1730	373.68	3.32	2	R410a	Split Type - Ceiling Cassette	1.45	2088
233	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir Ceiling Cassette Non-Inverter	FRCN60AXVL/R60AGXVL	7.03	2400	518.4	3.11	1	R410a	Split Type - Ceiling Cassette	1.7	2088

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
234	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir Ceiling Suspended Non-Inverter	FHRN100AXVL/R R100AGXVL	10.26	3800	820.8	2.87	1	R410a	Split Type - Ceiling Suspended	2.6	2088
235	MULSONS TRADING CORPORATION	SUMMIT	0.6HP WINDOW TYPE AIRCONDITIONER (NON-INVERTER)	SA-06WWM	1.61	560	120.96	3.21	1	R32	Window Type	0.22	675
236	MULSONS TRADING CORPORATION	SUMMIT	1.0HP WINDOW TYPE AIRCONDITIONER (NON-INVERTER)	SA-100WWM	2.64	879	189.86	3.13	1	R32	Window Type	0.275	675
237	MULSONS TRADING CORPORATION	SUMMIT	1.0HP WINDOW TYPE AIRCONDITIONER (NON-INVERTER)	SA-100WR	2.64	879	189.86	3.15	1	R32	Window Type	0.275	675
238	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir Kiriu	FCFG71AXVA/R ZFG71AXVM	7.1	2050	276.75	5.23	5	R32	Split Type - Ceiling Cassette	1.15	675
239	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir Kiriu	FCFG100AXVA/R ZFG100AXVM	10	3510	473.85	4.32	5	R32	Split Type - Ceiling Cassette	0.95	675
240	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir Kiriu	FCFG140AXVA/R ZFG140AXVM	14	5430	733.05	4.44	5	R32	Split Type - Ceiling Cassette	1.9	675
241	TRADEMASTER RESOURCES CORPORATION Uni-Tech Phils.	EVEREST	ET36XCC/M-INT, ET36TDXU/M-EXT	ET36XCC/M-INT, ET36TDXU/M-EXT	10.55	4002	864.43	2.64	1	R410a	Split Type - Ceiling Cassette	1.9	2088
242	Industrial Machinery, Inc.	GREE	INDOOR / OUTDOOR CONVENTIONAL	GW09-6NR-I / O	2.64	853	184.25	3.28	1	R32	Split Type - Wall Mounted	0.44	675
243	Concepcion Carrier Air Conditioning Company (CCAC)	Condura	CON FCU 42KFV036313 SLIMPAC VS R32 / CON CDU 38KFV036313 SLIMPAC VS R32	42KFV036313 / 38KFV036313	10.83	3700	499.5	4.74	5	R32	Split Type - Floor Mounted	1.8	675
244	TRADEMASTER RESOURCES CORPORATION	EVEREST	Window Type (Rev.1)	ETM06WTDR3	1.6	480	103.68	3.55	2	R32	Window Type	0.19	675
245	CYA INDUSTRIES, INC.	mabe	1.0HP Inverter Air Conditioner	MEI10VZ	2.78	865	116.78	4.57	5	R32	Window Type	0.445	675
246	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	INDOOR / OUTDOOR INVERTER CASSETTE	GULD50T1/A-S - GULD50W1/NhA-S	5.3	1460	197.1	5.5	5	R32	Split Type - Ceiling Cassette	0.65	675
247	Excellence Appliance Technologies Inc.	FUJIDENZO	INVERTER WNDOW TYPE AIRCONDITIONER	IWAR-103T	2.6	733	98.96	4.49	5	R32	Window Type	0.28	675
248	Excellence Appliance Technologies Inc.	FUJIDENZO	INVERTER WNDOW TYPE AIRCONDITIONER	IWAR-153T	3.35	1265	170.78	4.3	5	R32	Window Type	0.34	675
249	LG Electronics Philippines, Inc.	LG	2.5 HP SPLIT TYPE AIR-CONDITIONER	HS-24ISU	6.3	1850	249.75	5	5	R32	Split Type - Wall Mounted	1.2	675
250	LG Electronics Philippines, Inc.	LG	2.5 HP SPLIT TYPE AIR-CONDITIONER	HS-24ISY	6.3	1850	249.75	5	5	R32	Split Type - Wall Mounted	1.2	675
251	LG Electronics Philippines, Inc.	LG	2.5 HP SPLIT TYPE AIR-CONDITIONER	HS-24APX	6.3	1850	249.75	5.1	5	R32	Split Type - Wall Mounted	1.15	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
252	LG Electronics Philippines, Inc.	LG	2.5 HP SPLIT TYPE AIR-CONDITIONER	HS-24IPX	6.3	1850	249.75	5.2	5	R32	Split Type - Wall Mounted	1.15	675
253	LG Electronics Philippines, Inc.	LG	1.0 HP SPLIT TYPE AIR-CONDITIONER	HS-09ISU	2.7	770	103.95	4.8	5	R32	Split Type - Wall Mounted	0.34	675
254	LG Electronics Philippines, Inc.	LG	1.0 HP SPLIT TYPE AIR-CONDITIONER	HS-09ISY	2.7	770	103.95	4.8	5	R32	Split Type - Wall Mounted	0.34	675
255	LG Electronics Philippines, Inc.	LG	1.0 HP SPLIT TYPE AIR-CONDITIONER	HS-09ISG	2.7	770	103.95	4.8	5	R32	Split Type - Wall Mounted	0.34	675
256	LG Electronics Philippines, Inc.	LG	1.5 HP SPLIT TYPE AIR-CONDITIONER	HS-12ISU	3.52	1030	139.05	4.8	5	R32	Split Type - Wall Mounted	0.43	675
257	LG Electronics Philippines, Inc.	LG	1.5 HP SPLIT TYPE AIR-CONDITIONER	HS-12ISY	3.52	1030	139.05	4.8	5	R32	Split Type - Wall Mounted	0.43	675
258	LG Electronics Philippines, Inc.	LG	1.5 HP SPLIT TYPE AIR-CONDITIONER	HS-12ISG	3.52	1030	139.05	4.8	5	R32	Split Type - Wall Mounted	0.43	675
259	LG Electronics Philippines, Inc.	LG	2.0 HP SPLIT TYPE AIR-CONDITIONER	HS-18ISU	5.28	1540	207.9	5	5	R32	Split Type - Wall Mounted	0.7	675
260	LG Electronics Philippines, Inc.	LG	2.0 HP SPLIT TYPE AIR-CONDITIONER	HS-18ISY	5.28	1540	207.9	5	5	R32	Split Type - Wall Mounted	0.7	675
261	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	INDOOR / OUTDOOR INVERTER CASSETTE	GULD71T1/A-S - GULD71W1/NhA-S	7.1	2200	297	5.2	5	R32	Split Type - Ceiling Cassette	0.92	675
262	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	INDOOR / OUTDOOR INVERTER CASSETTE	GULD100T1/A-S - GULD100W1/NhA-S	10.5	3280	442.8	5.2	5	R32	Split Type - Ceiling Cassette	1.4	675
263	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	INDOOR / OUTDOOR CEILING SUSPENDED	GULD71ZD1/A-S - GULD71W1/NhA-S	7.1	2200	297	5	5	R32	Split Type - Ceiling Suspended	0.92	675
264	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	INDOOR / OUTDOOR CEILING SUSPENDED	GULD50ZD1/A-S - GULD50W1/NhA-S	5.3	1460	197.1	5	5	R32	Split Type - Ceiling Suspended	0.65	675
265	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	INDOOR / OUTDOOR INVERTER WALL MOUNTED FULL DC	GW12-6DCR-I / GW12-6DCR-O	3.6	878	118.53	6.5	5	R32	Split Type - Wall Mounted	0.8	675
266	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	INDOOR / OUTDOOR INVERTER WALL MOUNTED FULL DC	GW18-6DCR-I / GW18-6DCR-O	5	1305	176.18	7.3	5	R32	Split Type - Wall Mounted	0.85	675
267	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	INDOOR / OUTDOOR INVERTER FLOOR STANDING	GV36-6DR-I / GV36-6DR-O	10.65	3200	432	4.85	5	R32	Split Type - Floor Mounted	2.1	675
268	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	INDOOR / OUTDOOR INVERTER CEILING SUSPENDED	GULD100ZD1/A-S - GULD100W1/NhA-S	10.5	3280	442.8	5.1	5	R32	Split Type - Ceiling Suspended	1.4	675
269	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	INDOOR / OUTDOOR CONVENTIONAL WALL MOUNTED	GW28-6NR-I / GW28-6NR-O	8	2350	507.6	4.01	5	R32	Split Type - Wall Mounted	1.2	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
270	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	INDOOR / OUTDOOR INVERTER WALL MOUNTED	GW28-6DR-I / GW28-6DR-O	8	2222	299.97	6.17	5	R32	Split Type - Wall Mounted	1.4	675
271	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	INDOOR / OUTDOOR INVERTER WALL MOUNTED FULL DC	GW09-6DCR-I / GW09-6DCR-O	2.9	688	92.88	7.01	5	R32	Split Type - Wall Mounted	0.57	675
272	MULSONS TRADING CORPORATION	SUMMIT	1.5 HP WINDOW TYPE AIRCONDITIONER (NON-INVERTER)	SA-151WRT	3.52	1167	252.07	3.24	2	R32	Window Type	0.32	675
273	MULSONS TRADING CORPORATION	SUMMIT	1.5 HP WINDOW TYPE AIRCONDITIONER (INVERTER)	SA-151WRT/INV	3.34	1151	155.38	4.3	5	R32	Window Type	0.34	675
274	AHAM CORPORATION	AMERICAN HOME	AIR CONDITIONER	AHAC-MINV3HP24	7.2	2450	330.75	4.6	5	R32	Split Type - Wall Mounted	1	675
275	SHARP (PHILS.) CORPORATION	SHARP	SPLIT TYPE AIR CONDITION (Inverter)	AH-XP10BMF/ AU-X10BMF	2.64	870	117.45	4.55	5	R32	Split Type - Wall Mounted	0.35	675
276	SHARP (PHILS.) CORPORATION	SHARP	SPLIT TYPE AIR CONDITION (Inverter)	AH-XP15BMF/ AU-X15BMF	3.58	1190	160.65	4.61	5	R32	Split Type - Wall Mounted	0.42	675
277	SHARP (PHILS.) CORPORATION	SHARP	SPLIT TYPE AIR CONDITION (Inverter)	AH-XP20BMF/ AU-X20BMF	5.28	1640	221.4	4.83	5	R32	Split Type - Wall Mounted	0.57	675
278	SHARP (PHILS.) CORPORATION	SHARP	SPLIT TYPE AIR CONDITION (Inverter)	AH-XP25BMF/ AU-X25BMF	6.25	1980	267.3	5.6	5	R32	Split Type - Wall Mounted	0.56	675
279	SHARP (PHILS.) CORPORATION	SHARP	SPLIT TYPE AIR CONDITION (Inverter)	AH-X10BEF/ AU-X10BEF	2.64	870	117.45	4.55	5	R32	Split Type - Wall Mounted	0.35	675
280	SHARP (PHILS.) CORPORATION	SHARP	SPLIT TYPE AIR CONDITION (Inverter)	AH-X15BEF/ AU-X15BEF	3.53	1190	160.65	4.61	5	R32	Split Type - Wall Mounted	0.42	675
281	SHARP (PHILS.) CORPORATION	SHARP	SPLIT TYPE AIR CONDITION (Inverter)	AH-X20BEF/ AU-X20BEF	5.28	1640	221.4	4.83	5	R32	Split Type - Wall Mounted	0.57	675
282	SHARP (PHILS.) CORPORATION	SHARP	SPLIT TYPE AIR CONDITION (Inverter)	AH-X25BEF/ AU-X25BEF	6.25	1980	267.3	5.6	5	R32	Split Type - Wall Mounted	0.56	675
283	Kolin Philippines International, Inc.	Kolin	Kolin 0.75 hp Compact Remote	KAM-75DRC32	2.05	684	147.74	3.34	2	R32	Window Type	0.24	675
284	SAMSUNG ELECTRONICS PHILIPPINES	SAMSUNG	AIR CONDITIONER	AW09AYHGAWK NTC	2.64	825	111.38	4.05	5	R32	Window Type	0.55	675
285	SAMSUNG ELECTRONICS PHILIPPINES	SAMSUNG	AIR CONDITIONER	AW12AYHGAWK NTC	3.38	1095	147.83	4.03	5	R32	Window Type	0.53	675
286	SAMSUNG ELECTRONICS PHILIPPINES	SAMSUNG	AIR CONDITIONER	AW18AYHGAWK NTC	4.9	1590	214.65	4.01	5	R32	Window Type	0.61	675
287	SAMSUNG ELECTRONICS PHILIPPINES	SAMSUNG	AIR CONDITIONER	AW24AYHGAWK NTC	6.25	2080	280.8	4.01	5	R32	Window Type	0.84	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
288	Beko Pilipinas Corporation	Beko	1.0 HP INVERTER WINDOW TYPE AIR CONDITIONER	BPVOW 090	2.5	860	116.1	4.01	5	R32	Window Type	0.27	675
289	Beko Pilipinas Corporation	Beko	1.5 HP INVERTER WINDOW TYPE AIR CONDITIONER	BPVOW 120	3.34	1060	143.1	4.01	5	R32	Window Type	0.45	675
290	AHAM CORPORATION	EXPER	AIR CONDITIONER	XAC-M2406HP	1.67	556	120.1	3.22	1	R32	Window Type	0.22	675
291	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 42CEA009308 HIWALL INVERTER / CAR CDU 38CEA009308 HIWALL INVERTER	42CEA009308 / 38CEA009308	2.64	850	114.75	4.8	5	R32	Split Type - Wall Mounted	0.32	675
292	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 42CEA012308 HIWALL INVERTER / CAR CDU 38CEA012308 HIWALL INVERTER	42CEA012308 / 38CEA012308	3.33	1200	162	4.3	5	R32	Split Type - Wall Mounted	0.4	675
293	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 42CEA018308 HIWALL INVERTER / CAR CDU 38CEA018308 HIWALL INVERTER	42CEA018308 / 38CEA018308	5.22	1925	259.88	4.5	5	R32	Split Type - Wall Mounted	0.6	675
294	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 42CEA024308 HIWALL INVERTER / CAR CDU 38CEA024308 HIWALL INVERTER	42CEA024308 / 38CEA024308	6.14	2200	297	4.2	5	R32	Split Type - Wall Mounted	0.78	675
295	DAVAO CITIHARDWARE INC.	BOSTON BAY	MSAB-18CR	MSAB-18CR	5.28	1790	241.65	4.53	5	R32	Split Type - Wall Mounted	0.65	675
296	TCL SUN, INC.	TCL	IOT 5D DC INVERTER SPLIT TYPE AC	TAC-09CSA/MEI	2.63	820	110.7	4.49	5	R32	Split Type - Wall Mounted	0.29	675
297	TCL SUN, INC.	TCL	IOT 5D DC INVERTER SPLIT TYPE AC	TAC-12CSA/MEI	3.46	1346	181.71	4.45	5	R32	Split Type - Wall Mounted	0.4	675
298	TCL SUN, INC.	TCL	IOT 5D DC INVERTER SPLIT TYPE 1.5HP	TAC-12CSA/KEI	3.48	1500	202.5	4.45	5	R32	Split Type - Wall Mounted	0.4	675
299	TCL SUN, INC.	TCL	IOT 5D DC INVERTER SPLIT TYPE AC	TAC-09CSA/KEI	2.66	950	128.25	4.34	5	R32	Split Type - Wall Mounted	0.29	675
300	TCL SUN, INC.	TCL	WINDOW TYPE MANUAL (SIDE DISCHARGE)	TAC-12CWR/F	3.57	1270	274.32	2.89	1	R410a	Window Type	0.47	2088
301	TCL SUN, INC.	ROWA	WINDOW TYPE REMOTE	06RCW2-R	1.54	513	110.81	3.24	1	R32	Window Type	0.175	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
302	Excellence Appliance Technologies Inc.	FUJIDENZO	INVERTER SPLIT TYPE AIR CONDITIONER REV.1	HIS-103AG	2.7	820	110.7	5.33	5	R32	Split Type - Wall Mounted	0.4	675
303	Excellence Appliance Technologies Inc.	FUJIDENZO	INVERTER SPLIT TYPE AIR CONDITIONER REV.1	HIS-153AG	3.6	1300	175.5	4.83	5	R32	Split Type - Wall Mounted	0.4	675
304	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR CHX 0.50HP DLX OPTIMA GREEN HE	WCARZ006EC1	1.47	505	109.08	3.09	1	R410a	Window Type	0.275	2088
305	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR CHX 0.50HP REM ICOOL HE	WCARZ006EE1	1.47	505	109.08	3.09	1	R410a	Window Type	0.275	2088
306	Concepcion Carrier Air Conditioning Company (CCAC)	Condura	CON CHX 0.50HP DLX 6S SERIES HE	WCONZ006EC1	1.47	505	109.08	3.09	1	R410a	Window Type	0.275	2088
307	Concepcion Carrier Air Conditioning Company (CCAC)	Condura	CON CHX 0.5HP STD SP	WCONM006EA	1.47	505	109.08	3.09	1	R410a	Window Type	0.275	2088
308	Concepcion Carrier Air Conditioning Company (CCAC)	Kelvinator	KEL CHX 0.5HP STD LOC	WKELM006EA	1.47	505	109.08	3.09	1	R410a	Window Type	0.275	2088
309	Concepcion Carrier Air Conditioning Company (CCAC)	Kelvinator	KEL CHX 0.5HP DLX ECO HE	WKELZ006EC1	1.47	505	109.08	3.09	1	R410a	Window Type	0.275	2088
310	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR CHG 0.5HP REM AURA	WCARK006EEC G	1.67	460	99.36	3.86	4	R410a	Window Type	0.38	2088
311	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR CHG 0.75HP DLX HE	WCARZ008EC1	1.99	585	126.36	3.61	3	R410a	Window Type	0.43	2088

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
312	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR CHG 0.75HP REM AURA HE	WCARK008EE	1.99	585	126.36	3.61	3	R410a	Window Type	0.43	2088
313	Concepcion Carrier Air Conditioning Company (CCAC)	Condura	CON CHG 0.75HP DLX 6S SERIES HE	WCONZ008EC1	1.99	590	127.44	3.58	3	R410a	Window Type	0.43	2088
314	Concepcion Carrier Air Conditioning Company (CCAC)	Kelvinator	KEL CHG 0.75HP DLX ECO HE	WKELZ008EC1	1.99	590	127.44	3.58	3	R410a	Window Type	0.43	2088
315	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR CHG 1.00HP DLX HE	WCARZ010EC1	2.5	845	182.52	3.14	1	R410a	Window Type	0.44	2088
316	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR CHG 1.00HP REM AURA HE	WCARK010EE	2.5	840	181.44	3.16	1	R410a	Window Type	0.44	2088
317	Concepcion Carrier Air Conditioning Company (CCAC)	Kelvinator	KEL CHG 1.00HP DLX ECO HE	WKELZ010EC1	2.5	855	184.68	3.11	1	R410a	Window Type	0.44	2088
318	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR CH2 0.75HP REM AURA GREEN HE	WCARJ008EE	2.03	640	138.24	3.37	2	R410a	Window Type	0.42	2088
319	Concepcion Carrier Air Conditioning Company (CCAC)	Condura	CON CH2 0.75HP DLX 6X SERIES HE	WCONH008EC2	2.03	640	138.24	3.37	2	R410a	Window Type	0.42	2088
320	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR CH2 1.00HP DLX ICOOL GREEN HE	WCARH010EC1	2.61	880	190.08	3.15	1	R410a	Window Type	0.44	2088

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
321	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR CH2 1.00HP REM ICool GREEN HE	WCARH010EE1	2.61	880	190.08	3.15	1	R410a	Window Type	0.44	2088
322	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR CH2 1.00HP REM AURA HE	WCARJ010EE	2.61	880	190.08	3.15	1	R410a	Window Type	0.44	2088
323	Concepcion Carrier Air Conditioning Company (CCAC)	Condura	CON CHG 1.00HP DLX 6S SERIES HE	WCONZ010EC1	2.5	850	183.6	3.12	1	R410a	Window Type	0.44	2088
324	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR CH2 0.75HP DLX ICool HE	WCARH008EC1	2.03	640	138.24	3.37	2	R410a	Window Type	0.42	2088
325	Excellence Appliance Technologies Inc.	FUJIDENZO	FLOOR STANDING AIRCONDITIONER	FPA-400IGM2	10.52	4150	896.4	2.62	1	R410a	Split Type - Floor Mounted	1.95	2088
326	Concepcion Carrier Air Conditioning Company (CCAC)	Condura	CON CH2 1.00HP DLX 6X SERIES HE	WCONH010EC2	2.61	885	191.16	3.13	1	R410a	Window Type	0.44	2088
327	Concepcion Carrier Air Conditioning Company (CCAC)	Condura	CON CH2 1.00HP REM Sgrille+ SERIES HE	WCONH010EE1	2.61	885	191.16	3.13	1	R410a	Window Type	0.44	2088
328	Concepcion Carrier Air Conditioning Company (CCAC)	Condura	CON CH2 1.00HP STD SP	WCONM010EA	2.61	885	191.16	3.13	1	R410a	Window Type	0.44	2088
329	Concepcion Carrier Air Conditioning Company (CCAC)	Kelvinator	KEL CH2 1.00HP STD SP HE	WKELH010EA1	2.61	895	193.32	3.1	1	R410a	Window Type	0.44	2088

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
330	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR CH3 1.50HP 12H ICOOL GREEN	WCARH014EC	3.52	1130	244.08	3.31	2	R410a	Window Type	0.8	2088
331	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR CH3 1.50HP REM ICOOL GREEN	WCARH014EE	3.52	1130	244.08	3.31	2	R410a	Window Type	0.8	2088
332	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR CH3 1.50HP REM AURA HE	WCARJ014EE	3.52	1120	241.92	3.34	2	R410a	Window Type	0.8	2088
333	Concepcion Carrier Air Conditioning Company (CCAC)	Condura	CON CH3 1.50HP DLX 6X SERIES	WCONH014EC1	3.52	1140	246.24	3.28	2	R410a	Window Type	0.8	2088
334	Concepcion Carrier Air Conditioning Company (CCAC)	Kelvinator	KEL CH3 1.50HP DLX ENERGY	WKELH014EC1	3.52	1170	252.72	3.2	2	R410a	Window Type	0.8	2088
335	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR PMX 2.00HP 12H ICOOL GREEN	WCARH019EC	5.28	1880	406.08	2.98	1	R410a	Window Type	1.05	2088
336	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR PMX 2.00HP REM ICOOL GREEN	WCARH019EE1	5.28	1880	406.08	2.98	1	R410a	Window Type	1.05	2088
337	Concepcion Carrier Air Conditioning Company (CCAC)	Condura	CON QSX 2.00HP DLX 6X SERIES	WCONH019ED	5.22	1885	407.16	2.94	1	R410a	Window Type	1.05	2088
338	Concepcion Carrier Air Conditioning Company (CCAC)	Condura	CON QSX 2.00HP REM 6X+ SERIES	WCONH019EE1	5.22	1885	407.16	2.94	1	R410a	Window Type	1.05	2088

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
339	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR PMX 2.50HP 12H ICOOL GREEN	WCARH024EC	6.11	2250	486	2.88	1	R410a	Window Type	1.3	2088
340	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR PMX 2.50HP REM ICOOL GREEN	WCARH024EE1	6.11	2250	486	2.88	1	R410a	Window Type	1.3	2088
341	Concepcion Carrier Air Conditioning Company (CCAC)	Condura	CON QSX 2.50HP DLX 6X SERIES	WCONH024ED	6.11	2250	486	2.88	1	R410a	Window Type	1.3	2088
342	Concepcion Carrier Air Conditioning Company (CCAC)	Condura	CON QSX 2.50HP REM 6X+ SERIES	WCONH024EE1	6.11	2250	486	2.88	1	R410a	Window Type	1.3	2088
343	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR CH3 1.00HP REM AURA HE INV	WCARJ009EEV	2.78	860	116.1	4.1	5	R410a	Window Type	0.61	2088
344	Concepcion Carrier Air Conditioning Company (CCAC)	Condura	CON CH3 1.00HP REM INV1	WCONH009EEV 1	2.78	880	118.8	4.07	5	R410a	Window Type	0.61	2088
345	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR CH3 1.50HP REM AURA HE INV	WCARJ012EEV	3.33	1030	139.05	4.04	5	R410a	Window Type	0.77	2088
346	Concepcion Carrier Air Conditioning Company (CCAC)	Condura	CON CH3 1.50HP REM INV1	WCONH012EEV 1	3.33	1050	141.75	4.01	5	R410a	Window Type	0.77	2088
347	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR PMX 2.00HP REM INV	WCARH019EEV	5	1650	222.75	4.01	5	R410a	Window Type	1.3	2088

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
348	Concepcion Carrier Air Conditioning Company (CCAC)	Condura	CON QSX 2.00HP REM INV	WCONH019EEV	5	1660	224.1	3.85	4	R410a	Window Type	1.3	2088
349	Concepcion Carrier Air Conditioning Company (CCAC)	Condura	CON CH3 1.50HP REM 6X+ SERIES	WCONH014EE1	3.52	1140	246.24	3.28	2	R410a	Window Type	0.8	2088
350	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 42GCVB013-303P XPGOLD 3 HW / CAR CDU 38GCVB013-303P XPGOLD 3 HW	42GCVB013-303P / 38GCVB013-303P	3.6	990	133.65	5.51	5	R32	Split Type - Wall Mounted	0.6	675
351	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 42GCVB010-303P XPGOLD 3 HW / CAR CDU 38GCVB010-303P XPGOLD 3 HW	42GCVB010-303P / 38GCVB010-303P	2.75	750	101.25	5.02	5	R32	Split Type - Wall Mounted	0.41	675
352	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 42GCVBS010-303P CRYSTAL 2 HW / CAR CDU 38GCVBS010-303P CRYSTAL 2 HW	42GCVBS010-303P / 38GCVBS010-303P	2.75	835	112.72	4.9	5	R32	Split Type - Wall Mounted	0.41	675
353	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 42GCVBE010-303P INVERTER / CAR CDU 38GCVBE010-303P INVERTER	42GCVBE010-303P / 38GCVBE010-303P	2.6	800	108	4.84	5	R32	Split Type - Wall Mounted	0.43	675
354	Concepcion Carrier Air Conditioning Company (CCAC)	Toshiba	RAS-10U2KCVG-P / RAS-10U2ACVG-P	RAS-10U2KCVG-P / RAS-10U2ACVG-P	2.6	800	108	4.84	5	R32	Split Type - Wall Mounted	0.43	675
355	GTC-Aldis Philippines Inc.	HYUNDAI	Air Conditioner	HCAC-36FSN	10.6	4050	874.8	2.78	1	R410a	Split Type - Floor Mounted	2.1	2088
356	GTC-Aldis Philippines Inc.	HYUNDAI	Window Type Air conditioner	HAC-W10INV-A	2.64	765	103.28	3.89	4	R32	Window Type	0.42	675
357	GTC-Aldis Philippines Inc.	HYUNDAI	Floor Mounted Airconditioner	HCAC-36FSI	10.56	3650	492.75	4.03	5	R410a	Split Type - Floor Mounted	2.3	2088
358	PANASONIC MANUFACTURING PHILIPPINES	Panasonic	Non-Inverter Split Type Air Conditioner	CS-PN9XKQ / CU-PN9XKQ	2.67	860	185.76	3.3	1	R32	Split Type - Wall Mounted	0.41	675
359	PANASONIC MANUFACTURING PHILIPPINES	Panasonic	Non-Inverter Split Type Air Conditioner	CS-PN12XKQ / CU-PN12XKQ	3.55	1110	239.76	3.4	2	R32	Split Type - Wall Mounted	0.55	675
360	PANASONIC MANUFACTURING PHILIPPINES	Panasonic	Non-Inverter Split Type Air Conditioner	CS-PN18XKQ / CU-PN18XKQ	5.25	1690	365.04	3.3	2	R32	Split Type - Wall Mounted	0.89	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
361	PANASONIC MANUFACTURING PHILIPPINES	Panasonic	Non-Inverter Split Type Air Conditioner	CS-PN24XKQ / CU-PN24XKQ	6.8	2140	462.24	3.37	2	R32	Split Type - Wall Mounted	1.11	675
362	PANASONIC MANUFACTURING PHILIPPINES	Panasonic	Inverter Split Type Air Conditioner	CS-PU24XKQ / CU-PU24XKQ	6.1	1650	222.75	6.11	5	R32	Split Type - Wall Mounted	1.02	675
363	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - FLOOR MOUNTED AIRCONDITIONER	ZPNQ36GR5A0 / ZUAD1	10.54	3510	473.85	4.65	5	R32	Split Type - Floor Mounted	1.8	675
364	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - CEILING CASSETTE AIR-CONDITIONER	ZTNQ18GPLE0 / ZUAA1	5.13	1750	236.25	5.3	5	R32	Split Type - Ceiling Cassette	0.75	675
365	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - FLOOR MOUNTED AIR-CONDITIONER	ZPNQ48GT3A0 / ZUAD1	13.61	4810	649.35	4.25	5	R32	Split Type - Floor Mounted	1.8	675
366	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - CEILING CASSETTE AIR-CONDITIONER	ZTNQ48GMLA0 / ZUAD1	13.61	4630	625.05	4.9	5	R32	Split Type - Ceiling Cassette	1.8	675
367	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - CEILING CASSETTE AIR-CONDITIONER	ZTNQ36GNLA0 / ZUAD1	10.54	3200	432	5.25	5	R32	Split Type - Ceiling Cassette	1.8	675
368	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - CEILING CASSETTE AIR-CONDITIONER	ZTNQ36GYLA0 / ZUAD1	10.54	3090	417.15	4.95	5	R32	Split Type - Ceiling Cassette	1.8	675
369	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - CEILING CASSETTE AIR-CONDITIONER	ZTNQ48GYLA0 / ZUAD1	13.61	4750	641.25	4.7	5	R32	Split Type - Ceiling Cassette	1.8	675
370	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - CEILING SUSPENDED AIR-CONDITIONER	ZVNQ36GM2A0 / ZUAD1	10.54	2910	392.85	5	5	R32	Split Type - Ceiling Suspended	1.8	675
371	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - CEILING SUSPENDED AIR-CONDITIONER	ZVNQ48GM2A0 / ZUAD1	13.61	4590	619.65	4.6	5	R32	Split Type - Ceiling Suspended	1.8	675
372	LG Electronics Philippines, Inc.	LG	1.0 HP SPLIT TYPE AIR-CONDITIONER	HS-09IPX	2.6	630	85.05	5.2	5	R32	Split Type - Wall Mounted	0.45	675
373	LG Electronics Philippines, Inc.	LG	1.5 HP SPLIT TYPE AIR-CONDITIONER	HS-12IPX	3.3	840	113.4	5.2	5	R32	Split Type - Wall Mounted	0.68	675
374	LG Electronics Philippines, Inc.	LG	2.0 HP SPLIT TYPE AIR-CONDITIONER	HS-18IPX	5.28	1540	207.9	5.2	5	R32	Split Type - Wall Mounted	0.95	675
375	LG Electronics Philippines, Inc.	LG	1.0 HP SPLIT TYPE AIR-CONDITIONER	HS-09APX	2.6	640	86.4	5.1	5	R32	Split Type - Wall Mounted	0.45	675
376	LG Electronics Philippines, Inc.	LG	2.0 HP SPLIT TYPE AIR-CONDITIONER	HS-18APX	5.28	1460	197.1	5.1	5	R32	Split Type - Wall Mounted	1.05	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
377	LG Electronics Philippines, Inc.	LG	3.0 HP SPLIT TYPE AIR-CONDITIONER	HS-30IPC	8.3	2260	305.1	5.5	5	R32	Split Type - Wall Mounted	2	675
378	LG Electronics Philippines, Inc.	LG	1.5 HP SPLIT TYPE AIR-CONDITIONER	HS-12APX	3.3	860	116.1	5.1	5	R32	Split Type - Wall Mounted	0.68	675
379	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - CEILING CASSETTE AIR-CONDITIONER	ZTNQ18GPLA0 / ZUAB1	5.27	1430	193.05	5.8	5	R32	Split Type - Ceiling Cassette	0.98	675
380	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - CEILING CASSETTE AIR-CONDITIONER	ZTNQ24GNLE0 / ZUAB1	6.74	2240	302.4	5.1	5	R32	Split Type - Ceiling Cassette	0.98	675
381	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - FLOOR MOUNTED AIR-CONDITIONER	ZPNQ30GR5E0 / ZUAC1	8.79	2950	398.25	4.95	5	R32	Split Type - Floor Mounted	1.25	675
382	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - CEILING SUSPENDED AIR-CONDITIONER	ZVNQ24GM1E0 / ZUAC1	7.03	2140	288.9	4.95	5	R32	Split Type - Ceiling Suspended	1.25	675
383	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - CEILING SUSPENDED AIR-CONDITIONER	ZVNQ30GM1E0 / ZUAC1	8.79	2920	394.2	5.05	5	R32	Split Type - Ceiling Suspended	1.25	675
384	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - CEILING SUSPENDED AIR-CONDITIONER	ZVNQ36GM2E0 / ZUAC1	10.37	3500	472.5	5.05	5	R32	Split Type - Ceiling Suspended	1.25	675
385	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - CEILING CASSETTE AIR-CONDITIONER	ZTNQ24GPLA0 / ZUAC1	7.03	2110	284.85	5.25	5	R32	Split Type - Ceiling Cassette	1.25	675
386	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - CEILING CASSETTE AIR-CONDITIONER	ZTNQ30GNLE0 / ZUAC1	9.37	3050	411.75	4.8	5	R32	Split Type - Ceiling Cassette	1.25	675
387	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - CEILING CASSETTE AIR-CONDITIONER	ZTNQ36GNLE0 / ZUAC1	10.54	3720	502.2	4.6	5	R32	Split Type - Ceiling Cassette	1.25	675
388	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - FLOOR MOUNTED AIR-CONDITIONER	ZPNQ36GT3E0 / ZUAC1	10.54	3700	499.5	4.7	5	R32	Split Type - Floor Mounted	1.25	675
389	LG Electronics Philippines, Inc.	LG	1.0 HP WINDOW TYPE AIR-CONDITIONER (NON-INVERTER)	LA100FC	2.5	815	176.04	3.56	3	R32	Window Type	0.37	675
390	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 42GCVBS013-303P CRYSTAL 2 HW / CAR CDU 38GCVBS013-303P CRYSTAL 2 HW	42GCVBS013-303P / 38GCVBS013-303P	3.6	1080	145.8	5.09	5	R32	Split Type - Wall Mounted	0.47	675
391	Concepcion Carrier Air Conditioning Company (CCAC)	Toshiba	RAS-13U2KCVG-P / RAS-13U2ACVG-P	RAS-13U2KCVG-P / RAS-13U2ACVG-P	3.6	1150	155.25	4.77	5	R32	Split Type - Wall Mounted	0.42	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
392	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 42GCVB016-303P XPGOLD 3 HW /CAR CDU 38GCVB016-303P XPGOLD 3 HW	42GCVB016-303P / 38GCVB016-303P	4.7	1400	189	5.3	5	R32	Split Type - Wall Mounted	0.61	675
393	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 42GCVBS016-303P CRYSTAL 2 HW / CAR CDU 38GCVBS016-303P CRYSTAL 2 HW	42GCVBS016-303P / 38GCVBS016-303P	4.6	1425	192.38	5.18	5	R32	Split Type - Wall Mounted	0.61	675
394	JOHNSON CONTROLS-HITACHI AIR CONDITIONING PHILIPPINES, INC.	HITACHI	Air Conditioner Rev. 1	RA-10HSVC	2.65	963	130	4.01	5	R410a	Window Type	0.48	2088
395	JOHNSON CONTROLS-HITACHI AIR CONDITIONING PHILIPPINES, INC.	HITACHI	Air Conditioner Rev. 1	RA-10HVQC	2.65	876	118.26	4.02	5	R410a	Window Type	0.45	2088
396	JOHNSON CONTROLS-HITACHI AIR CONDITIONING PHILIPPINES, INC.	HITACHI	Air Conditioner Rev. 1	RA-08HVQC	2.36	793	107.06	4.11	5	R410a	Window Type	0.45	2088
397	JOHNSON CONTROLS-HITACHI AIR CONDITIONING PHILIPPINES, INC.	HITACHI	Air Conditioner Rev. 1	RA-08HSVC	2.36	795	107.32	3.83	4	R410a	Window Type	0.45	2088
398	JOHNSON CONTROLS-HITACHI AIR CONDITIONING PHILIPPINES, INC.	HITACHI	Air Conditioner Rev. 1	RA-06HSVC	1.94	672	90.72	3.85	4	R410a	Window Type	0.45	2088
399	CYA INDUSTRIES, INC.	FABRIANO	Air Conditioner	FICT36HWI32	10.5	3030	409.05	5.21	5	R32	Split Type - Ceiling Cassette	1.8	675
400	CYA INDUSTRIES, INC.	FABRIANO	Air Conditioner	FIFC36HWI32	10.6	3140	423.9	5.24	5	R32	Split Type - Ceiling Suspended	1.8	675
401	CYA INDUSTRIES, INC.	FABRIANO	Air Conditioner	FSE30HWI32-1/FSE30HWI32-0	8	2300	310.5	5.91	5	R32	Split Type - Wall Mounted	1.6	675
402	Mit-Air, Inc	mitsubishi HEAVY INDUSTRIES	FD71VD1-S7/FDC71VNX-S7	FD71VD1-S7/FDC71VNX-S7	7.1	2210	298.35	4.86	5	R410a	Split Type - Floor Mounted	2.95	2088
403	Mit-Air, Inc	mitsubishi HEAVY INDUSTRIES	FD100VD2-S7/FDC100VNA-S7	FD100VD2-S7/FDC100VNA-S7	10	3120	421.2	5.17	5	R410a	Split Type - Floor Mounted	3.8	2088

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
404	AHAM CORPORATION	AMERICAN HOME	AIR CONDITIONER	AHMFJ-36CRDN8-NB8/AHMOX430-36CFN8-NW	10.55	4200	567	4.29	5	R32	Split Type - Floor Mounted	1.45	675
405	Kolin Philippines International, Inc.	Kolin	Kolin 2.0 Hp Primus Gold Full DC INV	KSG-IWF-20WFY-8K1M32	5.28	1305	176.18	6.9	5	R32	Split Type - Wall Mounted	1	675
406	Kolin Philippines International, Inc.	Kolin	Kolin 1.0 Hp Aptus Wall INV	KSM-IW10-9L1M	2.64	699	94.36	4.18	5	R32	Split Type - Wall Mounted	0.38	675
407	Kolin Philippines International, Inc.	Kolin	Kolin 1.5 Hp Aptus Wall INV	KSM-IW15-9L1M	3.52	1034	139.59	4.34	5	R32	Split Type - Wall Mounted	0.44	675
408	Kolin Philippines International, Inc.	Kolin	Kolin 2.0 Hp Aptus Wall INV	KSM-IW20-9L1M	5.28	1637	221	4.39	5	R32	Split Type - Wall Mounted	0.65	675
409	Kolin Philippines International, Inc.	Kolin	Kolin 2.5 Hp Aptus Wall INV	KSM-IW25-9L1M	6.45	2015	272.03	5	5	R32	Split Type - Wall Mounted	0.83	675
410	Kolin Philippines International, Inc.	Kolin	Kolin 0.6 HP Compact	KAM-55CMC32	1.64	555	119.88	3.48	2	R32	Window Type	0.22	675
411	TOSOT PHILIPPINES CORPORATION	Tosot	Air Conditioners	TJC07FME	2.2	690	149.04	3.4	2	R32	Window Type	0.34	675
412	TOSOT PHILIPPINES CORPORATION	Tosot	Air Conditioners	TJC09FRE	2.6	887	191.59	3.12	1	R32	Window Type	0.37	675
413	TOSOT PHILIPPINES CORPORATION	Tosot	Air Conditioners	TJC09FME	2.6	887	191.59	3.12	1	R32	Window Type	0.37	675
414	TOSOT PHILIPPINES CORPORATION	Tosot	Air Conditioners	TJC12FRE	3.64	1137	245.59	3.41	2	R32	Window Type	0.39	675
415	TOSOT PHILIPPINES CORPORATION	Tosot	Air Conditioners	TJC12FME	3.64	1137	245.59	3.41	2	R32	Window Type	0.39	675
416	TOSOT PHILIPPINES CORPORATION	Tosot	Air Conditioners	TJC18FRE	5.5	1796	387.94	3.25	2	R32	Window Type	0.5	675
417	TOSOT PHILIPPINES CORPORATION	Tosot	Air Conditioners	TJC24FRE	6.65	2180	470.88	3.24	2	R32	Window Type	0.76	675
418	TOSOT PHILIPPINES CORPORATION	Tosot	Air Conditioners	TJC07FRE	2.2	690	149.04	3.4	2	R32	Window Type	0.34	675
419	TOSOT PHILIPPINES CORPORATION	Tosot	Air Conditioners	TWC09VRA	2.64	850	114.75	4.04	5	R32	Split Type - Wall Mounted	0.35	675
420	TOSOT PHILIPPINES CORPORATION	Tosot	Air Conditioners	TWC18VRA	5.27	1650	222.75	4.97	5	R32	Split Type - Wall Mounted	0.7	675
421	TOSOT PHILIPPINES CORPORATION	Tosot	Air Conditioners	TWC28VRA	7.99	2700	364.5	4.53	5	R32	Split Type - Wall Mounted	1.4	675
422	Kolin Philippines International, Inc.	Kolin	Kolin 2.5 HP Quad Full DC INV Rev.1	KAG-250WCINV	6.7	2160	291.6	4.26	5	R32	Window Type	0.61	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
423	TOSOT PHILIPPINES CORPORATION	Tosot	Air Conditioners	TWC12FRA	3.45	1180	254.88	3.13	2	R32	Split Type - Wall Mounted	0.49	675
424	Concepcion Midea Inc.	Midea	Floor Ceiling Inverter	MUC-24CDN8-MD3 / MO-24CDN8-MD3	7.03	2132	287.82	4.7	5	R32	Split Type - Ceiling Suspended	1.45	675
425	Concepcion Midea Inc.	Midea	Ceiling Cassette Inverter	MCC-24CDN8-MD3 / MO-24CDN8-MD3	7.03	2164	292.14	4.9	5	R32	Split Type - Ceiling Cassette	1.45	675
426	JOHNSON CONTROLS-HITACHI AIR CONDITIONING PHILIPPINES, INC.	HITACHI	AIR CONDITIONER	RAS-19HT/RAC-19HTP	5.28	1398	188.73	5.3	5	R410a	Split Type - Wall Mounted	1.25	2088
427	JOHNSON CONTROLS-HITACHI AIR CONDITIONING PHILIPPINES, INC.	Hitachi	Air Conditioner	RPS-90AN/RAC-90JP	8.7	2670	360.45	5.4	5	R32	Split Type - Floor Mounted	1.8	675
428	Megajoy Power Solution Inc	Matrix	Matrix 1HP Wall Mounted Inverter	MX-CS25L2A	2.64	700	94.5	4.48	5	R32	Split Type - Wall Mounted	0.38	675
429	Megajoy Power Solution Inc	Matrix	Matrix 1.5HP Wall Mounted Inverter	MX-CS35L2A	3.5	1035	139.72	4.78	5	R32	Split Type - Wall Mounted	0.44	675
430	Megajoy Power Solution Inc	Matrix	Matrix 2.5HP Wall Mounted Inverter	MX-CS70L2A	6.44	2145	289.58	4.96	5	R32	Split Type - Wall Mounted	0.83	675
431	Megajoy Power Solution Inc	Matrix	Matrix 1.5HP Wall Mounted NonInverter	MX-KF3277-M	3.52	1100	237.6	3.39	2	R32	Split Type - Wall Mounted	0.5	675
432	Megajoy Power Solution Inc	Matrix	Matrix 2HP Wall Mounted Non Inverter	MX-KF5177-M	5.27	1700	367.2	2.86	1	R32	Split Type - Wall Mounted	0.67	675
433	Megajoy Power Solution Inc	Matrix	Matrix 2.5HP Wall Mounted Non Inverter	MX-KF7077-M	7.03	2350	507.6	3.22	2	R32	Split Type - Wall Mounted	1.08	675
434	Megajoy Power Solution Inc	Matrix	Matrix 1HP Window Non Inverter	MX-KC1100-M	2.64	879	189.86	3.15	1	R32	Window Type	0.275	675
435	Megajoy Power Solution Inc	Matrix	Matrix 1.5HP Window Non Inverter	MX-KC35A	3.52	1212	261.79	3.11	1	R32	Window Type	0.4	675
436	Megajoy Power Solution Inc	Matrix	Matrix 1HP Window Inverter	MX-IN1100	2.64	733	98.96	3.93	4	R32	Window Type	0.44	675
437	Megajoy Power Solution Inc	Matrix	Matrix 1.5HP Window Inverter	MX-INV35	3.52	1005	135.67	3.97	4	R32	Window Type	0.48	675
438	Megajoy Power Solution Inc	Matrix	Matrix 4HP Floor Mounted Non Inverter	MX-CF100C2	10.55	4050	874.8	2.68	1	R410a	Split Type - Floor Mounted	2.1	2088
439	Megajoy Power Solution Inc	Matrix	Matrix 4HP Floor Mounted Inverter	MX-FDC100INV	10.55	3650	492.75	5.03	5	R410a	Split Type - Floor Mounted	2.3	2088
440	Megajoy Power Solution Inc	Matrix	Matrix 2HP Wall Mounted Inverter	MX-CS51L2A	5.28	1790	241.65	4.53	5	R32	Split Type - Wall Mounted	0.65	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
441	Megajoy Power Solution Inc	Matrix	Matrix 1HP Wall Mounted Non Inverter	MX-KF2577-M	2.64	810	174.96	3.11	1	R32	Split Type - Wall Mounted	0.36	675
442	Megajoy Power Solution Inc	Matrix	Matrix 0.6 Window Non Inverter	MX-KC1509M	1.61	560	120.96	3.13	1	R32	Window Type	0.22	675
443	Megajoy Power Solution Inc	Matrix	Matrix 1hp Window Type Inverter rev.1	MX-IN1100	2.64	733	98.96	4.06	5	R32	Window Type	0.44	675
444	Megajoy Power Solution Inc	Matrix	Matrix 1.5HP Window Inverter rev.1	MX-INV35	3.52	1005	135.67	4.13	5	R32	Window Type	0.48	675
445	Excellence Appliance Technologies Inc.	FUJIDENZO	INVERTER SPLIT TYPE AIR CONDITIONER REV.1	HIS-203AG	5.3	1700	229.5	4.31	5	R32	Split Type - Wall Mounted	0.69	675
446	Concepcion Midea Inc.	Midea	Floor Standing Inverter	MFS-24CDN8-MD3 / MO-24CDN8-MD3	7.03	2069	279.32	5	5	R32	Split Type - Floor Mounted	1.45	675
447	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 42GCVBE013-303P INVERTER / CAR CDU 38GCVBE013-303P INVERTER	42GCVBE013-303P / 38GCVBE013-303P	3.6	1150	155.25	4.77	5	R32	Split Type - Wall Mounted	0.42	675
448	Concepcion Carrier Air Conditioning Company (CCAC)	Toshiba	TOS LT FCU 2.0HP HW VS 220-230V / TOS LT CDU 2.0HP HW VS 220-230V	RAS-18U2KCVG-P / RAS-18U2ACVG-P	5.2	1650	222.75	5.13	5	R32	Split Type - Wall Mounted	0.87	675
449	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 42GCVB024-303P XPGOLD 3 HW / CAR CDU 38GCVB024-303P XPGOLD 3 HW	42GCVB024-303P / 38GCVB024-303P	6.1	1800	243	6.37	5	R32	Split Type - Wall Mounted	1.08	675
450	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 42GCVBS024-303P CRYSTAL 2 HW / CAR CDU 38GCVBS024-303P CRYSTAL 2 HW	42GCVBS024-303P / 38GCVBS024-303P	6	1840	248.4	6.25	5	R32	Split Type - Wall Mounted	1.08	675
451	Concepcion Carrier Air Conditioning Company (CCAC)	Toshiba	TOS LT FCU 2.5HP HW VS 220-230V / TOS LT CDU 2.5HP HW VS 220-230V	RAS-24U2KCVG-P / RAS-24U2ACVG-P	6	2000	270	4.95	5	R32	Split Type - Wall Mounted	0.87	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
452	Concepcion Carrier Air Conditioning Company (CCAC)	Condura	CON FCU 42KSV009313 PRIMA HW INVERTER / CON CDU 38KSV009313 PRIMA INVERTER	42KSV009313 / 38KSV009313	2.5	750	101.25	4.7	5	R32	Split Type - Wall Mounted	0.39	675
453	JOHNSON CONTROLS-HITACHI AIR CONDITIONING	HITACHI	AIR CONDITIONER	RAS-15HT/RAC-15HTP	4.33	1094	147.69	6.1	5	R410a	Split Type - Wall Mounted	1.1	2088
454	Haier Electrical Appliances Philippines Inc.	Haier	Air Conditioner	HSU-10XSV32	2.83	740	99.9	5.5	5	R32	Split Type - Wall Mounted	0.55	675
455	Haier Electrical Appliances Philippines Inc.	Haier	Air Conditioner	HSU-13XSV32	3.75	1050	141.75	5.5	5	R32	Split Type - Wall Mounted	0.65	675
456	Haier Electrical Appliances Philippines Inc.	Haier	Air Conditioner	HSU-10XSV32-W	2.83	740	99.9	5.5	5	R32	Split Type - Wall Mounted	0.55	675
457	Haier Electrical Appliances Philippines Inc.	Haier	Air Conditioner	HSU-13XSV32-W	3.75	1050	141.75	5.5	5	R32	Split Type - Wall Mounted	0.65	675
458	CAMEL APPLIANCES MANUFACTURING CORPORATION	CAMEL	Air Conditioner	CACW-07M	2.11	724	156.38	3.24	1	R32	Window Type	0.24	675
459	CAMEL APPLIANCES MANUFACTURING CORPORATION	CAMEL	Air Conditioner	CACW-09M	2.59	874	188.78	3.18	1	R32	Window Type	0.275	675
460	CAMEL APPLIANCES MANUFACTURING CORPORATION	CAMEL	Air Conditioner	CACW-12M	3.36	1181	255.1	3.13	2	R32	Window Type	0.4	675
461	JOHNSON CONTROLS-HITACHI AIR CONDITIONING PHILIPPINES, INC.	HITACHI	AIR CONDITIONER	RAS-15HT/RAC-15HTP	4.33	1094	147.69	6.1	5	R410a	Split Type - Wall Mounted	1.1	2088
462	JOHNSON CONTROLS-HITACHI AIR CONDITIONING PHILIPPINES, INC.	HITACHI	AIR CONDITIONER	RAS-24HT/RAC-24HTP	6.65	1692	228.42	5.7	5	R410a	Split Type - Wall Mounted	1.65	2088
463	PRIME SMARTECH APPLIANCES CORPORATION	KURA	1.0hp Wall Mounted Inverter	KWM-I09-IN-M / KWM-I09-OD-M	2.63	699	94.36	4.51	5	R32	Split Type - Wall Mounted	0.38	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
464	PRIME SMARTECH APPLIANCES CORPORATION	KURA	4.0HP FLOOR STANDING INVERTER	KFS-I36-IN-M / KFS-I36-OD-M	10.55	3650	492.75	3.97	4	R410a	Split Type - Floor Mounted	2.3	2088
465	FGM CORPORATION	AMERICAN HOME	AIR CONDITIONER	AHMFJ-36CRN1-N/AHMOD30U-36CRN1-N	10.55	5500	1188	2.74	1	R410a	Split Type - Floor Mounted	1.95	2088
466	FGM CORPORATION	AMERICAN HOME	AIR CONDITIONER	AHMFJ-36CRDN1-N-INV/AHMOD80U-36CFN1-MB8	10.55	4300	580.5	4.22	5	R410a	Split Type - Floor Mounted	2.3	2088
467	Daikin Airconditioning Philippines Inc.	Daikin SkyAir Standard Inverter - Wall Mounted	Daikin SkyAir Standard Inverter - Wall Mounted	FAA71BVMA/RZ F71CVM	7.1	2220	299.7	5.9	5	R32	Split Type - Wall Mounted	1.9	675
468	Daikin Airconditioning Philippines Inc.	Daikin SkyAir Standard Inverter - Ceiling Cassette	Daikin SkyAir Standard Inverter - Ceiling Cassette	FCF50CVM/RZF5 0CVM	5	1140	153.9	7.3	5	R32	Split Type - Ceiling Cassette	1.2	675
469	Daikin Airconditioning Philippines Inc.	Daikin SkyAir Standard Inverter - Ceiling Cassette	Daikin SkyAir Standard Inverter - Ceiling Cassette	FCF60CVM/RZF6 0CVM	6	1530	206.55	7	5	R32	Split Type - Ceiling Cassette	1.2	675
470	Daikin Airconditioning Philippines Inc.	Daikin SkyAir Standard Inverter - Ceiling Cassette	Daikin SkyAir Standard Inverter - Ceiling Cassette	FCF71CVM/RZF7 1CVM	7.1	1930	260.55	6.4	5	R32	Split Type - Ceiling Cassette	1.2	675
471	Daikin Airconditioning Philippines Inc.	Daikin SkyAir Standard Inverter - Ceiling Cassette	Daikin SkyAir Standard Inverter - Ceiling Cassette	FCF100CVM/RZF 100CVM	10	2970	400.95	6.45	5	R32	Split Type - Ceiling Cassette	1.3	675
472	Daikin Airconditioning Philippines Inc.	Daikin SkyAir Standard Inverter - Ceiling Cassette	Daikin SkyAir Standard Inverter - Ceiling Cassette	FCF125CVM/RZF 125CVM	12.5	4180	564.3	5.7	5	R32	Split Type - Ceiling Cassette	1.9	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
473	Daikin Airconditioning Philippines Inc.	Daikin SkyAir Standard Inverter - Ceiling Cassette	Daikin SkyAir Standard Inverter - Ceiling Cassette	FCF140CVM/RZF140CVM	14	5470	738.45	5.4	5	R32	Split Type - Ceiling Cassette	1.9	675
474	Daikin Airconditioning Philippines Inc.	Daikin Elite Inverter	Daikin Elite Inverter	FTKZ25WVM/RKZ25WVM	2.5	455	61.42	7.24	5	R32	Split Type - Wall Mounted	0.77	675
475	Daikin Airconditioning Philippines Inc.	Daikin Elite Inverter	Daikin Elite Inverter	FTKZ35WVM/RKZ35WVM	3.5	790	106.65	6.68	5	R32	Split Type - Wall Mounted	0.77	675
476	Daikin Airconditioning Philippines Inc.	Daikin Elite Inverter	Daikin Elite Inverter	FTKZ50WVM/RKZ50WVM	5.2	1320	178.2	6.69	5	R32	Split Type - Wall Mounted	0.6	675
477	Daikin Airconditioning Philippines Inc.	Daikin Elite Inverter	Daikin Elite Inverter	FTKZ50WVM/RKZ50WVM	5.2	1320	178.2	6.69	5	R32	Split Type - Wall Mounted	0.6	675
478	Daikin Airconditioning Philippines Inc.	Daikin Elite Inverter	Daikin Elite Inverter	FTKZ60WVM/RKZ60WVM	6	1600	216	6.45	5	R32	Split Type - Wall Mounted	0.6	675
479	Daikin Airconditioning Philippines Inc.	Daikin Elite Inverter	Daikin Elite Inverter	FTKZ71WVM/RKZ71WVM	7.1	2140	288.9	5.98	5	R32	Split Type - Wall Mounted	0.6	675
480	Daikin Airconditioning Philippines Inc.	Daikin Premium Inverter	Daikin Premium Inverter	FTKC25AVA/RKC25AVA	2.84	730	98.55	6.4	5	R32	Split Type - Wall Mounted	0.5	675
481	Daikin Airconditioning Philippines Inc.	Daikin Premium Inverter	Daikin Premium Inverter	FTKC25AVA/RKC25AVA	2.84	730	98.55	6.4	5	R32	Split Type - Wall Mounted	0.5	675
482	Daikin Airconditioning Philippines Inc.	Daikin Premium Inverter	Daikin Premium Inverter	FTKC35AVA/RKC35AVA	3.55	940	126.9	6.31	5	R32	Split Type - Wall Mounted	0.75	675
483	Daikin Airconditioning Philippines Inc.	Daikin Premium Inverter	Daikin Premium Inverter	FTKC50AVA/RKC50AVA	5.57	1570	211.95	5.6	5	R32	Split Type - Wall Mounted	0.98	675
484	Daikin Airconditioning Philippines Inc.	Daikin Premium Inverter	Daikin Premium Inverter	FTKC60AVA/RKC60AVA	6.59	1835	247.73	6.3	5	R32	Split Type - Wall Mounted	1.05	675
485	Daikin Airconditioning Philippines Inc.	Daikin Premium Inverter	Daikin Premium Inverter	FTKC71AVA/RKC71AVA	7.03	1965	265.28	6	5	R32	Split Type - Wall Mounted	1.05	675
486	Daikin Airconditioning Philippines Inc.	Daikin SkyAir Standard Inverter - Wall Mounted	Daikin SkyAir Standard Inverter - Wall Mounted	FAA100BVMA/RZF100CVM	10	3600	486	5.25	5	R32	Split Type - Wall Mounted	1.3	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
487	G-8 MARKETING, INC.	ASTRON	ASTRON TC-L60MA (6HP WINDOW TYPE)	TC-L60MA	1.6	509.1	109.97	3.22	1	R32	Window Type	0.175	675
488	G-8 MARKETING, INC.	ASTRON	ASTRON TC-LRE60 (6HP WINDOW TYPE WITH REMOTE)	TC-LRE60	1.6	580	125.28	3.12	1	R32	Window Type	0.175	675
489	G-8 MARKETING, INC.	ASTRON	ASTRON TC-L100MA (1HP WINDOW TYPE)	TC-L100MA	2.6	881	190.3	3.11	1	R32	Window Type	0.28	675
490	G-8 MARKETING, INC.	ASTRON	ASTRON TC-LMA150 (1.5HP WINDOW TYPE)	TC-LMA150	3.5	1186	256.18	3.21	2	R32	Window Type	0.32	675
491	G-8 MARKETING, INC.	ASTRON	ASTRON TC-LRE150 (1.5HP WINDOW TYPE WITH REMOTE)	TC-LRE150	3.5	1186	256.18	3.23	2	R32	Window Type	0.32	675
492	G-8 MARKETING, INC.	ASTRON	ASTRON TC-L100RE (1HP WINDOW TYPE WITH REMOTE)	TC-L100RE	2.6	881	190.3	3.34	2	R32	Window Type	0.28	675
493	G-8 MARKETING, INC.	ASTRON	ASTRON TC-LSPV100 1.0HP SPLIT TYPE	TC-LSPV100	2.64	910	122.85	4.34	5	R32	Split Type - Wall Mounted	0.29	675
494	G-8 MARKETING, INC.	ASTRON	ASTRON TC-LSPV 150 1.5 HP, DC INVERTER, SPLIT TYPE	TC-LSPV150	3.52	1212	163.62	4.54	5	R32	Split Type - Wall Mounted	0.4	675
495	G-8 MARKETING, INC.	ASTRON	ASTRON TC-LSPV 250 2.5 HP, DC INVERTER, SPLIT TYPE	TC-LSPV250	7.03	2344	316.44	5.07	5	R32	Split Type - Wall Mounted	0.69	675
496	G-8 MARKETING, INC.	ASTRON	ASTRON INV-W100 1HP INVERTER WINDOW AIR CONDITIONER	INV-W100	2.64	800	108	4.4	5	R32	Window Type	0.28	675
497	G-8 MARKETING, INC.	ASTRON	ASTRON INV-W150 1.5HP INVERTER WINDOW AIR CONDITIONER	INV-W150	3.33	1151	155.38	4.07	5	R32	Window Type	0.34	675
498	Hisense Philippines Inc.	Hisense	1.5 Hp Window Type Inverter R32	AW-12TR5RF	3.53	1081	145.94	4.15	5	R32	Window Type	0.45	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
499	G-8 MARKETING, INC.	ASTRON	ASTRON TC-LSPV200 (2.0HP DC INVERTER , SPLIT TYPE)	TC-LSPV200	5.28	1648	222.48	4.63	5	R32	Split Type - Wall Mounted	0.64	675
500	Koppel, Inc.	KOPPEL	Split Type Wall Mounted Non-Inverter R32	KSW-18R4A2 / KPC-18HH4A2	5.42	1650	356.4	3.49	3	R32	Split Type - Wall Mounted	0.67	675
501	Koppel, Inc.	KOPPEL	Split Type Wall Mounted Non-Inverter R32	KSW-12R4A2 / KPC-12HH4A2	3.66	1120	241.92	3.47	3	R32	Split Type - Wall Mounted	0.5	675
502	Koppel, Inc.	KOPPEL	Split Type Wall Mounted Non-Inverter R32	KSW-09R4A2 / KPC-09HH4A2	2.64	800	172.8	3.5	2	R32	Split Type - Wall Mounted	0.36	675
503	Koppel, Inc.	KOPPEL	Split Type Wall Mounted Non-Inverter R32	KSW-24R4A2 / KPC-24HH4A2	7.33	2350	507.6	3.31	2	R32	Split Type - Wall Mounted	1.08	675
504	Koppel, Inc.	KOPPEL	Split Type Floor Mounted Inverter R410A	KV36FM-ARF21D/KV36OD U-ARF21D	10.84	3600	486	4.21	5	R410a	Split Type - Floor Mounted	2.3	2088
505	Hisense Philippines Inc.	Hisense	1.0 Hp Window Type Inverter R32	AW-09TR5RF	2.52	770	103.95	4.7	5	R32	Window Type	0.27	675
506	Excellence Appliance Technologies Inc.	FUJIDENZO	INVERTER SPLIT TYPE AIR CONDITIONER	WAM-75IG2	2.1	714	154.22	3.12	1	R410a	Window Type	0.32	2088
507	Excellence Appliance Technologies Inc.	FUJIDENZO	WINDOW TYPE AIRCONDITONER	WAM-100IG2	2.73	942	203.47	3.08	1	R410a	Window Type	0.37	2088
508	VCY Sales Corporation	KAISER	Floor Standing Air Conditioner (Inverter)	KFR-129LW	13.12	3741	505.04	3.6	3	R410a	Split Type - Floor Mounted	4.25	2088
509	VCY Sales Corporation	KAISER	Floor Standing Air Conditioner (Inverter)	KFR-90LW	8.97	2962	399.87	2.93	1	R410a	Split Type - Floor Mounted	2.45	2088
510	JOHNSON CONTROLS-HITACHI AIR CONDITIONING PHILIPPINES, INC.	HITACHI	AIR CONDITIONER	RAS-08HT/RAC-08HTP	2.5	581	78.43	5.71	5	R410a	Split Type - Wall Mounted	0.76	2088
511	JOHNSON CONTROLS-HITACHI AIR CONDITIONING PHILIPPINES, INC.	HITACHI	AIR CONDITIONER	RAS-10HT/RAC-10HTP	3.19	833	112.46	4.74	5	R410a	Split Type - Wall Mounted	0.76	2088
512	JOHNSON CONTROLS-HITACHI AIR CONDITIONING PHILIPPINES, INC.	HITACHI	AIR CONDITIONER	RAS-30HT/RAC-30HTP	7.78	2170	292.95	4.01	5	R410a	Split Type - Wall Mounted	1.65	2088
513	Collins International Trading Corporation	Dowell	Dowell Air conditioner	ACW-3i-2315R	3.33	1090	147.15	4.27	5	R32	Window Type	0.45	675
514	SHARP (PHILS.) CORPORATION	SHARP	Floor Stand Split Type Air Conditioner (Inverter)	GS-X36ZCF / GU-X36ZCF	10.65	3200	432	4.45	5	R32	Split Type - Floor Mounted	2.1	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
515	MECHANICAL UNLIMITED RESOURCES AND TRADING CORPORATION	my Premier air-conditioner	Air Conditioner	PSI-36CS22AG1/PSI-36OD22AG1CS	10.21	3653	493.16	4.68	5	R410a	Split Type - Ceiling Suspended	2.3	2088
516	MECHANICAL UNLIMITED RESOURCES AND TRADING CORPORATION	my Premier air-conditioner	Air Conditioner	PSI-36CC22AG1/PSI-36OD22AG1CC	10.49	3613	487.76	5.08	5	R410a	Split Type - Ceiling Cassette	2.3	2088
517	MECHANICAL UNLIMITED RESOURCES AND TRADING CORPORATION	my Premier air-conditioner	Air Conditioner	PSI-36F22AG1/PSI-36OD22AG1F	9.92	3675	496.12	4.09	5	R410a	Split Type - Floor Mounted	2.3	2088
518	Beko Pilipinas Corporation	Beko	1.0 HP Split type Air Conditioner	BSVOA 090 / BSVOA 091	2.64	722	97.47	5	5	R32	Split Type - Wall Mounted	0.42	675
519	Beko Pilipinas Corporation	Beko	1.5 HP Split type Air Conditioner	BSVOA 120 / BSVOA 121	3.52	890	120.15	5	5	R32	Split Type - Wall Mounted	0.49	675
520	Beko Pilipinas Corporation	Beko	2.0 HP Split type Air Conditioner	BSVOA 180 / BSVOA 181	5.28	1518	204.93	5	5	R32	Split Type - Wall Mounted	0.83	675
521	Beko Pilipinas Corporation	Beko	1.0 HP SPLIT TYPE WALL MOUNTED AIR-CONDITIONER (INVERTER)	BSEOG 090/BSEOG 091	2.6	542	73.17	4.01	5	R32	Split Type - Wall Mounted	0.9	675
522	Beko Pilipinas Corporation	Beko	1.5 HP SPLIT TYPE WALL MOUNTED AIR-CONDITIONER (INVERTER)	BSEOG 120/BSEOG 121	3.5	814	109.89	4.01	5	R32	Split Type - Wall Mounted	0.9	675
523	Beko Pilipinas Corporation	Beko	2.0 HP SPLIT TYPE WALL MOUNTED AIR-CONDITIONER (INVERTER)	BSEOG 180/BSEOG 181	5.2	1499	202.36	4.01	5	R32	Split Type - Wall Mounted	1.1	675
524	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - CEILING CASSETTE AIR-CONDITIONER	ZTNQ12GULA0 / ZUAA1	3.08	870	117.45	5	5	R32	Split Type - Ceiling Cassette	0.75	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
525	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - CEILING CASSETTE AIR-CONDITIONER	ZTNQ18GTLA0 / ZUAB1	5.27	1640	221.4	5	5	R32	Split Type - Ceiling Cassette	0.98	675
526	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - CEILING CASSETTE AIR-CONDITIONER	ZTNQ24GTLA0 / ZUAC1	6.45	2190	295.65	5	5	R32	Split Type - Ceiling Cassette	1.25	675
527	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 42CFM04H-A STD SPAC / CAR CDU 38ASC04H-A ROTARY	CFM04-230-STD-CAR / 38ASCCAR04HE NS0UN0	10.03	3900	842.4	2.73	1	R410a	Split Type - Floor Mounted	2.25	2088
528	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 42CFE04H-AW REM SPAC / CAR CDU 38ASC04H-A ROTARY	CFE04-230-REM-CAR / 38ASCCAR04HE NS0UN0	10.03	3900	842.4	2.73	1	R410a	Split Type - Floor Mounted	2.25	2088
529	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU SLR 03.5H 230V FS TRIWIND / CAR CDU ASC 03.5H 230V FS STD	42SLRCAR35HE GS2EN / 38ASCCAR35FE NS6CN	9.03	3200	691.2	3	1	R410a	Split Type - Floor Mounted	2.15	2088
530	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR CH3 1.00HP REM AURA	WCARJ010EEC3	2.89	850	183.6	3.61	3	R410a	Window Type	0.55	2088
531	Concepcion Carrier Air Conditioning Company (CCAC)	Condura	CON FCU 42KSV012313 PRIMA HW INVERTER / CON CDU 38KSV012313 PRIMA INVERTER	42KSV012313 / 38KSV012313	3.33	1180	159.3	4.6	5	R32	Split Type - Wall Mounted	0.42	675
532	Concepcion Carrier Air Conditioning Company (CCAC)	Condura	CON FCU 42KSV018313 PRIMA HW INVERTER / CON CDU 38KSV018313 PRIMA INVERTER	42KSV018313 / 38KSV018313	5	1750	236.25	4.5	5	R32	Split Type - Wall Mounted	0.64	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
533	Concepcion Carrier Air Conditioning Company (CCAC)	Condura	CON FCU 42KSV024313 PRIMA HW INVERTER / CON CDU 38KSV024313 PRIMA INVERTER	42KSV024313 / 38KSV024313	6.39	1850	249.75	5.05	5	R32	Split Type - Wall Mounted	0.95	675
534	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	AR FCU FLG 04.0H 230V FS UNDERCEILING / CAR CDU 38ASC04H-A ROTARY	42FLGCAR04HE NS0EN / 38ASCCAR04HE NS0UN0	10.03	3900	842.4	2.73	1	R410a	Split Type - Ceiling Suspended	2.65	2088
535	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 42CFV036308-1 SLIMPAC VS / CAR CDU 38CFV036308-1 OUTDOOR VS	42CFV036308-1 / 38CFV036308-1	10.14	3200	432	6	5	R410a	Split Type - Floor Mounted	3.2	2088
536	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 42CFV055308-1 SLIMPAC VS / CAR CDU 38CFV055308-1 OUTDOOR VS	42CFV055308-1 / 38CFV055308-1	13.89	4400	594	4.93	5	R410a	Split Type - Floor Mounted	3.95	2088
537	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 42CUV036308-2 UNDERCEILING VS / CAR CDU 38CUV036308-2 UNIVERSAL VS	42CUV036308-2 / 38CUV036308-2	10.56	3400	459	5.03	5	R410a	Split Type - Ceiling Suspended	2.3	2088
538	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 40CAV036308-2 CASSETTE VS / CAR CDU 38CUV036308-2 UNIVERSAL VS	40CAV036308-2 / 38CUV036308-2	10.69	3450	465.75	5.57	5	R410a	Split Type - Ceiling Cassette	2.3	2088
539	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR CH2 0.75HP REM INV COMPACT	WCARH008EEV C2	2.36	705	95.18	4.46	5	R410a	Window Type	0.42	2088
540	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR CH2 1.00HP REM INV COMPACT	WCARH009EEV C2	2.78	905	122.18	4.05	5	R410a	Window Type	0.455	2088

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
541	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 42CGF009308-2 HIWALL FS / CAR CDU 38CGF009308-2 HIWALL FS	42CGF009308-2 / 38CGF009308-2	2.63	845	182.52	3.34	2	R32	Split Type - Wall Mounted	0.36	675
542	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 42CGF012308-2 HIWALL FS / CAR CDU 38CGF012308-2 HIWALL FS	42CGF012308-2 / 38CGF012308-2	3.39	1090	235.44	3.33	2	R32	Split Type - Wall Mounted	0.5	675
543	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 42CGF018308-2 HIWALL FS / CAR CDU 38CGF018308-2 HIWALL FS	42CGF018308-2 / 38CGF018308-2	5.42	1700	367.2	3.5	3	R32	Split Type - Wall Mounted	0.67	675
544	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 42CGF022308-2 HIWALL FS / CAR CDU 38CGF022308-2 HIWALL FS	42CGF022308-2 / 38CGF022308-2	7.25	2350	507.6	3.56	3	R32	Split Type - Wall Mounted	1.08	675
545	Concepcion Carrier Air Conditioning Company (CCAC)	Condura	CON 1.5HP PRIMEA INVERTER	WCON012VU-W	3.44	1220	164.7	4.28	5	R32	Window Type	0.38	675
546	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 40CCGCAR04HENS0EN- 1 CASSETTE FS / CAR CDU 38ASC04H-A ROTARY	40CCGCAR04HE NS0EN-1 / 38ASCCAR04HE NS0UN0	10.03	3900	842.4	2.73	1	R410a	Split Type - Ceiling Cassette	2.25	2088
547	Collins International Trading Corporation	Dowell	Dowell Air conditioner ACW-3i-2310R	ACW-3i-2310R	2.5	819	110.56	4.4	5	R32	Window Type	0.27	675
548	Daikin Airconditioning Philippines Inc.	Daikin	D-Smart Lite	FTKF20DVA/RKF 20DVA9	1.99	650	87.75	4.6	5	R32	Split Type - Wall Mounted	0.4	675
549	Daikin Airconditioning Philippines Inc.	Daikin	D-Smart Prince	FTKF20FVAF/RK F20FVA	1.99	650	87.75	4.6	5	R32	Split Type - Wall Mounted	0.4	675
550	Daikin Airconditioning Philippines Inc.	Daikin	D-Smart	FTKQ20CVAF/R KQ20CVA	1.99	650	87.75	4.6	5	R32	Split Type - Wall Mounted	0.4	675
551	Daikin Airconditioning Philippines Inc.	Daikin	D-Smart Lite	FTKF25DVA/RKF 25DVA9	2.64	860	116.1	4.6	5	R32	Split Type - Wall Mounted	0.4	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
552	Daikin Airconditioning Philippines Inc.	Daikin	D-Smart Prince	FTKF25FVAF/RK F25FVA	2.64	860	116.1	4.6	5	R32	Split Type - Wall Mounted	0.4	675
553	Daikin Airconditioning Philippines Inc.	Daikin	D-Smart	FTKQ25CVA/R KQ25CVA	2.64	860	116.1	4.6	5	R32	Split Type - Wall Mounted	0.4	675
554	Daikin Airconditioning Philippines Inc.	Daikin	D-Smart Prince	FTKF35FVAF/RK F35FVA	3.6	1175	253.8	4.6	5	R32	Split Type - Wall Mounted	0.45	675
555	Daikin Airconditioning Philippines Inc.	Daikin	D-Smart	FTKQ35CVA/R KQ35CVA	3.6	1175	158.63	4.6	5	R32	Split Type - Wall Mounted	0.45	675
556	Daikin Airconditioning Philippines Inc.	Daikin	D-Smart Prince	FTKF50FVAF/RK F50FVA	5.28	1880	253.8	5.02	5	R32	Split Type - Wall Mounted	0.65	675
557	Daikin Airconditioning Philippines Inc.	Daikin	D-Smart	FTKQ50CVA/R KQ50CVA	5.28	1880	253.8	5.02	5	R32	Split Type - Wall Mounted	0.65	675
558	Daikin Airconditioning Philippines Inc.	Daikin	D-Smart Prince	FTKF60FVAF/RK F60FVA	6.59	1835	247.73	6.1	5	R32	Split Type - Wall Mounted	1.05	675
559	Daikin Airconditioning Philippines Inc.	Daikin	D-Smart	FTKQ60CVA/R KQ60CVA	6.59	1835	247.73	6.1	5	R32	Split Type - Wall Mounted	1.05	675
560	Daikin Airconditioning Philippines Inc.	Daikin	D-Smart Prince	FTKF71FVAF/RK F71FVA	7.03	1965	265.28	5.75	5	R32	Split Type - Wall Mounted	1.05	675
561	Daikin Airconditioning Philippines Inc.	Daikin	D-Smart	FTKQ71CVA/R KQ71CVA	7.03	1965	265.28	5.75	5	R32	Split Type - Wall Mounted	1.05	675
562	TCL SUN, INC.	TCL	FULL 5D DC INVERTER SPLIT TYPE	TAC-07CSA/KEI	1.94	640	86.4	4.76	5	R32	Split Type - Wall Mounted	0.3	675
563	TCL SUN, INC.	TCL	WINDOW TYPE ECO+	TAC-12CW/UB	3.33	1100	148.5	4.64	5	R32	Window Type	0.325	675
564	TRADEMASTER RESOURCES CORPORATION	EVEREST	SPLIT TYPE-INVERTER	ETIV25UVSTR3-HF-INT, ETIV25UVSTR3-HF-EXT	6.97	2330	314.55	4.99	5	R32	Split Type - Wall Mounted	1.28	675
565	TRADEMASTER RESOURCES CORPORATION	EVEREST	SPLIT TYPE-INVERTER	ETIV10UVSTR3-HF-INT/ETIV10UVSTR3-HF-EXT	2.81	850	114.75	4.43	5	R32	Split Type - Wall Mounted	0.37	675
566	TRADEMASTER RESOURCES CORPORATION	EVEREST	SPLIT TYPE-INVERTER	ETIV15UVSTR3-HF-INT/ETIV15UVSTR3-HF-EXT	3.75	1150	155.25	4.7	5	R32	Split Type - Wall Mounted	0.43	675
567	TRADEMASTER RESOURCES CORPORATION	EVEREST	SPLIT TYPE-INVERTER	ETIV20UVSTR3-HF-INT/ETIV20UVSTR3-HF-EXT	5.41	1740	234.9	4.78	5	R32	Split Type - Wall Mounted	0.9	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
568	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD APPLIANCES	Panasonic	Inverter Floor Standing Air Conditioner	S-24PB3Q6/U-24PRB1Q6	7.25	2550	344.25	4.05	5	R32	Split Type - Floor Mounted	1.32	675
569	Hisense Philippines Inc.	Hisense	AUF-36TR5RMPA/AUW-36T5RK	AUF-36TR5RMPA/AUW-36T5RK	10.8	3700	499.5	5.31	5	R32	Split Type - Floor Mounted	1.8	675
570	Hisense Philippines Inc.	Hisense	AS-09TR5RCBI / AS-09TR5RCBO	AS-09TR5RCBI / AS-09TR5RCBO	2.64	820	110.7	4.69	5	R32	Split Type - Wall Mounted	0.39	675
571	Hisense Philippines Inc.	Hisense	AS-12TR5RCBI / AS-12TR5RCBO	AS-12TR5RCBI / AS-12TR5RCBO	3.46	1160	156.6	4.65	5	R32	Split Type - Wall Mounted	0.42	675
572	Hisense Philippines Inc.	Hisense	AS-18TR5RCBI / AS-18TR5RCBO	AS-18TR5RCBI / AS-18TR5RCBO	5.28	1800	243	4.66	5	R32	Split Type - Wall Mounted	0.64	675
573	Hisense Philippines Inc.	Hisense	AS-24TR5RCBI / AS-24TR5RCBO	AS-24TR5RCBI / AS-24TR5RCBO	6.67	2150	290.25	4.54	5	R32	Split Type - Wall Mounted	0.95	675
574	Daikin Airconditioning Philippines Inc.	Daikin	D-Smart Prince	FTKF35FVAF/RK F35FVA	3.6	1175	158.63	4.6	5	R32	Split Type - Wall Mounted	0.45	675
575	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD APPLIANCES	Panasonic	Panasonic Packaged Air Conditioners NX Series Standard	S-18PU3Q/U-18PR1Q6	5	1140	153.9	6.27	5	R32	Split Type - Ceiling Cassette	0.7	675
576	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD APPLIANCES	Panasonic	Panasonic Packaged Air Conditioners NX Series Standard	S-21PU3Q/U-21PR1Q6	6	1710	230.85	5.89	5	R32	Split Type - Ceiling Cassette	0.7	675
577	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD APPLIANCES	Panasonic	Panasonic Packaged Air Conditioners NX Series Standard	S-24PU3Q/U-24PR1Q6	7.1	1990	268.65	6.08	5	R32	Split Type - Ceiling Cassette	1.13	675
578	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD APPLIANCES	Panasonic	Panasonic Packaged Air Conditioners NX Series Standard	S-30PU3Q/U-30PR1Q6	8.5	2520	340.2	5.97	5	R32	Split Type - Ceiling Cassette	1.2	675
579	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD APPLIANCES	Panasonic	Panasonic Packaged Air Conditioners NX Series Standard	S-34PU3Q/U-34PR1Q6	10	3230	436.05	5.89	5	R32	Split Type - Ceiling Cassette	1.45	675
580	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD APPLIANCES	Panasonic	Panasonic Packaged Air Conditioners NX Series Standard	S-43PU3Q/U-43PR1Q6	12.5	3740	504.9	5.8	5	R32	Split Type - Ceiling Cassette	1.8	675
581	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD APPLIANCES	Panasonic	Panasonic Packaged Air Conditioners NX Series Standard	S-48PU3Q/U-48PR1Q6	14	4830	652.05	5.23	5	R32	Split Type - Ceiling Cassette	1.8	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
582	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Panasonic Packaged Air Conditioners NX Series Standard	S-18PT3Q/U-18PR1Q6	5	1330	179.55	6.18	5	R32	Split Type - Ceiling Suspended	0.7	675
583	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Panasonic Packaged Air Conditioners NX Series Standard	S-21PT3Q/U-21PR1Q6	6	1920	259.2	5.65	5	R32	Split Type - Ceiling Suspended	0.7	675
584	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Panasonic Packaged Air Conditioners NX Series Standard	S-24PT3Q/U-24PR1Q6	7.1	2100	283.5	5.51	5	R32	Split Type - Ceiling Suspended	1.13	675
585	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Panasonic Packaged Air Conditioners NX Series Standard	S-30PT3Q/U-30PR1Q6	8.5	2750	371.25	5.86	5	R32	Split Type - Ceiling Suspended	1.2	675
586	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Panasonic Packaged Air Conditioners NX Series Standard	S-34PT3Q/U-34PR1Q6	10	3360	453.6	5.04	5	R32	Split Type - Ceiling Suspended	1.45	675
587	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Panasonic Packaged Air Conditioners NX Series Standard	S-43PT3Q/U-43PR1Q6	12.5	4100	553.5	5.08	5	R32	Split Type - Ceiling Suspended	1.8	675
588	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Panasonic Packaged Air Conditioners NX Series Standard	S-48PT3Q/U-48PR1Q6	13.33	4500	607.5	4.98	5	R32	Split Type - Ceiling Suspended	1.8	675
589	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Panasonic Packaged Air Conditioners NX Series Deluxe	S-18PU3QA/U-18PRH1Q6	5	900	121.5	7.5	5	R32	Split Type - Ceiling Cassette	1.2	675
590	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Panasonic Packaged Air Conditioners NX Series Deluxe	S-21PU3QA/U-21PRH1Q6	6	1270	171.45	7.1	5	R32	Split Type - Ceiling Cassette	1.2	675
591	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Panasonic Packaged Air Conditioners NX Series Deluxe	S-24PU3QA/U-24PRH1Q6	7.1	1570	211.95	6.8	5	R32	Split Type - Ceiling Cassette	1.2	675
592	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Panasonic Packaged Air Conditioners NX Series Deluxe	S-34PU3QA/U-34PRH1Q6	10	2350	317.25	6.6	5	R32	Split Type - Ceiling Cassette	1.8	675
593	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Panasonic Packaged Air Conditioners NX Series Deluxe	S-43PU3QA/U-43PRH1Q6	12.5	3420	461.7	6.3	5	R32	Split Type - Ceiling Cassette	1.8	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
594	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Panasonic Packaged Air Conditioners NX Series Deluxe	S-48PU3QA/U-48PRH1Q6	14	4100	553.5	5.7	5	R32	Split Type - Ceiling Cassette	1.9	675
595	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Panasonic Packaged Air Conditioners NX Series Deluxe	S-18PT3QA/U-18PRH1Q6	5	1080	145.8	7.2	5	R32	Split Type - Ceiling Suspended	1.2	675
596	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Panasonic Packaged Air Conditioners NX Series Deluxe	S-21PT3QA/U-21PRH1Q6	6	1440	194.4	6.7	5	R32	Split Type - Ceiling Suspended	1.2	675
597	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Panasonic Packaged Air Conditioners NX Series Deluxe	S-24PT3QA/U-24PRH1Q6	7.1	1700	229.5	6.85	5	R32	Split Type - Ceiling Suspended	1.2	675
598	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Panasonic Packaged Air Conditioners NX Series Deluxe	S-34PT3QA/U-34PRH1Q6	10	2470	333.45	6.05	5	R32	Split Type - Ceiling Suspended	1.8	675
599	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Panasonic Packaged Air Conditioners NX Series Deluxe	S-43PT3QA/U-43PRH1Q6	12.5	3750	506.25	5.5	5	R32	Split Type - Ceiling Suspended	1.8	675
600	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Panasonic Packaged Air Conditioners NX Series Deluxe	S-48PT3QA/U-48PRH1Q6	14	4240	572.4	5.4	5	R32	Split Type - Ceiling Suspended	1.9	675
601	Excellence Appliance Technologies Inc.	FUJIDENZO	MOUNTED CEILING SUSPENDE TYPE INVERTER AIR CONDITIONER	FIS-400M3	10.55	3400	459	4.59	5	R32	Split Type - Ceiling Suspended	1.45	675
602	Excellence Appliance Technologies Inc.	FUJIDENZO	INVERTER FLOOR STANDING AIR CONDITIONER	FIP-400M3	10.55	3300	445.5	4.21	5	R32	Split Type - Floor Mounted	1.45	675
603	TCL SUN, INC.	TCL	2.5HP Inverter Floor Mounted Aircon	28TCFS/JI2	7.43	2500	337.5	4.98	5	R32	Split Type - Floor Mounted	1.5	675
604	TestCompany	Maginaw	Maginaw Pro Max	Maginaw Pro Max	3.2	1040	140.4	4.96	5	R410a	Split Type - Wall Mounted	2088	2088
605	Koppel, Inc.	KOPPEL	Split Type Wall Mounted Inverter R32	KV09WM-ARF31S / KV09OD-ARF31S	2.78	735	99.22	4.46	5	R32	Split Type - Wall Mounted	0.38	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
606	Koppel, Inc.	KOPPEL	Split Type Wall Mounted Inverter R32	KV24WM-ARF31S / KV24OD-ARF31S	6.62	1925	259.88	5.43	5	R32	Split Type - Wall Mounted	0.83	675
607	Koppel, Inc.	KOPPEL	Window Type Inverter R32	KV18WR-ARF31A	5.28	1400	189	5.08	5	R32	Window Type	0.87	675
608	Koppel, Inc.	KOPPEL	Window Type Inverter R32	KV24WR-ARF31A	6.45	1800	243	4.61	5	R32	Window Type	0.85	675
609	Koppel, Inc.	KOPPEL	Split Type Wall Mounted Inverter R32	KV12WM-ARF31S / KV12OD-ARF31S	3.78	1136	153.36	4.67	5	R32	Split Type - Wall Mounted	0.44	675
610	Koppel, Inc.	KOPPEL	Split Type Wall Mounted Inverter R32	KV18WM-ARF31S / KV18OD-ARF31S	5.69	1735	234.22	4.82	5	R32	Split Type - Wall Mounted	0.65	675
611	Koppel, Inc.	KOPPEL	1.5 Hp Split Type Wall Mounted Inverter R32	KV12WM-ARF31D/KV12OD-ARF31D	3.52	1095	147.83	5.18	5	R32	Split Type - Wall Mounted	0.4	675
612	Koppel, Inc.	KOPPEL	2.0 Hp Split Type Wall Mounted Inverter R32	KV18WM-ARF31D/KV18OD-ARF31D	5.28	1890	255.15	5	5	R32	Split Type - Wall Mounted	0.6	675
613	Koppel, Inc.	KOPPEL	2.5 Hp Split Type Wall Mounted Inverter R32	KV24WM-ARF31D/KV24OD-ARF31D	6.45	2170	292.95	4.47	5	R32	Split Type - Wall Mounted	0.78	675
614	Koppel, Inc.	KOPPEL	1.0 Hp Split Type Wall Mounted Inverter R32	KV09WM-ARF31D/KV09OD-ARF31D	2.64	810	109.35	5.15	5	R32	Split Type - Wall Mounted	0.35	675
615	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir Entry Inverter - Ceiling Cassette	FCFC100BXVA/R ZFC100BXVM	10	3510	473.85	4.32	5	R32	Split Type - Ceiling Cassette	0.95	675
616	Daikin Airconditioning Philippines Inc.	Daikin	SkyAir Entry Inverter - Ceiling Cassette	FCFC140BXVA/R ZFC140BXVM	14	5430	733.05	4.44	5	R32	Split Type - Ceiling Cassette	1.9	675
617	Kolin Philippines International, Inc.	Kolin	Kolin 0.75 HP Compact	KAM-75CMC32	2.05	684	147.74	3.34	2	R32	Window Type	0.24	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
618	Kolin Philippines International, Inc.	Kolin	Kolin Light Commercial Ceiling Suspended INV 3 TR	KLM-IC40-3D1M410	10.55	3450	465.75	4.82	5	R410a	Split Type - Ceiling Suspended	2.3	2088
619	Kolin Philippines International, Inc.	Kolin	Kolin Light Commercial Ceiling Cassette INV 3 TR	KLM-IS40-4F1M410	10.55	3450	465.75	5.15	5	R410a	Split Type - Ceiling Cassette	2.3	2088
620	Kolin Philippines International, Inc.	Kolin	Kolin Light Commercial Floor Mounted 3 TR DC Inverter	KLG-IF40-5G1M32	10.65	3200	432	4.46	5	R32	Split Type - Floor Mounted	2.1	675
621	Kolin Philippines International, Inc.	Kolin	Kolin 2.0 HP Quad Full DC INVERTER Rev.1	KAG-200WCINV	5.3	1606	216.81	4.5	5	R32	Window Type	0.64	675
622	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Inverter Window Air Conditioner	CW-U1021VPH	2.96	874	117.99	4.76	5	R32	Window Type	0.46	675
623	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Inverter Window Air Conditioner	CW-U1221VPH	3.33	984	132.84	4.47	5	R32	Window Type	0.52	675
624	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Inverter Window Air Conditioner	CW-U1821EPH	5.21	1563	211	4.77	5	R32	Window Type	0.79	675
625	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Inverter Window Air Conditioner	CW-U2421EPH	6.53	1958	264.33	4.82	5	R32	Window Type	0.85	675
626	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Inverter Window Air Conditioner with Nanoe-X	CW-XU1021VPH	2.96	860	116.1	4.84	5	R32	Window Type	0.46	675
627	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Inverter Window Air Conditioner with Nanoe-X	CW-XU1221VPH	3.33	968	130.68	4.54	5	R32	Window Type	0.52	675
628	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Inverter Window Air Conditioner with Nanoe-X	CW-XU1821EPH	5.21	1524	205.74	4.84	5	R32	Window Type	0.79	675
629	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Inverter Window Air Conditioner with Nanoe-X	CW-XU2421EPH	6.53	1911	257.98	4.91	5	R32	Window Type	0.85	675
630	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Inverter Window Air Conditioner	CW-U921JPH	2.64	792	106.92	4.36	5	R32	Window Type	0.41	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
631	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Mechanical Timer Non-Inverter Window Type Air Conditioner	CW-MN620JPH	1.53	511	110.38	3.18	1	R32	Window Type	0.265	675
632	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Mechanical Timer Non-Inverter Window Type Air Conditioner	CW-MN820JPH	2.07	616	133.06	3.57	3	R32	Window Type	0.345	675
633	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Mechanical Timer Non-Inverter Window Type Air Conditioner	CW-MN920JPH	2.64	839	181.22	3.34	2	R32	Window Type	0.335	675
634	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Mechanical Timer Non-Inverter Window Type Air Conditioner	CW-MN1220VPH	3.6	1170	252.72	3.27	2	R32	Window Type	0.41	675
635	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Manual Non-Inverter Window Type Air Conditioner	CW-N620JPH	1.53	511	110.38	3.18	1	R32	Window Type	0.265	675
636	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Manual Non-Inverter Window Type Air Conditioner	CW-N820JPH	2.07	616	133.06	3.57	3	R32	Window Type	0.345	675
637	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Manual Non-Inverter Window Type Air Conditioner	CW-N920JPH	2.64	839	181.22	3.34	2	R32	Window Type	0.335	675
638	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Manual Non-Inverter Window Type Air Conditioner	CW-N1020VPH	3.07	916	197.86	3.56	3	R32	Window Type	0.4	675
639	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Manual Non-Inverter Window Type Air Conditioner	CW-N1220VPH	3.6	1170	252.72	3.27	2	R32	Window Type	0.41	675
640	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Manual Non-Inverter Window Type Air Conditioner	CW-N1820EPH	5.31	1640	354.24	3.44	3	R32	Window Type	0.62	675
641	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Manual Non-Inverter Window Type Air Conditioner	CW-N2420EPH	7.09	2660	574.56	2.83	1	R32	Window Type	0.74	675
642	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Remote-Controlled Non-Inverter Window Type Air Conditioner	CW-XN620JPH	1.53	511	110.38	3.18	1	R32	Window Type	0.265	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
643	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Remote-Controlled Non-Inverter Window Type Air Conditioner	CW-XN820JPH	2.07	616	133.06	3.57	3	R32	Window Type	0.345	675
644	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Remote-Controlled Non-Inverter Window Type Air Conditioner	CW-XN920JPH	2.64	839	181.22	3.34	2	R32	Window Type	0.335	675
645	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Remote-Controlled Non-Inverter Window Type Air Conditioner	CW-XN1020VPH	3.07	916	197.86	3.56	3	R32	Window Type	0.4	675
646	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Remote-Controlled Non-Inverter Window Type Air Conditioner	CW-XN1220VPH	3.6	1170	252.72	3.27	2	R32	Window Type	0.41	675
647	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Remote-Controlled Non-Inverter Window Type Air Conditioner	CW-XN1820EPH	5.31	1640	354.24	3.44	3	R32	Window Type	0.62	675
648	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Remote-Controlled Non-Inverter Window Type Air Conditioner	CW-XN2420EPH	7.09	2660	574.56	2.83	1	R32	Window Type	0.74	675
649	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Inverter Split Type Air Conditioner	CS-XU9AKQ/CU-XU9AKQ	2.55	640	86.4	6.26	5	R32	Split Type - Wall Mounted	0.43	675
650	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Inverter Split Type Air Conditioner	CS-XU12AKQ/CU-XU12AKQ	3.5	900	121.5	6.53	5	R32	Split Type - Wall Mounted	0.53	675
651	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Inverter Split Type Air Conditioner	CS-XU18AKQ/CU-XU18AKQ	5.3	1260	170.1	6.92	5	R32	Split Type - Wall Mounted	0.92	675
652	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD	Panasonic	Inverter Split Type Air Conditioner	CS-XU24AKQ/CU-XU24AKQ	6.1	1550	209.25	6.81	5	R32	Split Type - Wall Mounted	1.17	675
653	TRADEMASTER RESOURCES CORPORATION	Everest	ETIV10BSTR3-HF-INT,ETIV10BSTR3-HF-EXT	ETIV10BSTR3-HF-INT,ETIV10BSTR3-HF-EXT	2.81	802	108.27	4.19	5	R32	Split Type - Wall Mounted	0.38	675
654	TRADEMASTER RESOURCES CORPORATION	Everest	ETIV15BSTR3-HF-INT,ETIV15BSTR3-HF-EXT	ETIV15BSTR3-HF-INT,ETIV15BSTR3-HF-EXT	3.74	1080	145.8	4.6	5	R32	Split Type - Wall Mounted	0.44	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
655	TRADEMASTER RESOURCES CORPORATION	Everest	ETIV20BSTR3-HF-INT,ETIV20BSTR3-HF-EXT	ETIV20BSTR3-HF-INT,ETIV20BSTR3-HF-EXT	5.3	1750	236.25	4.54	5	R32	Split Type - Wall Mounted	0.65	675
656	TRADEMASTER RESOURCES CORPORATION	Everest	ETIV25BSTR3-HF-INT,ETIV25BSTR3-HF-EXT	ETIV25BSTR3-HF-INT,ETIV25BSTR3-HF-EXT	7.06	2080	280.8	5.08	5	R32	Split Type - Wall Mounted	0.83	675
657	TRADEMASTER RESOURCES CORPORATION	Everest	ETIV10STR3-HF-INT,ETIV10STR3-HF-EXT	ETIV10STR3-HF-INT,ETIV10STR3-HF-EXT	2.81	700	94.5	4.42	5	R32	Split Type - Wall Mounted	0.38	675
658	TRADEMASTER RESOURCES CORPORATION	Everest	ETIV15STR3-HF-INT,ETIV15STR3-HF-EXT	ETIV15STR3-HF-INT,ETIV15STR3-HF-EXT	3.72	1080	145.8	4.61	5	R32	Split Type - Wall Mounted	0.44	675
659	TRADEMASTER RESOURCES CORPORATION	Everest	ETIV20STR3-HF-INT,ETIV20STR3-HF-EXT	ETIV20STR3-HF-INT,ETIV20STR3-HF-EXT	5.28	1750	236.25	4.62	5	R32	Split Type - Wall Mounted	0.65	675
660	TRADEMASTER RESOURCES CORPORATION	Everest	ETIV25STR3-HF-INT,ETIV25STR3-HF-EXT	ETIV25STR3-HF-INT,ETIV25STR3-HF-EXT	6.9	1980	267.3	5.37	5	R32	Split Type - Wall Mounted	0.83	675
661	TRADEMASTER RESOURCES CORPORATION	Everest	ETIV10CFWD/G	ETIV10CFWD/G	2.88	900	121.5	4.22	5	R32	Window Type	0.32	675
662	TRADEMASTER RESOURCES CORPORATION	Everest	ETIV30BSTR3-HF-INT,ETIV30BSTR3-HF-EXT	ETIV30BSTR3-HF-INT,ETIV30BSTR3-HF-EXT	7.6	3500	472.5	5.92	5	R32	Split Type - Wall Mounted	1.35	675
663	GTC-Aldis Philippines Inc.	HYUNDAI	Window Type Air conditioner	HAC-W05M-D	1.47	488	105.41	3.28	1	R32	Window Type	0.185	675
664	GTC-Aldis Philippines Inc.	HYUNDAI	Window Type Air conditioner	HAC-W05M-D	1.47	488	105.41	3.28	1	R32	Window Type	0.185	675
665	DAVAO CITIHARDWARE INC.	BOSTON BAY	ABM0323-AFA	ABM0323-AFA	2.64	810	109.35	4.6	5	R32	Split Type - Wall Mounted	0.35	675
666	DAVAO CITIHARDWARE INC.	BOSTON BAY	ABM0323-AFB	ABM0323-AFB	3.52	1100	148.5	4.6	5	R32	Split Type - Wall Mounted	0.4	675
667	DAVAO CITIHARDWARE INC.	BOSTON BAY	ABM0323-AFC	ABM0323-AFC	5.28	1850	249.75	4.6	5	R32	Split Type - Wall Mounted	0.6	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
668	DAVAO CITIHARDWARE INC.	BOSTON BAY	ABM0323-AFD	ABM0323-AFD	6.45	2040	275.4	4.6	5	R32	Split Type - Wall Mounted	0.78	675
669	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	FULL DC WINDOW TYPE	GJ09-6DR	2.89	900	121.5	4.3	5	R32	Window Type	0.34	675
670	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	FULL DC WINDOW TYPE	GJ12-6DR	3.67	1140	153.9	4.15	5	R32	Window Type	0.46	675
671	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	FULL DC WINDOW TYPE	GJ18-6DR	5.3	1606	216.81	4.3	5	R32	Window Type	0.64	675
672	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	FULL DC WINDOW TYPE	GJ24-6DR	6.7	2160	291.6	4.25	5	R32	Window Type	0.61	675
673	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	INDOOR / OUTDOOR INVERTER WALL	GW09-6DR-I/O	2.64	850	114.75	4.2	5	R32	Split Type - Wall Mounted	0.35	675
674	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	INDOOR / OUTDOOR INVERTER WALL	GW12-6DR-I/O	3.6	1160	156.6	4.41	5	R32	Split Type - Wall Mounted	0.38	675
675	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	INDOOR / OUTDOOR INVERTER WALL	GW18-6DR-I / O	5.28	1650	222.75	4.8	5	R32	Split Type - Wall Mounted	0.65	675
676	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	INDOOR / OUTDOOR INVERTER WALL	GW24-6DR-I / O	7.2	2180	294.3	5	5	R32	Split Type - Wall Mounted	1	675
677	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	INDOOR / OUTDOOR INVERTER WALL	GW36-6DR-I / O	10.55	3611	487.48	5.5	5	R32	Split Type - Wall Mounted	1.9	675
678	Kolin Philippines International, Inc.	Kolin	Kolin Certus 1.0 hp Wall Mounted Inverter	KSM-IW10-WCT10M1M32	2.72	740	99.9	5.24	5	R32	Split Type - Wall Mounted	0.35	675
679	Kolin Philippines International, Inc.	Kolin	Kolin Certus 1.5 hp Wall Mounted Inverter	KSM-IW15-WCT10M1M32	3.52	1050	141.75	5.17	5	R32	Split Type - Wall Mounted	0.4	675
680	Kolin Philippines International, Inc.	Kolin	Kolin Certus 2.0 hp Wall Mounted Inverter	KSM-IW20-WCT10M1M32	5.28	1650	222.75	5.09	5	R32	Split Type - Wall Mounted	0.6	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
681	Kolin Philippines International, Inc.	Kolin	Kolin Certus 2.5 hp Wall Mounted Inverter	KSM-IW25-WCT10M1M32	6.45	2045	276.08	4.59	5	R32	Split Type - Wall Mounted	0.78	675
682	TCL SUN, INC.	ROWA	WINDOW TYPE REMOTE (TOP DISCHARGE)	10RCW-R2	2.52	850	183.6	3.28	1	R32	Window Type	0.28	675
683	Concepcion Midea Inc.	Midea	AB 08 High Wall	FP-42AST010KEIV-W6 / FP-38AST010KEIV-W6	2.64	700	94.5	4.2	5	R32	Split Type - Wall Mounted	380	675
684	Concepcion Midea Inc.	Midea	AB 08 High Wall	FP-42AST015KEIV-W6 / FP-38AST015KEIV-W6	3.52	1035	139.72	4.73	5	R32	Split Type - Wall Mounted	440	675
685	Concepcion Midea Inc.	Midea	AB 08 High Wall	FP-42AST020KEIV-W6 / FP-38AST020KEIV-W6	5.28	1790	241.65	4.53	5	R32	Split Type - Wall Mounted	650	675
686	Concepcion Midea Inc.	Midea	AB 08 High Wall	FP-42AST025KEIV-W6 / FP-38AST025KEIV-W6	6.45	2145	289.58	4.96	5	R32	Split Type - Wall Mounted	830	675
687	Concepcion Midea Inc.	Midea	Ceiling Cassette Inverter	FP-42ACC036KEIV-N5 / FP-38ACU036KEIV-N5	10.55	3450	465.75	5.08	5	R410a	Split Type - Ceiling Cassette	2.3	2088
688	Concepcion Midea Inc.	Midea	Ceiling Cassette Fixed Speed	FP-42ACC036KENV-N6 / FP-38ACU036KENV-N7	10.55	4002	864.43	2.64	1	R410a	Split Type - Ceiling Cassette	1.9	2088
689	Concepcion Midea Inc.	Midea	Floor Ceiling Inverter	FP-42AFC036KEIV-N5 / FP-38ACU036KEIV-N5	10.55	3450	465.75	4.68	5	R410a	Split Type - Ceiling Suspended	2.3	2088
690	Concepcion Midea Inc.	Midea	Floor Ceiling Fixed Speed	FP-42AFC036KENV-N6 / FP-38ACU036KENV-N7	10.55	3874	836.78	2.89	1	R410a	Split Type - Ceiling Cassette	1.9	2088
691	Concepcion Midea Inc.	Midea	Floor Standing Inverter	FP-42AFS036KEIV-J5 / FP-38ACU036KEIV-N5	10.55	3450	465.75	4.09	5	R410a	Split Type - Floor Mounted	2.3	2088

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
692	Concepcion Midea Inc.	Midea	Floor Standing Fixed Speed	FP-42AFS036KENV-J5 / FP-38AFS036KENV-J5	10.55	4050	874.8	2.77	1	R410a	Split Type - Floor Mounted	2.1	2088
693	Concepcion Midea Inc.	Midea	0.75hp Window Manual	MWF1-07CMN8-NC0	2.05	684	147.74	3.19	1	R32	Window Type	0.24	675
694	Concepcion Midea Inc.	Midea	1.0hp Window Manual	MWF1-09CMN8-NC0	2.64	879	189.86	3.19	1	R32	Window Type	0.275	675
695	Concepcion Midea Inc.	Midea	1.0hp Window Remote	MWF1-09CRN8-NC0	2.64	879	189.86	3.19	1	R32	Window Type	0.275	675
696	Concepcion Midea Inc.	Midea	1.5hp Window Manual	MWF2-12CMN8-NB9	3.52	1212	261.79	3.08	1	R32	Window Type	0.4	675
697	Concepcion Midea Inc.	Midea	1.5hp Window Remote	MWF2-12CRN8-NB9	3.52	1212	261.79	3.08	1	R32	Window Type	0.4	675
698	Concepcion Midea Inc.	Midea	2.0hp Window Remote	MWF2-18CRN8-NC1	5.42	1749	377.78	3.29	2	R32	Window Type	0.52	675
699	Concepcion Midea Inc.	Midea	2.0hp Window Manual	MWTF2-18CMN1-NC0-[N]	5.26	1760	380.16	3.17	2	R410a	Window Type	0.72	2088
700	Concepcion Midea Inc.	Midea	2.5hp Window Manual	MWTF1-21CMN1-NC0-[N]	6.15	2060	444.96	3.17	2	R410a	Window Type	1.01	2088
701	Concepcion Midea Inc.	Midea	1hp Wall Mount Inverter	FP-42AST010KEIV-E4 / FP-38AST010KEIV-E4	2.64	810	109.35	4.6	5	R32	Split Type - Wall Mounted	0.35	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
702	Concepcion Midea Inc.	Midea	All Easy Pro 1.5hp	FP-42AST015KEIV-E4 / FP-38AST015KEIV-E4	3.52	1100	148.5	4.6	5	R32	Split Type - Wall Mounted	0.4	675
703	Concepcion Midea Inc.	Midea	Pinnacle 1hp	FP-42AST010KEIV-G4 / FP-38AST010KEIV-G4	2.64	699	94.36	4.31	5	R32	Split Type - Wall Mounted	0.38	675
704	Concepcion Midea Inc.	Midea	Pinnacle 1.5hp	FP-42AST015KEIV-G4 / FP-38AST015KEIV-G4	3.52	1034	139.59	4.47	5	R32	Split Type - Wall Mounted	0.44	675
705	Concepcion Midea Inc.	Midea	Pinnacle 2hp	FP-42AST020KEIV-G4 / FP-38AST020KEIV-G4	5.28	1758	237.33	4.53	5	R32	Split Type - Wall Mounted	0.65	675
706	Concepcion Midea Inc.	Midea	Pinnacle 2.5hp	FP-42AST025KEIV-G4 / FP-38AST025KEIV-G4	6.45	2015	272.03	5.15	5	R32	Split Type - Wall Mounted	0.83	675
707	Concepcion Midea Inc.	Midea	Airstill 1hp	FP-42AST010KEIV-T5 / FP-38AST010KEIV-T5	2.93	697	94.1	7.6	5	R32	Split Type - Wall Mounted	0.71	675
708	Concepcion Midea Inc.	Midea	Airstill 1.5hp	FP-42AST015KEIV-T5 / FP-38AST015KEIV-T5	3.6	895	120.82	6.8	5	R32	Split Type - Wall Mounted	0.71	675
709	Concepcion Midea Inc.	Midea	0.6hp Window Non-Inverter	FP-51ARA006HMNV-N5	1.61	560	120.96	3.19	1	R32	Window Type	0.22	675
710	Concepcion Midea Inc.	Midea	1.0hp Window Inverter	FP-51ARA010HEIV-N4	2.64	733	98.96	3.9	4	R32	Window Type	0.44	675
711	Concepcion Midea Inc.	Midea	1.5hp Window Inverter	FP-51ARA015HEIV-N4	3.52	1005	135.67	3.9	4	R32	Window Type	0.48	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
712	Concepcion Midea Inc.	Midea	1.0hp U-Shape Window Inverter	FP-51ARA010HEIV-U5	2.7	793	107.06	4.7	5	R32	Window Type	0.38	675
713	Concepcion Midea Inc.	Midea	1.5hp U-Shape Window Inverter	FP-51ARA015HEIV-U5	3.52	1210	163.35	4.2	5	R32	Window Type	0.38	675
714	Concepcion Midea Inc.	Midea	1.0hp Window Inverter F3	MWF3-09CRFN8-QC6	2.64	765	103.28	4.6	5	R32	Window Type	0.41	675
715	Concepcion Midea Inc.	Midea	1.5hp Window Inverter F3	MWF3-12CRFN8-QC6	3.52	1210	163.35	4.2	5	R32	Window Type	0.41	675
716	Concepcion Midea Inc.	Midea	Window Inverter	FP-51ARA020HEIV-N4	5.28	1765	238.28	4.1	5	R410a	Window Type	0.71	2088
717	Concepcion Midea Inc.	Midea	Window Inverter	FP-51ARA025HEIV-N4	6.01	2010	271.35	4.1	5	R410a	Window Type	0.9	2088
718	Concepcion Midea Inc.	Midea	2.0hp Wall Mounted Inverter	FP-42AST020KEIV-E4 / FP-38AST020KEIV-E4	5.28	1850	249.75	4.6	5	R32	Split Type - Wall Mounted	0.6	675
719	Concepcion Midea Inc.	Midea	2.5hp Wall Mounted Inverter	FP-42AST025KEIV-E4 / FP-38AST025KEIV-E4	6.45	2040	275.4	4.6	5	R32	Split Type - Wall Mounted	0.78	675
720	Concepcion Midea Inc.	Midea	3.0hp Wall Mounted Inverter	FP-42AST030KEIV-E4 / FP-38AST030KEIV-E4	7.2	2450	330.75	4.5	5	R32	Split Type - Wall Mounted	1	675
721	Concepcion Midea Inc.	Midea	1hp Wall Mount Inverter	FP-42AST010KEIV-F4 / FP-38AST010KEIV-F4	2.64	810	109.35	4.6	5	R32	Split Type - Wall Mounted	0.35	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
722	Concepcion Midea Inc.	Midea	1.5hp Wall Mount Inverter	FP-42AST015KEIV-F4 / FP-38AST015KEIV-F4	3.52	1100	148.5	4.6	5	R32	Split Type - Wall Mounted	0.4	675
723	Concepcion Midea Inc.	Midea	2hp Wall Mount Inverter	FP-42AST020KEIV-F4 / FP-38AST020KEIV-F4	5.28	1850	249.75	4.6	5	R32	Split Type - Wall Mounted	0.6	675
724	Concepcion Midea Inc.	Midea	2.5hp Wall Mount Inverter	FP-42AST025KEIV-F4 / FP-38AST025KEIV-F4	6.45	2040	275.4	4.6	5	R32	Split Type - Wall Mounted	0.78	675
725	Concepcion Midea Inc.	Midea	3hp Wall Mount Inverter	FP-42AST030KEIV-F4 / FP-38AST030KEIV-F4	7.2	2450	330.75	4.5	5	R32	Split Type - Wall Mounted	1	675
726	Concepcion Midea Inc.	Midea	0.6hp Window Non-Inverter	FP-51ARA005HMNV-N5	1.47	523	112.97	3.08	1	R32	Window Type	0.18	675
727	Concepcion Midea Inc.	Midea	0.8hp Window Non-Inverter	MWMDP-07CN8MC2	2.25	714	154.22	3.34	2	R32	Window Type	0.23	675
728	Concepcion Midea Inc.	Midea	1.0hp Window Non-Inverter	MWMDP-09CN8MC2	2.65	863	186.41	3.26	1	R32	Window Type	0.22	675
729	Concepcion Midea Inc.	Midea	1.5hp Window Non-Inverter	MWMDP-12CN8MC2	3.6	1194	257.9	3.2	2	R32	Window Type	0.35	675
730	DAVAO CITIHARDWARE INC.	BOSTON BAY	MFJ-36CRDN1R32-NR	MFJ-36CRDN1R32-NR	10.72	3400	459	4.87	5	R32	Split Type - Floor Mounted	1.45	675
731	Koppel, Inc.	KOPPEL	Window Type Non-Inverter R32	KWR-07M4A2	2.15	690	149.04	3.32	2	R32	Window Type	0.24	675
732	Koppel, Inc.	KOPPEL	Window Type Non-Inverter R32	KWR-09M4A2	2.64	840	181.44	3.33	2	R32	Window Type	0.275	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
733	Koppel, Inc.	KOPPEL	Window Type Non-Inverter R32	KWR-09R4A2	2.64	840	181.44	3.33	2	R32	Window Type	0.275	675
734	Koppel, Inc.	KOPPEL	Window Type Non-Inverter R32	KWR-12R4A2	3.61	1160	250.56	3.3	2	R32	Window Type	0.4	675
735	Koppel, Inc.	KOPPEL	Window Type Non-Inverter R32	KWR-12M4A2	3.61	1160	250.56	3.3	2	R32	Window Type	0.4	675
736	Koppel, Inc.	KOPPEL	Window Type Non-Inverter R32	KWR-18R4A2	5.63	1740	375.84	3.43	3	R32	Window Type	0.52	675
737	Koppel, Inc.	KOPPEL	Window Type Inverter R32	KV09WR-ARF31	2.77	740	99.9	4.17	5	R32	Window Type	0.44	675
738	Koppel, Inc.	KOPPEL	Window Type Inverter R32	KV12WR-ARF31	3.66	1008	136.08	4.22	5	R32	Window Type	0.48	675
739	Koppel, Inc.	KOPPEL	3TR Split Type Ceiling Cassette Non-Inverter R410A	KCA-36R3DA/KPC-36JV3DA	10.17	3910	844.56	2.76	1	R410a	Split Type - Ceiling Cassette	1.9	2088
740	Koppel, Inc.	KOPPEL	3TR Split Type Ceiling Mounted Non-Inverter R410A	KCM-36R3DA/KPC-36JV3DA	10.2	3950	853.2	2.74	1	R410a	Split Type - Ceiling Suspended	1.9	2088
741	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU CVA 01.5H 230V VS AF23 HW / CAR CDU MFV 01.5H 230V VS LH-TOP WHT	42CVACAR15FE NS2GN2/38MFV CAR15FEBL3BN	3.28	1220	164.7	3.85	4	R410a	Split Type - Wall Mounted	0.71	2088
742	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU CVA 01.5H 230V VS AF23 HW / CAR CDU MFV 01.5H 230V VS RH-TOP WHT	42CVACAR15FE NS2GN2/38MFV CAR15FEBR3BN	3.28	1220	164.7	3.85	4	R410a	Split Type - Wall Mounted	0.71	2088
743	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU CVA 02.0H 230V VS AF23 HW / CAR CDU MFV 02.0H 230V VS LH-TOP WHT	42CVACAR02HE NS2GN2/38MFV CAR02HEBL2BN	4.86	1750	236.25	3.86	4	R410a	Split Type - Wall Mounted	1	2088
744	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU CVA 02.0H 230V VS AF23 HW / CAR CDU MFV 02.0H 230V VS RH-TOP WHT	42CVACAR02HE NS2GN2/38MFV CAR02HEBR2BN	4.86	1750	236.25	3.86	4	R410a	Split Type - Wall Mounted	1	2088

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
745	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU CVA 02.5H 230V VS AF23 HW / CAR CDU MFV 02.5H 230V VS LH-TOP WHT	42CVACAR25FE NS2GN2/38MFV CAR25FEBL2BN	6.11	2220	299.7	3.82	4	R410a	Split Type - Wall Mounted	1.33	2088
746	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU CVA 02.5H 230V VS AF23 HW / CAR CDU MFV 02.5H 230V VS RH-TOP WHT	42CVACAR25FE NS2GN2/38MFV CAR25FEBR2BN	6.11	2220	299.7	3.82	4	R410a	Split Type - Wall Mounted	1.33	2088
747	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU CVA 01.5H 230V VS AF23 HW / CAR CDU JCV 01.5H 230V VS LH-SIDE WHT	42CVACAR15FE NS2GN2/38JCVC AR15FEHL3BN	3.28	1220	164.7	3.85	4	R410a	Split Type - Wall Mounted	0.71	2088
748	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU CVA 01.5H 230V VS AF23 HW / CAR CDU JCV 01.5H 230V VS RH-SIDE WHT	42CVACAR15FE NS2GN2/38JCVC AR15FEHR3BN	3.28	1220	164.7	3.85	4	R410a	Split Type - Wall Mounted	0.71	2088
749	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU CVA 02.0H 230V VS AF23 HW / CAR CDU JCV 02.0H 230V VS LH-SIDE WHT	42CVACAR02HE NS2GN2/38JCVC AR02HEHL2BN	4.86	1750	236.25	3.86	4	R410a	Split Type - Wall Mounted	1	2088
750	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU CVA 02.0H 230V VS AF23 HW / CAR CDU JCV 02.0H 230V VS RH-SIDE WHT	42CVACAR02HE NS2GN2/38JCVC AR02HEHR2BN	4.86	1750	236.25	3.86	4	R410a	Split Type - Wall Mounted	1	2088
751	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU CVA 02.5H 230V VS AF23 HW / CAR CDU JCV 02.5H 230V VS LH-SIDE WHT	42CVACAR25FE NS2GN2/38JCVC AR25FEHL2BN	6.11	2220	299.7	3.82	4	R410a	Split Type - Wall Mounted	1.33	2088
752	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU CVA 02.5H 230V VS AF23 HW / CAR CDU JCV 02.5H 230V VS RH-SIDE WHT	42CVACAR25FE NS2GN2/38JCVC AR25FEHR2BN	6.11	2220	299.7	3.82	4	R410a	Split Type - Wall Mounted	1.33	2088

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
753	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 1.0HP 42GCVPS010-303P G4 R32 INV / CAR CDU 1.0HP 38GCVPS010- 303P G4 R32 INV	42GCVPS010- 303P / 38GCVPS010- 303P	2.75	835	112.72	4.49	5	R32	Split Type - Wall Mounted	0.41	675
754	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 1.5HP 42GCVPS013-303P G4 R32 INV / CAR CDU 1.5HP 38GCVPS013- 303P G4 R32 INV	42GCVPS013- 303P / 38GCVPS013- 303P	3.6	1080	145.8	5.46	5	R32	Split Type - Wall Mounted	0.47	675
755	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 2.0HP 42GCVPS016-303P G4 R32 INV / CAR CDU 2.0HP 38GCVPS016- 303P G4 R32 INV	42GCVPS016- 303P / 38GCVPS016- 303P	4.6	1425	192.38	5.18	5	R32	Split Type - Wall Mounted	0.61	675
756	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 2.5HP 42GCVPS024-303P G4 R32 INV / CAR CDU 2.5HP 38GCVPS024- 303P G4 R32 INV	42GCVPS024- 303P / 38GCVPS024- 303P	6	1840	248.4	6.04	5	R32	Split Type - Wall Mounted	1.08	675
757	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR FCU 42GCVBE018- 303P INVERTER / CAR CDU 38GCVBE018- 303P INVERTER	42GCVBE018- 303P / 38GCVBE018- 303P	5.2	1650	222.75	5.13	5	R32	Split Type - Wall Mounted	0.87	675
758	GTC-Aldis Philippines Inc.	HYUNDAI	Window Type Air conditioner	HAC-W10R-C	2.64	879	189.86	3.12	1	R32	Window Type	0.275	675
759	GTC-Aldis Philippines Inc.	HYUNDAI	Window Type Air conditioner	HAC-W10M-C	2.64	879	189.86	3.11	1	R32	Window Type	0.275	675
760	GTC-Aldis Philippines Inc.	HYUNDAI	Window Type Air conditioner	HAC-W05M-B	1.47	523	112.97	3.5	2	R32	Window Type	0.18	675
761	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	REMOTE WINDOW TYPE	GJ07-6NR	2.2	690	149.04	3.39	2	R32	Window Type	0.34	675
762	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	REMOTE WINDOW TYPE	GJ09-6NR	2.6	887	191.59	3.11	1	R32	Window Type	0.37	675
763	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	REMOTE WINDOW TYPE	GJ12-6NR	3.64	1137	245.59	3.4	2	R32	Window Type	0.39	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
764	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	REMOTE WINDOW TYPE	GJ24-6NR	6.65	2180	470.88	3.24	2	R32	Window Type	0.76	675
765	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	MANUAL WINDOW TYPE	GJ07-6NM	2.2	690	149.04	3.39	2	R32	Window Type	0.34	675
766	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	MANUAL WINDOW TYPE	GJ09-6NM	2.6	887	191.59	3.11	1	R32	Window Type	0.37	675
767	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	MANUAL WINDOW TYPE	GJ12-6NM	3.64	1137	245.59	3.4	2	R32	Window Type	0.39	675
768	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	MANUAL WINDOW TYPE	GJ18-6NM	5.5	1796	387.94	3.25	2	R32	Window Type	0.5	675
769	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	REMOTE WINDOW TYPE	GJ18-6NR	5.5	1796	387.94	3.25	2	R32	Window Type	0.5	675
770	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	MANUAL WINDOW TYPE	GJ24-6NM	6.65	2180	470.88	3.24	2	R32	Window Type	0.76	675
771	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	INDOOR / OUTDOOR CONVENTIONAL	GW28-3NR-I / O	8	2470	533.52	3.27	2	R410a	Split Type - Wall Mounted	1.8	2088
772	Uni-Tech Phils. Industrial Machinery, Inc.	GREE	INDOOR / OUTDOOR CONVENTIONAL WALL MOUNTED	GW28-6NR-I / GW28-6NR-O	8	2350	507.6	4.01	5	R32	Split Type - Wall Mounted	1.2	675
773	TCL SUN, INC.	TCL	TCL IOT INVERTER WINDOW TYPE AC	TAC-24CW/UJE	6.67	2380	321.3	4.02	5	R32	Window Type	0.63	675
774	Excellence Appliance Technologies Inc.	FUJIDENZO	INVERTER SPLIT TYPE AIR CONDITIONER	PIS-250T	7.39	2117	285.8	4.24	5	R410a	Split Type - Wall Mounted	1.05	2088
775	Excellence Appliance Technologies Inc.	FUJIDENZO	INVERTER SPLIT TYPE AIR CONDITIONER	PIS-100T	2.59	723	97.6	5.88	5	R410a	Split Type - Wall Mounted	0.48	2088
776	Excellence Appliance Technologies Inc.	FUJIDENZO	INVERTER SPLIT TYPE AIR CONDITIONER	PIS-200T	5.68	1632	220.32	5	5	R410a	Split Type - Wall Mounted	0.99	2088
777	Excellence Appliance Technologies Inc.	FUJIDENZO	INVERTER SPLIT TYPE AIR CONDITIONER	PIS-150T	3.71	1078	145.53	4.61	5	R410a	Split Type - Wall Mounted	0.58	2088

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
778	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR PMX 2.00HP REM AURA	WCARJ019EE	5.28	1880	406.08	2.98	1	R410a	Window Type	0.94	2088
779	Concepcion Carrier Air Conditioning Company (CCAC)	Carrier	CAR PMX 2.50HP REM AURA	WCARJ024EE	6.11	2250	486	2.88	1	R410a	Window Type	1.3	2088
780	JOHNSON CONTROLS-HITACHI AIR CONDITIONING PHILIPPINES, INC.	HITACHI	AIR CONDITIONER	RAS-08HT/RAC-08HTP	2.5	581	78.43	5.71	5	R410a	Split Type - Wall Mounted	0.76	2088
781	JOHNSON CONTROLS-HITACHI AIR CONDITIONING PHILIPPINES, INC.	HITACHI	AIR CONDITIONER	RAS-10HT/RAC-10HTP	3.19	833	112.46	4.74	5	R410a	Split Type - Wall Mounted	0.76	2088
782	JOHNSON CONTROLS-HITACHI AIR CONDITIONING PHILIPPINES, INC.	HITACHI	AIR CONDITIONER	RAS-30HT/RAC-30HTP	7.78	2170	292.95	4.01	5	R410a	Split Type - Wall Mounted	1.65	2088
783	JOHNSON CONTROLS-HITACHI AIR CONDITIONING PHILIPPINES, INC.	Hitachi	Air Conditioner	RA-08SR	2.44	752	162.43	3.2	1	R410a	Window Type	0.48	2088
784	TRADEMASTER RESOURCES CORPORATION	Everest	ETM06WDR3-HF	ETM06WDR3-HF	1.61	560	120.96	3.33	2	R32	Window Type	0.22	675
785	TRADEMASTER RESOURCES CORPORATION	Everest	ETIV36XFS/M-INT,ETIV36XFS/M- EXT	ETIV36XFS/M-INT,ETIV36XFS/M- EXT	10.6	3600	486	4.09	5	R410a	Split Type - Floor Mounted	2.3	2088

ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
 JANUARY 01 TO JUNE 30, 2024

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
786	TRADEMASTER RESOURCES CORPORATION	Everest	ET36XCF/M-INT ET36TDXU/M-EXT	ET36XCF/M-INT ET36TDXU/M-EXT	10.6	3770	814.32	2.71	1	R410a	Split Type - Ceiling Suspended	1.9	2088
787	TRADEMASTER RESOURCES CORPORATION	Everest	ETIV36XCFM-INT,ETIV36SDXUM-EXT	ETIV36XCFM-INT,ETIV36SDXUM-EXT	10.7	3560	480.6	4.68	5	R410a	Split Type - Ceiling Suspended	2.3	2088
788	TRADEMASTER RESOURCES CORPORATION	EVEREST	ETM20WDR2-HF	ETM20WDR2-HF	5.39	1745	376.92	3.32	2	R410a	Window Type	0.72	2088
789	TRADEMASTER RESOURCES CORPORATION	EVEREST	Window Type- Remote Rev.1	ETA10WDR3-HF	2.78	880	190.08	3.37	2	R32	Window Type	0.275	675
790	TRADEMASTER RESOURCES CORPORATION	EVEREST	Window Type-Inverter	ETIV10CFWTD	2.81	794	107.19	4.61	5	R32	Window Type	0.25	675
791	TRADEMASTER RESOURCES CORPORATION	EVEREST	Window Type-Inverter	ETIV15CFWTD	3.57	1180	159.3	4.65	5	R32	Window Type	0.38	675
792	TRADEMASTER RESOURCES CORPORATION	EVEREST	Window Type - Manual Rev.1	ETM10WDR3-HF	2.78	880	190.08	3.34	2	R32	Window Type	0.275	675
793	TRADEMASTER RESOURCES CORPORATION	EVEREST	Window Type- Remote Rev.1	ETA15WDR3-HF	3.64	1170	252.72	3.43	3	R32	Window Type	0.4	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
794	TRADEMASTER RESOURCES CORPORATION	EVEREST	Window Type- Remote Rev.1	ETA20WDR3-HF	5.82	1745	376.92	3.55	3	R32	Window Type	0.52	675
795	JOHNSON CONTROLS-HITACHI AIR CONDITIONING PHILIPPINES, INC.	HITACHI	AIR CONDITIONER	RAS-10HTK/RAC-10HTK	2.7	610	82.35	6.05	5	R32	Split Type - Wall Mounted	0.5	675
796	JOHNSON CONTROLS-HITACHI AIR CONDITIONING PHILIPPINES, INC.	HITACHI	AIR CONDITIONER	RAS-15HTK/RAC-15HTK	3.5	882	119.07	5.52	5	R32	Split Type - Wall Mounted	0.6	675
797	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD APPLIANCES	Panasonic	Inverter Split Type Air Conditioner	CS-PU36WKQ/CU-PU36WKQ	10	3000	405	5.54	5	R32	Split Type - Wall Mounted	2.6	675
798	SUNTOUCH TECHNOLOGY CORPORATION	XTREME COOL	1.0HP WINDOW TYPE INVERTER AIRCONDITIONER	XACWT10i	2.55	736	99.36	3.6	3	R32	Window Type	0.44	675
799	SUNTOUCH TECHNOLOGY CORPORATION	XTREME COOL	1.5HP WINDOW TYPE INVERTER AIRCONDITIONER	XACWT15i	3.98	1005	135.67	3.84	4	R32	Window Type	0.48	675
800	SUNTOUCH TECHNOLOGY CORPORATION	XTREME COOL	1.5HP WINDOW TYPE NON-INVERTER AIRCONDITIONER	XACWT15R	3.79	1177	254.23	3.21	2	R32	Window Type	0.4	675
801	SUNTOUCH TECHNOLOGY CORPORATION	XTREME COOL	2.0HP WINDOW TYPE NON-INVERTER AIRCONDITIONER	XACWT20R	5.46	1757	379.51	3.3	2	R32	Window Type	0.52	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
802	SUNTOUCH TECHNOLOGY CORPORATION	XTREME COOL	1.0HP WINDOW TYPE NON-INVERTER AIRCONDITIONER	XACWT10	2.61	879	189.86	3.08	1	R32	Window Type	0.275	675
803	SUNTOUCH TECHNOLOGY CORPORATION	XTREME COOL	1.5HP WINDOW TYPE NON-INVERTER AIRCONDITIONER	XACWT15	3.52	1212	261.79	3.16	2	R32	Window Type	0.4	675
804	SUNTOUCH TECHNOLOGY CORPORATION	XTREME COOL	2.0HP WINDOW TYPE NON-INVERTER AIRCONDITIONER	XACWT20	5.28	1765	381.24	3.13	2	R410a	Window Type	0.72	2088
805	SUNTOUCH TECHNOLOGY CORPORATION	XTREME COOL	0.5HP WINDOW TYPE NON-INVERTER AIRCONDITIONER	XACWT05	1.64	511	110.38	3.25	1	R32	Window Type	0.18	675
806	MACLIN ELECTRONICS INC.	UNION	AIR CONDITIONER	UGAIR 6000 rev32	1.61	560	120.96	3.48	2	R32	Window Type	0.22	675
807	MACLIN ELECTRONICS INC.	UNION	AIR CONDITIONER	UGAIR 5000 rev 32	1.47	523	112.97	3.19	1	R32	Window Type	0.18	675
808	MACLIN ELECTRONICS INC.	UNION	AIR CONDITIONER	UGAIR 9000 REV 32	2.64	879	189.86	3.15	1	R32	Window Type	0.275	675
809	MACLIN ELECTRONICS INC.	UNION	AIR CONDITIONER	UGAIR 9000RC REV 32	2.64	879	189.86	3.12	1	R32	Window Type	0.275	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
810	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD APPLIANCES	Panasonic	Inverter Split Type Air Conditioner	CS-XU30AKQ/CU-XU30AKQ	8.2	2300	310.5	5.7	5	R32	Split Type - Wall Mounted	1.47	675
811	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD APPLIANCES	Panasonic	Inverter Split Type Air Conditioner	CS-PU30AKQ/CU-XU30AKQ	8.2	2300	310.5	5.7	5	R32	Split Type - Wall Mounted	1.47	675
812	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD APPLIANCES	Panasonic	Inverter Split Type Air Conditioner	CS-RU9AKQ/CU-RU9AKQ	2.65	750	101.25	5.36	5	R32	Split Type - Wall Mounted	0.41	675
813	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD APPLIANCES	Panasonic	Inverter Split Type Air Conditioner	CS-PU9AKQ/CU-RU9AKQ	2.65	750	101.25	5.36	5	R32	Split Type - Wall Mounted	0.41	675
814	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD APPLIANCES	Panasonic	Inverter Split Type Air Conditioner	CS-QU9AKQ/CU-RU9AKQ	2.65	750	101.25	5.36	5	R32	Split Type - Wall Mounted	0.41	675
815	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD APPLIANCES	Panasonic	Inverter Split Type Air Conditioner	CS-RU12AKQ/CU-RU12AKQ	3.52	1030	139.05	5.37	5	R32	Split Type - Wall Mounted	0.45	675
816	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD APPLIANCES	Panasonic	Inverter Split Type Air Conditioner	CS-PU12AKQ/CU-RU12AKQ	3.52	1030	139.05	5.37	5	R32	Split Type - Wall Mounted	0.45	675
817	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD APPLIANCES	Panasonic	Inverter Split Type Air Conditioner	CS-QU12AKQ/CU-RU12AKQ	3.52	1030	139.05	5.37	5	R32	Split Type - Wall Mounted	0.45	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
818	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD APPLIANCES	Panasonic	Inverter Split Type Air Conditioner	CS-RU18AKQ/CU-RU18AKQ	5.2	1710	230.85	5.28	5	R32	Split Type - Wall Mounted	0.68	675
819	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD APPLIANCES	Panasonic	Inverter Split Type Air Conditioner	CS-PU18AKQ/CU-RU18AKQ	5.2	1710	230.85	5.28	5	R32	Split Type - Wall Mounted	0.68	675
820	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD APPLIANCES	Panasonic	Inverter Split Type Air Conditioner	CS-QU18AKQ/CU-RU18AKQ	5.2	1710	230.85	5.28	5	R32	Split Type - Wall Mounted	0.68	675
821	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD APPLIANCES	Panasonic	Inverter Split Type Air Conditioner	CS-RU24AKQ/CU-RU24AKQ	6.25	1800	243	6.11	5	R32	Split Type - Wall Mounted	0.92	675
822	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD APPLIANCES	Panasonic	Inverter Split Type Air Conditioner	CS-PU24AKQ/CU-RU24AKQ	6.25	1800	243	6.11	5	R32	Split Type - Wall Mounted	0.92	675
823	PANASONIC MANUFACTURING PHILIPPINES CORPORATION - HOUSEHOLD APPLIANCES	Panasonic	Inverter Split Type Air Conditioner	CS-QU24AKQ/CU-RU24AKQ	6.25	1800	243	6.11	5	R32	Split Type - Wall Mounted	0.92	675
824	JOHNSON CONTROLS-HITACHI AIR CONDITIONING PHILIPPINES, INC.	HITACHI	AIR CONDITIONER	RAS-08HT/RAC-08HTP	2.5	581	78.43	5.71	5	R410a	Split Type - Wall Mounted	0.76	2088
825	JOHNSON CONTROLS-HITACHI AIR CONDITIONING PHILIPPINES, INC.	HITACHI	AIR CONDITIONER	RAS-10HT/RAC-10HTP	3.19	833	112.46	4.74	5	R410a	Split Type - Wall Mounted	0.76	2088

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
826	JOHNSON CONTROLS-HITACHI AIR CONDITIONING PHILIPPINES, INC.	HITACHI	AIR CONDITIONER	RAS-30HT/RAC-30HTP	7.78	2170	292.95	4.01	5	R410a	Split Type - Wall Mounted	1.65	2088
827	JOHNSON CONTROLS-HITACHI AIR CONDITIONING PHILIPPINES, INC.	Hitachi	Air Conditioner	RA-08SR	2.44	752	162.43	3.2	1	R410a	Window Type	0.48	2088
828	Haier Electrical Appliances Philippines Inc.	Haier	Air Conditioner	HW-05MCQ32	1.39	472	101.95	3.12	1	R32	Window Type	0.185	675
829	Haier Electrical Appliances Philippines Inc.	Haier	Air Conditioner	HW-12VCQ32	3.33	1050	141.75	4.17	5	R32	Window Type	0.445	675
830	Kolin Philippines International, Inc.	Kolin	Kolin 1.5 hp Standard Non-Inverter R32	KSM-SW15-6H1M32	3.5	1078	232.85	3.55	3	R32	Split Type - Wall Mounted	0.5	675
831	Kolin Philippines International, Inc.	Kolin	Kolin 2.0 hp Standard Non-Inverter R32	KSM-SW20-6H1M32	5.43	1692	365.47	3.44	3	R32	Split Type - Wall Mounted	0.67	675
832	Kolin Philippines International, Inc.	Kolin	Kolin 2.5 hp Standard Non-Inverter R32	KSM-SW25-6H1M32	7.16	2350	507.6	3.43	3	R32	Split Type - Wall Mounted	1.08	675
833	Kolin Philippines International, Inc.	Kolin	Kolin 1.0 hp Standard Non-Inverter R32	KSM-SW10-6H1M32	2.64	810	174.96	3.39	2	R32	Split Type - Wall Mounted	0.36	675

ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
 JANUARY 01 TO JUNE 30, 2024

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
834	JOHNSON CONTROLS-HITACHI AIR CONDITIONING PHILIPPINES, INC.	Hitachi	Air Conditioner	RA-10SR	2.69	898	193.97	3.08	1	R410a	Window Type	0.59	2088
835	JOHNSON CONTROLS-HITACHI AIR CONDITIONING PHILIPPINES, INC.	HITACHI	AIR CONDITIONER	RA-08HVK	2.5	747	100.84	4.8	5	R410a	Window Type	0.63	2088
836	JOHNSON CONTROLS-HITACHI AIR CONDITIONING PHILIPPINES, INC.	HITACHI	AIR CONDITIONER	RA-15HVK	3.61	1208	163.08	4.52	5	R410a	Window Type	0.63	2088
837	JOHNSON CONTROLS-HITACHI AIR CONDITIONING PHILIPPINES, INC.	HITACHI	AIR CONDITIONER	RA-10HVK	2.94	922	124.47	4.7	5	R410a	Window Type	0.63	2088
838	CYA INDUSTRIES, INC.	FABRIANO	Window Type Air Conditioner	FWM06TW32	1.54	506	109.3	3.18	1	R32	Window Type	0.175	675
839	CYA INDUSTRIES, INC.	FABRIANO	Window Type Air Conditioner	FWE09TW32	2.61	830	179.28	3.19	1	R32	Window Type	0.28	675
840	CYA INDUSTRIES, INC.	FABRIANO	Window Type Air Conditioner	FWE12TW32	3.5	1150	248.4	3.13	2	R32	Window Type	0.32	675
841	CYA INDUSTRIES, INC.	mabe	Air Conditioner	MEE05VX	1.5	542	117.07	3.27	1	R32	Window Type	0.175	675
842	CYA INDUSTRIES, INC.	mabe	Air Conditioner	MEE07VX	2	667	144.07	3.27	1	R32	Window Type	0.23	675
843	CYA INDUSTRIES, INC.	mabe	Air Conditioner	MEE09VX	2.6	839	181.22	3.34	2	R32	Window Type	0.28	675
844	CYA INDUSTRIES, INC.	mabe	Air Conditioner	MEE12VX	3.5	1167	252.07	3.15	2	R32	Window Type	0.32	675
845	CYA INDUSTRIES, INC.	FABRIANO	Window Type Air Conditioner	FWE09HWIC-32	2.53	773	104.36	4.4	5	R32	Window Type	0.27	675
846	CYA INDUSTRIES, INC.	FABRIANO	Window Type Air Conditioner	FWE12HWIC-32	3.39	1018	137.43	4.27	5	R32	Window Type	0.45	675
847	CYA INDUSTRIES, INC.	FABRIANO	Air Conditioner	FICT36HWI32	10.5	3030	409.05	5.21	5	R32	Split Type - Ceiling Cassette	1.8	675
848	CYA INDUSTRIES, INC.	FABRIANO	Air Conditioner	FIFC36HWI32	10.6	3140	423.9	5.24	5	R32	Split Type - Ceiling Suspended	1.8	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
849	RI-AN COMMERCIAL INC.	VISSION	B10-MB WINDOW TYPE	B10-MB	2.67	872.4	188.44	3.25	1	R32	Window Type	0.275	675
850	RI-AN COMMERCIAL INC.	VISSION	B10-RB WINDOW TYPE	B10-RB	2.67	882	190.51	3.21	1	R32	Window Type	0.275	675
851	RI-AN COMMERCIAL INC.	VISSION	B20-RB WINDOW TYPE	B20-RB	5.3	1754.2	378.91	3.21	2	R32	Window Type	0.52	675
852	CYA INDUSTRIES, INC.	FABRIANO	Air Conditioner	FSE30HWI32-1/FSE30HWI32-0	8	2300	310.5	5.91	5	R32	Split Type - Wall Mounted	1.6	675
853	FROST AIRE CONDITIONING INC	FROST	Residential Airconditioner	RA-08C2	2.05	684	147.74	3.18	1	R32	Window Type	0.24	675
854	FROST AIRE CONDITIONING INC	FROST	Residential Airconditioner	RA-06RC2	1.61	560	120.96	3.18	1	R32	Window Type	0.22	675
855	FROST AIRE CONDITIONING INC	FROST	Residential Airconditioner	RA-06C2	1.61	560	120.96	3.18	1	R32	Window Type	0.22	675
856	FROST AIRE CONDITIONING INC	FROST	RESIDENTIAL AIRCONDITIONER	RA-10RC2	2.64	879	189.86	3.1	1	R32	Window Type	0.275	675
857	GREAT BUYS HOME DEPOT, INC.	AUX	SPLIT TYPE WALL MOUNTED INVERTER AIRCON	ASW09A2QCDI//AS09A2QCDI	2.64	980	132.3	4.15	5	R32	Split Type - Wall Mounted	0.4	675
858	GREAT BUYS HOME DEPOT, INC.	AUX	SPLIT TYPE WALL MOUNTED INVERTER AIRCON	ASW12A2QCDI//AS12A2QCDI	3.5	1180	159.3	4.81	5	R32	Split Type - Wall Mounted	0.4	675
859	GREAT BUYS HOME DEPOT, INC.	AUX	SPLIT TYPE WALL MOUNTED INVERTER AIRCON	ASW18A2QCDI//AS18A2QCDI	5.3	1760	237.6	5.09	5	R32	Split Type - Wall Mounted	0.69	675
860	GREAT BUYS HOME DEPOT, INC.	AUX	SPLIT TYPE WALL MOUNTED INVERTER AIRCON	ASW24A2QCDI//AS24A2QCDI	7	2300	310.5	4.98	5	R32	Split Type - Wall Mounted	0.75	675
861	LG Electronics Philippines, Inc.	LG	.80 HP WINDOW TYPE AIR-CONDITIONER	LA080EC	2.33	690	93.15	3.63	3	R32	Window Type	0.31	675
862	LG Electronics Philippines, Inc.	LG	1.0 HP WINDOW TYPE AIR-CONDITIONER	LA100EC	2.78	900	121.5	4.1	5	R32	Window Type	0.31	675
863	LG Electronics Philippines, Inc.	LG	2.0 HP WINDOW TYPE AIR-CONDITIONER	LA200EC	5	1590	214.65	4.07	5	R32	Window Type	0.52	675
864	LG Electronics Philippines, Inc.	LG	2.5 HP WINDOW TYPE AIR-CONDITIONER	LA250EC	5.83	2140	288.9	4.04	5	R32	Window Type	0.64	675
865	LG Electronics Philippines, Inc.	LG	.80 HP WINDOW TYPE AIR-CONDITIONER	LA080GC	2.33	720	97.2	4.09	5	R32	Window Type	0.3	675
866	LG Electronics Philippines, Inc.	LG	1.0 HP WINDOW TYPE AIR-CONDITIONER	LA100GC	2.78	900	121.5	4.1	5	R32	Window Type	0.31	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
867	LG Electronics Philippines, Inc.	LG	2.0 HP WINDOW TYPE AIR-CONDITIONER	LA200GC	5	1600	216	4.01	5	R32	Window Type	0.52	675
868	LG Electronics Philippines, Inc.	LG	1.0 HP WINDOW TYPE AIR-CONDITIONER Rev.01	LA100EL	2.78	805	108.68	4.06	5	R32	Window Type	0.45	675
869	LG Electronics Philippines, Inc.	LG	1.5 HP WINDOW TYPE AIR-CONDITIONER Rev.01	LA150EC	3.33	1000	135	4.01	5	R32	Window Type	0.45	675
870	LG Electronics Philippines, Inc.	LG	1.5 HP WINDOW TYPE AIR-CONDITIONER Rev.01	LA150GC	3.33	1030	139.05	4.02	5	R32	Window Type	0.45	675
871	LG Electronics Philippines, Inc.	LG	2.5 HP WINDOW TYPE AIR-CONDITIONER Rev.01	LA250GC	5.83	2200	297	4.01	5	R32	Window Type	0.64	675
872	FEDERALFORTUNES BUILDERS SUPPLY CORP.	EUROTEK	Inverter Split Type AC	EAC-3210S	2.64	910	122.85	4.22	5	R32	Split Type - Wall Mounted	0.29	675
873	FEDERALFORTUNES BUILDERS SUPPLY CORP.	EUROTEK	Inverter Window Type AC	EAC-2310W	2.5	819	110.56	4.4	5	R32	Window Type	0.27	675
874	FEDERALFORTUNES BUILDERS SUPPLY CORP.	EUROTEK	Inverter Window Type AC	EAC-2315W	3.33	1090	147.15	4.27	5	R32	Window Type	0.45	675
875	RI-AN COMMERCIAL INC.	VISSION	B15-RB WINDOW TYPE	B15-RB	3.52	1212	261.79	2.9	1	R32	Window Type	0.4	675
876	Skyworth (Philippines) Corporation	Skyworth	SPLIT TYPE WALL MOUNTED VARIABLE	SVC18-DFA2(I)/SVC18-DFA2(O)	5.28	1800	243	5.15	5	R32	Split Type - Wall Mounted	0.78	675
877	MULSONS TRADING CORPORATION	SUMMIT	1.0 HP WINDOW TYPE AIRCONDITIONER (INVERTER)	SA-101WRT/INV	2.63	800	108	4.09	5	R32	Window Type	0.28	675
878	MULSONS TRADING CORPORATION	SUMMIT	2.0 HP SPLIT TYPE AIRCONDITIONER (INVERTER)	SA-20SPI	5.28	1648	222.48	4.02	5	R32	Split Type - Wall Mounted	0.64	675
879	FORTUNE BUDDIES CORPORATION	HANABISHI	1 HP SPLIT TYPE INVERTER AIR CONDITIONER rev.1	HMSTINV-10ZEN	2.64	700	94.5	4.31	5	R32	Split Type - Wall Mounted	0.38	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
880	FORTUNE BUDDIES CORPORATION	HANABISHI	1.5 HP SPLIT TYPE INVERTER AIR CONDITIONER rev.1	HMSTINV-15ZEN	3.52	1035	139.72	4.45	5	R32	Split Type - Wall Mounted	0.44	675
881	TRADEMASTER RESOURCES CORPORATION	EVEREST	SPLIT TYPE-WALL MOUNTED INVERTER	ETIV20CSTR3-HF-INT / ETIV20CSTR3-HF-EXT	5.55	1850	249.75	5.1	5	R32	Split Type - Wall Mounted	0.6	675
882	TRADEMASTER RESOURCES CORPORATION	EVEREST	SPLIT TYPE-WALL MOUNTED INVERTER	ETIV15CSTR3-HF-INT / ETIV15CSTR3-HF-EXT	3.71	1089	147.02	5.17	5	R32	Split Type - Wall Mounted	0.4	675
883	TRADEMASTER RESOURCES CORPORATION	EVEREST	SPLIT TYPE-WALL MOUNTED INVERTER	ETIV10CSTR3-HF-INT / ETIV10CSTR3-HF-EXT	2.83	804	108.54	5.3	5	R32	Split Type - Wall Mounted	0.35	675
884	Skyworth (Philippines) Corporation	Skyworth	SPLIT TYPE WALL MOUNTED VARIABLE	SVC09-DFA2(I)/SVC09-DFA2(O)	2.64	870	117.45	4.55	5	R32	Split Type - Wall Mounted	0.5	675
885	Skyworth (Philippines) Corporation	Skyworth	SPLIT TYPE WALL MOUNTED VARIABLE	SVC12-DFA2(I)/SVC12-DFA2(O)	3.52	1120	151.2	4.76	5	R32	Split Type - Wall Mounted	0.49	675
886	TRADEMASTER RESOURCES CORPORATION	EVEREST	SPLIT TYPE-WALL MOUNTED INVERTER	ETIV25CSTR3-HF-INT / ETIV25CSTR3-HF-EXT	6.67	2027	273.65	5.12	5	R32	Split Type - Wall Mounted	0.78	675
887	LG Electronics Philippines, Inc.	LG	1.3 HP WINDOW TYPE AIR-CONDITIONER	LA130GC	3.06	1000	135	4.01	5	R32	Window Type	0.31	675
888	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - CEILING SUSPENDED AIR-CONDITIONER	AVNQ40GM1A4 / AUUQ40GH4	9.99	3220	434.7	4.6	5	R410a	Split Type - Ceiling Suspended	1.9	2088
889	LG Electronics Philippines, Inc.	LG	1.0 HP WINDOW TYPE AIR-CONDITIONER	LA100AE	2.78	900	121.5	4.1	5	R32	Window Type	0.31	675
890	LG Electronics Philippines, Inc.	LG	1.0 HP SPLIT TYPE AIR-CONDITIONER	HS-09ISE	2.7	770	103.95	4.8	5	R32	Split Type - Wall Mounted	0.34	675
891	LG Electronics Philippines, Inc.	LG	1.5 HP SPLIT TYPE AIR-CONDITIONER	HS-12ISE	3.52	1030	139.05	4.8	5	R32	Split Type - Wall Mounted	0.43	675
892	LG Electronics Philippines, Inc.	LG	1.0 HP SPLIT TYPE AIR-CONDITIONER	HS-09IBA	2.58	920	124.2	4.2	5	R32	Split Type - Wall Mounted	0.29	675
893	LG Electronics Philippines, Inc.	LG	1.5 HP SPLIT TYPE AIR-CONDITIONER	HS-12IBA	3.22	1150	155.25	4.5	5	R32	Split Type - Wall Mounted	0.44	675
894	LG Electronics Philippines, Inc.	LG	2.0 HP SPLIT TYPE AIR-CONDITIONER	HS-18IBA	4.98	1840	248.4	4.5	5	R32	Split Type - Wall Mounted	0.65	675

**ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
JANUARY 01 TO JUNE 30, 2024**

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
895	LG Electronics Philippines, Inc.	LG	2.5 HP SPLIT TYPE AIR-CONDITIONER	HS-24IBA	6.16	2200	297	5	5	R32	Split Type - Wall Mounted	0.86	675
896	LG Electronics Philippines, Inc.	LG	0.8 HP WINDOW TYPE AIR-CONDITIONER	LA080GC2	2.33	720	97.2	4.09	5	R32	Window Type	0.3	675
897	LG Electronics Philippines, Inc.	LG	1.0 HP WINDOW TYPE AIR-CONDITIONER	LA100GC2	2.78	900	121.5	4.1	5	R32	Window Type	0.31	675
898	LG Electronics Philippines, Inc.	LG	1.0 HP WINDOW TYPE AIR-CONDITIONER	LA100AE2	2.78	900	121.5	4.1	5	R32	Window Type	0.31	675
899	LG Electronics Philippines, Inc.	LG	1.3 HP WINDOW TYPE AIR-CONDITIONER	LA130GC2	3.06	1000	135	4.01	5	R32	Window Type	0.31	675
900	LG Electronics Philippines, Inc.	LG	2.0 HP WINDOW TYPE AIR-CONDITIONER	LA200GC2	5	1600	216	4.01	5	R32	Window Type	0.52	675
901	LG Electronics Philippines, Inc.	LG	2.5 HP WINDOW TYPE AIR-CONDITIONER	LA250GC2	5.83	2200	297	4.01	5	R32	Window Type	0.64	675
902	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - FLOOR MOUNTED AIR-CONDITIONER	APNQ36GR5A4 / AUUQ36GH4	10.6	3500	472.5	4.9	5	R410a	Split Type - Floor Mounted	1.9	2088
903	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - FLOOR MOUNTED AIR-CONDITIONER	APNQ48GT3E4 / AUUQ48GH4	13.5	4490	606.15	4.8	5	R410a	Split Type - Floor Mounted	2.2	2088
904	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - CEILING SUSPENDED AIR-CONDITIONER	ATNQ12GULA1 / ATUQ12GULA1	3	990	133.65	5	5	R410a	Split Type - Ceiling Suspended	0.75	2088
905	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - CEILING SUSPENDED AIR-CONDITIONER	ATNQ18GTLA1 / ATUQ18GTLA1	4.9	1520	205.2	5.1	5	R410a	Split Type - Ceiling Suspended	0.85	2088
906	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - CEILING CASSETTE AIR-CONDITIONER	ATNQ24GPLE7 / ATUQ24GPLE7	7	2170	292.95	5.4	5	R410a	Split Type - Ceiling Cassette	1.1	2088
907	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - CEILING CASSETTE AIR-CONDITIONER	ATNQ36GNLE7 / AUUQ36GH4	10.6	3500	472.5	4.9	5	R410a	Split Type - Ceiling Cassette	1.9	2088

ISSUANCE OF ENERGY LABEL FOR AIR-CONDITIONERS
 JANUARY 01 TO JUNE 30, 2024

NO.	COMPANY	BRAND NAME	PRODUCT NAME	MODEL NO./CODE	COOLING CAPACITY (Kw)	POWER RATING (WATTS)	MONTHLY ENERGY ELECTRICITY CONSUMPTION (KWH)	ENERGY EFFICIENCY RATING (CSPF)	ENERGY EFFICIENCY PERFORMANCE RATING	REFRIGERANT USED	INSTALLATION TYPE	REFRIGERANT AMOUNT	GWP
908	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - CEILING CASSETTE AIR-CONDITIONER	ATNQ48GMLE7 / AUUQ48GH4	13.5	4490	606.15	5.3	5	R410a	Split Type - Ceiling Cassette	2.2	2088
909	LG Electronics Philippines, Inc.	LG	SPLIT TYPE - CEILING SUSPENDED AIR-CONDITIONER	AVNQ50GM2A4 / AUUQ50GH4	12.9	4530	611.55	4.35	5	R410a	Split Type - Ceiling Suspended	2.2	2088